

(12) (19) (CA) **Demande-Application**

(21) (A1) **2,303,526**

(22) 2000/03/31 (43) 2000/10/03

(72) BARTENSCHLAGER, RALF, DE

(71) BARTENSCHLAGER, RALF, DE

(51) Int.Cl. 7 C12N 7/02, C12N 15/51, C12N 5/10

(30) 1999/04/03 (199 15 178.4) DE


OPIC

Office de la propriété

INTELLECTUELLE DU CANADA

(54) SYSTEME DE CULTURE DU VIRUS DE L'HEPATITE C

(54) HEPATITIS C VIRUS CELL CULTURE SYSTEM



(57) The hepatitis C virus (HCV) cell culture system according to the invention consists of human hepatoma cells, which are transfected with a HCV-RNA construct, that comprises the HCV specific RNA segments 5' NTR, NS3, NS4A, NS4B, NS5A, NS5B, and 3' NTR as well as a minimum of one marker gene for selection (selection gene).

Hepatitis C Virus Cell Culture System

5 ABSTRACT

The hepatitis C virus (HCV) cell culture system according to the invention consists of human hepatoma cells, which are transfected with a HCV-RNA construct, that comprises the HCV specific RNA segments 5' NTR, NS3, NS4A, NS4B, NS5A, NS5B, and 3' NTR as well as a minimum of one marker gene for selection (selection gene).

Hepatitis C Virus Cell Culture System

DESCRIPTION

The invention relates to a hepatitis C virus (HCV) cell culture system, which comprises mainly eukaryotic cells containing transfected HCV specific genetic material, which means they are transfected with HCV specific genetic material.

10

25

The hepatitis C virus (HCV) is one of the main causes worldwide of chronic and sporadic liver diseases. history of most HCV infections does not involve any obvious clinical signs, but 80 - 90 % of the infected people become chronic carriers of the virus and 50 % of these chronic 15 carriers of the virus develop chronic hepatitis with different degrees of severity. Approx. 20 chronically infected develop a cirrhosis of the liver over 10 to 20 years, based on what a primary hepatocellular carcinoma can develop. Nowadays chronic hepatitis C is the main indication for liver transplantation. A specific therapy does not exist until now. The only therapy currently available is high-dose administration Interferon alpha or a combination of Interferon alpha and the purine nucleoside analogue Ribavirin. However, only approx. 60 % of all treated persons respond to this therapy and with these, a new viraemia occurs in more than half of all cases after the discontinuation of the treatment.

30 Due to the high prevalence, especially in industrialized countries, the serious effects of chronic infections and the non-existence of a specific therapy, the development of HCV specific chemotherapy is an important goal of pharmaceutical research and development. The main problem 35 lies in the previous lack of a suitable cell culture system, which enables the study of virus replication and pathogenesis in eukaryotic cells.

Due to the small amount of virus in blood or tissue, the lack of suitable cell culture systems or animal models (the chimpanzee is still the only possible experimental animal) as well as the lack of efficient systems for producing virus-like particles, it was not possible up to now, to analyze the molecular composition of the HCV particle indepth and to solve it. The information currently available can be summarized as follows: HCV is an enveloped plusstrand RNA virus with a particle diameter of 50 - 60 nm and a medium density of 1.03 - 1.1 g/ml. It was molecularly cloned and characterized for the first time in 1989 (Choo et al., 1989, Science, 244, 359 - 362). The HCV-RNA has a length of approx. 9.6 kb (= 9600 nucleotides), a positive polarity and comprises one open reading frame (ORF), which encodes a linear polyprotein of approx. 3010 amino acids (see Rice 1996, in Virology, B. N. Fields, D. M. Knipe, P. M. Howley, Eds. (Lippincott-Raven, Philadelphia, PA, 1996), vol. 1, pp. 931 - 960; Clarke 1997, J. Gen. Virol. 78, 2397; and Bartenschlager 1997, Intervirology 40, 378 and see Fig. 1 A). During the replication of the virus the polyprotein is cleaved into the mature and functionally active proteins by cellular and viral proteases.

10

15

20

Within the polyprotein the proteins are arranged as follows 25 (from the amino- to the carboxy terminus): Core-E1-E2-p7-NS2-NS3-NS4A-NS4B-NS5A-NS5B. The core protein is the main component of the nucleocapsid. The glycoproteins E1 and E2 are transmembrane proteins and the main components of the viral envelope. They probably play an important role during 30 the attachement of the virus to the host cell. These three proteins core, E1, and E2 constitute the viral particle and are therefore called structural proteins. The function of the protein p7 is still not clear. The protein NS2 is probably the catalytic domain of the NS2-3 protease, which 35 is responsible for the processing between the proteins NS2 and NS3. The protein NS3 has two functions, one is a

protease activity in the amino terminal domain, which is essential for the polyprotein processing, and the other a NTPase/helicase function in the carboxy terminal domain, which is probably important during the replication of the viral RNA. The protein NS4A is a co-factor of the NS3 protease. The function of the protein NS4B is unknown.

The open reading frame is flanked on its 5' end by a nontranslated region (NTR) approx. 340 nucleotides in length, 10 which functions as the internal ribosome entry site (IRES), and on its 3' end by a NTR approx. 230 nucleotides in length, which is most likely important for the genome replication. A 3' NTR such as this is the object of patent application PCT/US 96/14033. The structural proteins in the amino terminal quarter of the polyprotein are cleaved by 15 host cell signal peptidase. The non-structural proteins (NS) 2 to (NS) 5B are processed by two viral enzymes, namely the NS2-3 and the NS3/4A protease. The NS3/4A protease is required for all cleavages beyond the carboxy terminus of NS3. The function of NS4B is unknown. NS5A, a 20 highly phosphorylated protein, seems to be responsible for the Interferon resistance of various HCV genotypes (see Enomoto et al. 1995, J. Clin. Invest. 96, 224; Enomoto et al. 1996, N. Engl. J. Med. 334, 77; Gale Jr. et al. 1997, Virology 230, 217; Kaneko et al. 1994, Biochem. Biophys. 25 Res. Commun. 205, 320; Reed et al., 1997, J. Virol. 71, 7187), and NS5B has been identified as the RNA-dependent RNA polymerase.

First diagnostic systems have been developed from these findings, which are either based on the detection of HCV specific antibodies in patient serum or the detection of HCV specific RNA using the reverse transcription polymerase chain reaction (RT-PCR), and which are (must be) routinely used with all blood and blood products and/or according to the regulations.

Since the first description of the genome in 1989 several partial and complete sequences of the HCV have been cloned and characterized using the PCR method. A comparison of these sequences shows a high variability of the viral genome in particular in the area of the NS5B gene, which eventually resulted in the classification of 6 genotypes, which are again subdivided into the subtypes a, b, and c.

The genomic variance is not evenly distributed over the genome. The 5'NTR and parts of the 3'NTR are highly conserved, while certain encoded sequences vary a lot, in particular the envelope proteins E1 and E2.

10

The cloned and characterized partial and complete sequences of the HCV genome have also been analyzed with regard to 15 appropriate targets for a prospective antiviral therapy. In the course of this, three viral enzymes have been discovered, which may provide a possible target. These include (1) the NS3/4A protease complex, (2) the NS3 Helicase and (3) the NS5B RNA-dependent RNA polymerase. The 20 NS3/4A protease complex and the NS3 Helicase have already been crystallized and their three-dimensional structure determined (Kim et al., 1996, Cell, 87,343; Yem et al., 1998, Protein Science, 7, 837; Love et al., 1996, Cell, 87, 311; Kim et al., 1998, Structure, 6, 89; Yao et al., 1997, 25 Nature Structural Biology, 4, 463, Cho et al., 1998, J. Biol. Chem., 273, 15045). it has not been successful until now with the NS5B RNA-dependent RNA polymerase.

Even though important targets for the development of a therapy for chronic HCV infection have been defined with these enzymes and even though a worldwide intensive search for suitable inhibitors is ongoing with the aid of rational drug design as well as high throughput screening, the development of a therapy has one major deficiency, namely the lack of cell culture systems or simple animal models, which allow direct, reliable identification of HCV-RNA or

HCV antigens with simple methods which are common in the laboratory. The lack of these cell culture systems is also the main reason that to date the comprehension of HCV replication is still incomplete and mainly hypothetical.

5

10

Although according to the experts, a close evolutionary relationship exists between HCV and the flavi- and pestiviruses, and self-replicating RNAs have been described for these, which can be used for the replication in different cell lines with a relatively high yield, (see Khromykh et al., 1997, J. Virol. 71, 1497; Behrens et al., 1998, J. Virol. 72, 2364; Moser et al., 1998, J. Virol. 72, 5318), similar experiments with HCV have not been successful to date.

15

Although it is known from different publications that cell lines or primary cell cultures can be infected with high titre patient serum containing HCV, (Lanford et al. 1994, Virology 202, 606; Shimizu et al. 1993, Proceedings of the National Academy of Sciences, USA, 90, 6037 - 6041; 20 Mizutani et al. 1996, Journal of Virology, 70, 7219 - 7223; M. Ikeda et al. 1998, Virus Res. 56, 157; Fournier et al. J. Gen. Virol. 79, 2376 and bibliographical references quoted in here; Ito et al. 1996, Journal of General Virology, 77, 1043 - 1054), these virus-infected 25 cell lines or cell cultures do not allow the direct detection of HCV-RNA or HCV antigens. The viral RNA in these cells can not be detected in a Northern Blot (a standard method for the quantitative detection of RNA) or viral protein in Western 30 the a Blot or immunoprecipitation. It has only been possible to detect HCV replication with very costly and indirect methods. disadvantageous facts show that obviously the replication in these known virus-infected cell lines or cell cultures is completely insufficient.

Furthermore it is known from the publications of Yoo et al. (1995, Journal of Virology, 69, 32 - 38) and of Dash et al., (1997, American Journal of Pathology, 151, 363 - 373) that hepatoma cell lines can be transfected with synthetic HCV-RNA, which are obtained through in vitro transcription of the cloned HCV genome. In both publications the authors started from the basic idea that the viral HCV genome is a plus-strand RNA functioning directly as mRNA after being transfected into the cell, permitting the synthesis of viral proteins in the course of the translation process, and so new HCV particles are (could be) formed. This viral replication, which means these newly formed HCV viruses and their RNA, have been detected through RT-PCR. However the published results of the RT-PCR carried out indicate, that HCV replication in the described HCV transfected hepatoma cells is not particularly efficient and is not sufficient to measure the quality, let alone the quantity of the fluctuations in the replication rate after an targeted action with prospective antiviral treatments. Furthermore it is prior art (Yanagi et al., Proc. Natl. Sci. USA, 96, 2291-95, 1999), that the highly conserved 3' NTR is essential for the virus replication. This knowledge strictly contradicts the statements of Yoo et al. and Dash et al., who used for their experiments only HCV genomes with shorter 3' NTRs since they did not know the authentic 3' end of the HCV genome.

The object of the present invention is to provide a HCV cell culture system, where the viral RNA self-replicates in the transfected cells with such a high efficiency that the quality and quantity of the fluctuations in the replication rate can be measured with common methodologies usually found in the laboratory after a targeted action with virus and prospective HCV specific antivirals in particular.

35

10

15

20

25

30

The solution to this problem is to provide a cell culture system of the prior mentioned type, where the eukaryotic

cells are human cells, in particular hepatoma cells, which are preferably derived from a normal hepatoma cell line, but can also be obtained from an appropriate primary cell culture, and where the transfected HCV specific genetic material is a HCV-RNA construct, which essentially comprises the HCV specific RNA segments 5' NTR, NS3, NS4A, NS4B, NS5A, NS5B, and 3' NTR preferably in the order mentioned as well as a minimum of one marker gene for selection (selection gene).

10

Here and in the following "NTR" stands for "non-translated region" and is a known and familiar term or abbreviation to the relevant expert.

- Here and in the following the term "HCV-RNA construct" comprises constructs, which include the complete HCV genome, as well as those, which only include a part of it, which means a HCV subgenome.
- A preferred variation of the cell culture system according to the invention, which had proven to be worthwhile in practice, is lodged at the DSMZ, Deutsche Sammlung von Mikroorganismen und Zellkulturen GmbH (German collection of Microorganisms and Cell Cultures) in Braunschweig, Germany under the number DSM ACC2394 (laboratory name HuBl 9-13).

With the cell culture system according to the invention an in vitro system is provided for the first time, where HCV-RNA is self-replicated and expressed intracellularly and in a sufficient amount, so that the quantity of the amounts of 30 HCV- RNA as well as the HCV specific proteins can be determined with conventional reliably precise and biochemical measuring methods. This means an authentic cell-based HCV replication system is available 35 for the first time, which is urgently needed for the development and testing of antiviral drugs. This test system provides the possibility of identifying potential targets for an effective HCV specific therapy and developing and evaluating HCV specific chemotherapeuticals.

The invention is based on the surprising finding that efficient replication of the HCV-RNA only occurs in cells if they have been transfected with an HCV-RNA construct, which comprises at least the 5' and the 3' non-translated regions (NTR) and the non-structural proteins (NS) 3 to 5B and additionally a marker gene for selection (selection gene). The structural genes are obviously without great importance for replication, whereas efficient replication of the HCV-RNA apparently only occurs if the transfected cells are subject to permanent selection pressure, which is imparted by the marker gene for selection (selection gene) linked to the HCV-RNA. Consequently the marker (selection gene) seems on one hand to provoke the selection of those cells, where the HCV-RNA replicates productively, and it seems on the other hand to considerably increase the efficiency of the RNA replication.

20

25

30

35

10

15

An object of the invention is also a cell-free HCV-RNA construct, characterized in that it comprises the HCV specific RNA segments 5' NTR, NS3, NS4A, NS4B, NS5A, NS5B, and 3' NTR, preferably in the order mentioned, as well as a marker gene for selection (selection gene).

In the present context the terms 5' NTR and NS3 and NS4A and NS4B and NS5A and NS5B and 3' NTR comprise each nucleotide sequence, which is described in the state of the art as the nucleotide sequence for each functional segment of the HCV genome.

By providing a HCV-RNA construct such as this, a detailed analysis of the HCV replication, pathogenesis and evolution in cell culture is possible for the first time. The HCV specific viral RNA can specifically be created as a complete genome or subgenome in any amount, and it is

possible, to manipulate the RNA construct and consequently to examine and identify the HCV functions on a genetic level.

Because all HCV enzymes identified as a main target for a therapy at the moment, namely the NS3/4A protease, the NS3 helicase and the NS5B polymerase, are included in the HCV-RNA construct according to the invention, it can be used for all relevant analyses.

10

An embodiment of the HCV-RNA construct, which has proven to be worthwhile in practical use, stands out by the fact that it comprises the nucleotide sequence according to the sequence protocol SEQ ID NO:1.

15

20

25

30

35

Further embodiments with similar good properties for practical use are characterized in that they comprise a nucleotide sequence either according to sequence protocol SEQ ID NO:2 or according to sequence protocol SEQ ID NO:3 or according to sequence protocol SEQ ID NO:4 or according to sequence protocol SEQ ID NO:5 or according to sequence protocol SEQ ID NO:6 or according to sequence protocol SEQ ID NO:8 or according to sequence protocol SEQ ID NO:8 or according to sequence protocol SEQ ID NO:9 or according to sequence protocol SEQ ID NO:10 or according to sequence protocol SEQ ID NO:11.

It is possible to provide the HCV subgenomic construct with a 3' NTR, which has a nucleotide sequence so far unknown in the state of art, a nucleotide sequence, which has been selected from the group of nucleotide sequences (a) to (i) listed in the following:

 \mathbf{T}

- (b) ACGGGGAGCTAAACACTCCAGGCCAATAGGCCATCCTGTTTTTT TTTTTAGTCT
 TTTTTTTTC TTTTTTTGA GAGAGAGAGT CTCACTCTGT TGCCCAGACT
 GGAGC
- 5 (c) ACGGGGAGCTAAACACTCCAGGCCAATAGGCCATCCTGTTTTTT TTTAATCTTT
 TTTTTTTCT TTTTTTTTGA GAGAGAGAGT CTCACTCTGT TGCCCAGACT
 GCAGC
- (d) ACGGGGAGCTAAACACTCCAGGCCAATAGGCCATCCTGTTTTTT TTTTTTAGTC

 10 TTTTTTTTT TCTTTTTTT TGAGAGAGAG AGTCTCACTC TGTTGCCCAG

 ACTGGAGT
 - (e) ACGGGGAGCTAAACACTCCAGGCCAATAGGCCATCCTGTTTTTT TTTTTAGTCT
 TTTTTTTTTT TCTTTTTTTT TGAGAGAGAG AGTCTCACTC TGTTGCCCAG
 ACTGGAGT

15

20

- (f) ACGGGGAGCTAAACACTCCAGGCCAATAGGCCATCCTGTTTTT TTTTTAGTCT
 TTTTTTTTT TCTTTTTTT TTGAGAGAGA GAGTCTCACT CTGTTGCCCA
 GACTGGAGT
- (g) ACGGGGAGCTAAACACTCCAGGCCAATAGGCCATCCTGTTTTTT TTTTTAGTCT
 TTTTTTTTT CTTTTTTTT GAGAGAGAG GTCTCACTCT GTTGCCCAGA
 CTGGAGT
- 25 (h) ACGGGGAGCTAAACACTCCAGGCCAATAGGCCATCCTGTTTTTT TTTTTTAAT
 CTTTTTTTT TTTTTCCTTT TTTTGAGAGA GAGAGTCTCA CTCTGTTGCC
 CAGACTGGAG T
- (i) ACGGGGAGCTAAACACTCCAGGCCAATAGGCCATCCTGTTTTTT TTTTTTAATC

 30 TTTTTTTTT TTTTCTTTTT TTTTTGAGAG AGAGAGTCTC ACTCTGTTGC

 CCAGACTGGA GT

The marker gene for selection (selection gene) included in the HCV-RNA constructs according to the invention is preferably a resistance gene, in particular an antibiotic resistance gene.

This has the advantage that the cells transfected with this construct can easily be selected from the non-transfected cells by adding for example the appropriate antibiotic to the cell culture medium in the case of an antibiotic resistance gene.

In the present context 'antibiotic' means any substance, which impedes the non-transfected host cells or the cells, where the HCV-RNA is not replicating efficiently, continuing to live or grow, especially the cell poison Puromycin, Hygromycin, Zeocin, Bleomycin or Blasticidin.

A preferred marker gene for selection (selection gene) and resistance gene, which has proven to be worthwhile in practice, is the neomycin phosphotransferase gene.

An alternative for the antibiotic resistance genes is for example the thymidine kinase gene, which can be used to carry out a HAT selection.

20

25

5

10

15

The marker gene for selection (selection gene), the preferred resistance gene and the most preferred antibiotic resistance gene is preferably positioned in the HCV-RNA construct after the HCV 5' NTR, which means downstream from the 5' NTR and upstream from the HCV reading frame. However, an insertion in the area of the 3' NTR or another site of the HCV genome or subgenome, for example within the polyprotein, is also conceivable.

In another embodiment of the HCV-RNA construct according to the invention the marker gene for selection (selection gene), in particular an antibiotic resistance gene, is linked to the HCV-RNA or HCV genomic or subgenomic sequence via a ribozyme or a recognition site for a ribozyme.

35

This has the advantage, that after the selection of the cells, in which the HCV-RNA is replicating productively,

the resistance gene in the obtained cell clones can be separated from the HCV subgenomic sequence through a ribozyme-dependent cleavage, namely by activating the inserted ribozyme or in the case of a construct with a recognition site for a ribozyme, by transfecting the ribozyme into the cells (for example through the transfection of a ribozyme construct or infection with a viral expression vector, into which the appropriate ribozyme has been inserted). By this means an authentic HCV genomic construct can be obtained without a resistance gene, which can then form authentic infectious virus particles.

Another preferred embodiment of the HCV-RNA construct according to the invention is characterized in that the construct has at least one integrated reporter gene.

In the following a reporter gene means any gene, whose presence can be easily detected with, in general, simple biochemical or also histochemical methods after being transferred into a target organism, which means a gene, that encodes for a protein, which can be easily and reliably detected and quantified in small amounts with the common measuring methods in the laboratory.

25

10

15

20

This variation of the HCV-RNA construct has the advantage that the extent of the replication of this construct can be easily and quickly measured with the methods common in the laboratory using the reporter gene product.

30

35

The reporter gene is preferably a gene from the group of the luciferase genes, the CAT gene (chloramphenicol acetyl transferase gene), the lacZ gene (beta galactosidase gene), the GFP gene (green fluorescence protein gene), the GUS gene (glucuronidase gene) or the SEAP gene (secreted alkaline phosphatase gene). This reporter gene and its products, namely the relevant reporter proteins, can be

detected for example using fluorescence, chemiluminescence, colorimetric measurements or by means of immunological methods (for example ELISA).

5 A surrogate marker gene can also be considered as a reporter gene. In this context it includes those genes, which encode for cellular proteins, nucleic acids or generally for those functions, which are subject to variation depending on the replication of the virus, and which consequently are either suppressed or activated in the cells, in which the HCV or the HCV-RNA construct multiplies. This means, the suppression or activation of this function is a surrogate marker for the replication of the virus or the replication of the HCV-RNA construct.

15

20

25

30

35

The positions of the reporter genes and the marker gene for selection (selection gene) can be selected in such a way, that a fusion protein made from both genetic products will be expressed. This has the advantage that these two genes can be arranged in such a way in the HCV-RNA construct that their two expressed proteins are fused via a recognition sequence for a protease (for example ubiquitin) or via a self-cleaving peptide (for example the 2A protein of the Picornaviruses) at first and will be separated proteolytically later.

These two positions might as well lie apart from each other in such way, that both genetic products are separately expressed (for example in the order: marker or resistance gene — internal ribosome binding site — reporter gene).

In the case of the reporter gene one embodiment has proven to be particularly worthwhile, where the reporter gene is cloned into the open reading frame of the HCV genome or subgenome in such a way that it will only be transferred to an active form after proteolytic processing. The cell culture system according to the invention can be used for various purposes in each of its embodiments. These comprise:

- The detection of antiviral substances. This can include for example: organic compounds, which interfere directly or indirectly with viral growth (for example inhibitors of the viral proteases, the NS3 helicase, the NS5B RNA-dependent RNA polymerase), antisense oligonucleotides, which will hybridize to any target sequence in the HCV-RNA construct (for example the 5' NTR) and will have an direct or indirect influence on the virus growth for example due to a reduction of translation of the HCV polyprotein or ribozymes, which cleave any HCV-RNA sequence and consequently impair virus replication.
 - The evaluation of any type of antiviral substances in the cell culture. These substances can be detected on the isolated purified enzyme for example with 'rational drug design' or 'high-throughput screening'. Evaluation means mainly the determination of the inhibitory features of the respective substance as well as its mode of action.

- The identification of new targets of viral or cellular origin for a HCV specific antiviral therapy. If for example a cellular protein is essential for viral replication, the viral replication can also be influenced by inhibiting this cellular protein. The system according to the invention also enables the detection of these auxiliary factors.
- The determination of drug resistance. It can be assumed that resistance to therapy occurs due to the high mutation rate of the HCV genome. This resistance, which is very important for the clinical approval of a substance, can be detected with the cell culture system

according to the invention. Cell lines, in which the HCV-RNA construct or the HCV genome or subgenome replicates, are incubated with increasing concentrations of the relevant substance and the replication of the viral RNA is either determined by means of an introduced reporter gene or through the qualitative or quantitative detection of the viral nucleic acids or proteins. Resistance is given if no or a reduced inhibition of the replication can be observed with concentration of the active substance. The nucleotide and amino acid replacements responsible for the therapy resistance can be determined by recloning the HCV-RNA (for example by the means of RT-PCR) and sequence analysis. By cloning the relevant replacement/s into the original construct its causality for the resistance to therapy can be proven.

5

10

15

- The production of authentic virus proteins (antigens) for the development and/or evaluation of diagnostics. The cell culture system according to the invention also allows the expression of HCV antigens in cell cultures. In principle these antigens can be used as the basis for diagnostic detection methods.
- The production of HCV viruses and virus-like particles, in particular for the development or production of therapeutics and vaccines as well as for diagnostic purposes. Especially cell culture adapted complete HCV genomes, which could be produced by using the cell cultur system according to the invention, are able to replicate in cell culture with high efficiency. These genomes have the complete functions of HCV and in consequence they are able to produce infectious viruses.
- 35 The HCV-RNA construct according to the invention by itself can also be used for various purposes in all its embodiments. This includes first of all:

 The construction of attenuated hepatitis C viruses or HCV-like particles and their production in cell cultures:

5

10

Attenuated HCV or HCV-like particles can be created by accidental or purposefully introduced mutations, such as point mutations, deletions or insertions, which means viruses or virus-like particles with complete ability to replicate, but reduced or missing pathogenicity. These attenuated HCV or HCV-like particles can be used in particular as vaccine.

- The construction of HCV-RNA constructs with integrated 15 foreign genes, used for example as liver cell specific vector in gene therapy. Due to the distinctive liver cell tropism of the HCV and the possibility of replacing parts of the genome by heterologous sequences, HCV-RNA constructs can be produced, where for example structural proteins can be replaced by a therapeutically 20 effective gene. The HCV-RNA construct obtained in this way is introduced into cells preferably by means of transfection, which express the missing HCV functions, for example the structural proteins, in a constitutive or inducible way. Virus particles, carrying the HCV-RNA 25 construct, can be created by means of this method known to the expert under the term 'transcomplementation'. The obtained can particles preferably be used for infection of liver cells. Within these the therapeutically effective foreign gene will be expressed 30 and will consequently develop its therapeutic effect.
- The detection of permissive cells, which means cells, in which a productive virus growth occurs. For this purpose either one of the HCV-RNA genomic constructs previously mentioned, which is able to form complete infectious viruses, or one of the HCV subgenomes previously

5

10

15

mentioned, which according to the previously mentioned example will be transfected in a cell line first, which expresses the missing functions in a constitutive or inducible way, is used. In each case virus particles are created, which carry a resistance and/or reporter gene apart from the HCV sequence. In order to detect cells, where the HCV is able to replicate, these cells are infected with viruses generated in this way and subject antibiotic selection or they are examined depending on the HCV-RNA construct by determining the presence of the expression reporter gene. Because an antibiotic resistance or reporter gene expression can only be established, when HCV-RNA construct replicates, the cells detected in this way must be permissive. Almost any cell line or primary cell culture can be tested in regard to the permissivity and detected in this way.

20 The cell culture system according to the invention also permits targeted discovery of HCV-RNA constructs for which there is an increase in the efficiency of replication due to mutations. This occurs either by chance, in the context of HCV-RNA replication, or by targeted introduction into the construct. These mutations, leading to a change in the 25 replication of the HCV-RNA construct, are known to experts adaptive mutations. The invention therefore includes a method for obtaining cell culture adapted mutants of a HCV-RNA construct according to the invention following the above description, in which the mutants have 30 increased replication efficiency compared to the original HCV-RNA construct. It further includes a method for the production of mutants of a HCV-RNA full-length genome or of a HCV-RNA subgenome or of any HCV-RNA construct increased replication efficiency compared to the original 35 HCV-RNA full-length genome or subgenome or HCV-RNA construct, as well as cell culture adapted mutants of HCV-

RNA constructs, HCV-RNA full-length genomes and HCV subgenomes with increased replication efficiency compared to the original constructs, subgenomes or full-length genomes.

5

10

15

20

25

30

The method according to the invention for the production of cell culture adapted mutants of a HCV-RNA construct according to the invention, in which the mutants have increased replication efficiency compared to the HCV-RNA construct, is characterised in that a cell culture system according to claim 1, in which the transfected HCV specific genetic material is a HCV-RNA construct with a selection gene according to claims 4 to 19, is cultivated on/in the selection medium corresponding to the selection gene, that the cultivated cell clones are collected and that the HCV-RNA construct is isolated from these cell clones.

In an advantageous extension of this production method, the isolated HCV-RNA constructs are passaged at least one more time, that is they are transfected in cells of a cell culture system according to claim 1, the thus obtained cell culture system according to claim 1, in which the transfected HCV specific genetic material is the isolated HCV-RNA construct with a selection gene, is cultivated on/in the selection medium corresponding to the selection gene, the cultivated cell clones are collected and the HCV-RNA constructs are thus isolated.

Using this process variation, the quantity of adaptive mutations and hence the degree of replication efficiency in the relevant HCV-RNA constructs can be increased even further.

The method according to the invention for the production of mutants of a HCV-RNA full-length genome or of a HCV-RNA subgenome or of any HCV-RNA construct with increased replication efficiency compared to the original HCV-RNA

full-length genome or subgenome or HCV-RNA construct, has the following features. Using one of the two production methods presented above, a cell culture adapted mutant of a HCV-RNA construct is produced, isolated from the cells, cloned using state of the art known methods and sequenced. By comparing with the nucleotide and amino acid sequence of the original HCV-RNA construct, the type, number and position of the mutations is determined. These mutations are then introduced into an (isolated) HCV subgenome or full-length genome or any HCV-RNA construct, either by site-directed mutagenesis, or by exchange of DNA fragments containing the relevant mutations.

10

15

20

25

30

35

A test can be carried out to determine or verify which mutations actually are responsible for an alteration of replication efficiency, particularly an increase in replication. In this test the corresponding nucleotide and/or amino acid changes are introduced into the original HCV-RNA construct and the modified construct is then transfected in cell culture. If the introduced mutation actually leads to an increase in replication, then for a HCV-RNA construct with a selectable marker gene, the number of resistant cell clones in the artificially mutated construct should be noticeably higher compared to the untreated construct.

In the case of a construct with a reporter gene, the activity or quantity of the reporter should be noticeably higher for the artificially mutated construct compared to the untreated one.

The cell culture adapted HCV-RNA constructs with high replication efficiency according to the invention are characterized in that, through nucleotide or amino acid exchanges, they are derivable from a HCV-RNA construct according to one of the claims 4 to 19, and that they are

- 20 -

obtainable using one of the two production processes presented above.

These cell culture adapted HCV-RNA constructs can be used to produce any HCV-RNA constructs or HCV full-length or subgenomes with increased replication efficiency. Both constructs with a selectable resistance gene and constructs without one or with a non-selectable reporter gene (e.g. luciferase) can be produced in this way, since replication of cell culture adapted HCV-RNA constructs can also be demonstrated in non-selected cells due to their high replication efficiency.

10

30

35

The cell culture adapted mutants of a HCV-RNA construct or HCV-RNA full-length genome or HCV subgenome with high replication efficiency compared to the original HCV-RNA construct or the original HCV full-length genome are characterized in that they are obtainable by a method in which the type and number of mutations in a cell culture adapted HCV-RNA construct are determined through sequence analysis and sequence comparison and these mutations are introduced into a HCV-RNA construct, particularly a HCV-RNA construct according to one of the claims 4 to 19, or into an (isolated) HCV-RNA full-length genome, either by sitedirected mutagenesis, or by exchange of DNA fragments containing the relevant mutations.

A group of preferred HCV-RNA constructs, HCV full-length genomes and HCV subgenomes with high and very high replication efficiency, which are consequently highly suitable for practical use is characterised in that it contains one, several or all of the amino acid or nucleic acid exchanges listed in table 3 and/or one or several of the following amino acid exchanges: 1283 arg -> gly , 1383 glu -> ala , 1577 lys -> arg , 1609 lys -> glu , 1936 pro -> ser , 2163 glu -> gly , 2330 lys -> glu , 2442 ile

-> val. (The numbers refer to the amino acid positions of the polyprotein of the HCV isolate con1, see Table 1).

5 Special features of the nucleotid sequences according to the sequence listings:

SEQ ID-NO: 1

Name: I389/Core-3'/wt

- 1.1-341: HCV 5' non-translated region
- 10 2.342-1193: HCV Core Protein-Neomycin Phosphotransferase fusion protein; selectable Marker
 - 3.1202-1812: internal ribosome entry site from encephalomyokarditis virus; directs translation of the downstream located HCV open reading frame
- 4.1813-10842: HCV Polyprotein from Core up to nonstructural protein 5B
 - 5. 1813-2385: HCV Core Protein; structural protein
 - 6. 2386-2961: envelope protein 1 (E1); structural protein
- 7. 2962-4050: envelope protein 2 (E2); structural protein
 - 8. 4051-4239: Protein p7
 - 9. 4240-4890: nonstructural protein 2 (NS2); HCV NS2-3 Protease
- 25 10.4891-6783: nonstructural protein 3 (NS3); HCV NS3 Protease/Helicase
 - 11.6784-6945: nonstructural protein 4A (NS4A); NS3
 Protease cofactor
 - 12.6946-7728: nonstructural protein 4B (NS4B)
- 30 13.7729-9069: nonstructural protein 5A (NS5A)
 - 14.9070-10842: nonstructural protein 5B (NS5B); RNA-dependent RNA-polymerase
 - 15.10846-11076: HCV 3' non-translated region

SEQ ID-NO: 2

Name: I337/NS2-3'/wt

Composition (Nucleotide positions):

- 1.1-341: HCV 5' non-translated region
- 5 2.342-1181: HCV Core Protein-Neomycin Phosphotransferase fusion protein; selectable Marker
 - 3.1190-1800: internal ribosome entry site from encephalomyokarditis virus; directs translation of the downstream located HCV open reading frame
- 4.1801-8403: HCV Polyprotein from nonstructural protein 2
 up to nonstructural protein 5B
 - 5. 1801-2451: nonstructural protein 2 (NS2); HCV NS2-3 Protease
 - 6. 2452-4344: nonstructural protein 3 (NS3); HCV NS3 Protease/Helicase
 - 7. 4345-4506: nonstructural protein 4A (NS4A); NS3 Protease cofactor
 - 8. 4507-5289: nonstructural protein 4B (NS4B)
 - 9. 5290-6630: nonstructural protein 5A (NS5A)
- 10.6631-8403: nonstructural protein 5B (NS5B); RNA-dependent RNA-polymerase
 - 11.8407-8637: HCV 3' non-translated region

SEQ ID-NO: 3

15

25 Name: I389/NS3-3'/wt

- 1.1-341: HCV 5' non-translated region
- 2.342-1193: HCV Core Protein-Neomycin Phosphotransferase fusion protein; selectable Marker
- 30 3.1202-1812: internal ribosome entry site from encephalomyokarditis virus; directs translation of the downstream located HCV open reading frame
 - 4.1813-7767: HCV Polyprotein from nonstructural protein 3 up to nonstructural protein 5B

- 5. 1813-3708: nonstructural protein 3 (NS3); HCV NS3 Protease/Helicase
- 6. 3709-3870: Nonstructural protein 4A (NS4A); NS3 Protease Cofactor
- 7. 3871-4653: Nonstructural protein 4B (NS4B)
 - 8. 4654-5994: Nonstructural protein 5A (NS5A)
 - 9. 5995-7767: Nonstructural protein 5B (NS5B); RNA-dependent RNA-Polymerase
 - 10. 7771-8001: HCV 3' non-translated Region

10

25

5

SEQ ID-NO: 4

Name: I337/NS3-3'/wt

Composition (Nucleotide positions):

- 1.1-341: HCV 5' non-translated region
- 15 2.342-1181: HCV Core Protein-Neomycin Phosphotransferase fusion protein; selectable Marker
 - 3.1190-1800: internal ribosome entry site from encephalomyokarditis virus; directs translation of the downstream located HCV open reading frame
- 20 4.1801-7758: HCV Polyprotein from Nonstructural protein 3 up to Nonstructural protein 5B
 - 5. 1801-3696: Nonstructural protein 3 (NS3); HCV NS3 Protease/Helicase
 - 6. 3697-3858: Nonstructural protein 4A (NS4A); NS3 Protease Cofactor
 - 7. 3859-4641: Nonstructural protein 4B (NS4B)
 - 8. 4642-5982: Nonstructural protein 5A (NS5A)
 - 9. 5983-7755: Nonstructural protein 5B (NS5B); RNA-dependent RNA-Polymerase
- 30 10. 7759-7989: HCV 3' non-translated Region

SEQ ID-NO: 5

Name: I389/NS2-3'/wt

- 1.1-341: HCV 5' non-translated region
- 2.342-1193: HCV Core Protein-Neomycin Phosphotransferase fusion protein; selectable Marker
- 3.1202-1812: internal ribosome entry site from
- 5 encephalomyokarditis virus; directs translation of the downstream located HCV open reading frame
 - 4.1813-8418: HCV Polyprotein from Nonstructural protein 2 up to Nonstructural protein 5B
 - 5. 1813-2463: Nonstructural protein 2 (NS2); HCV NS2-3 Protease
 - 6. 2464-4356: Nonstructural protein 3 (NS3); HCV NS3 Protease/Helicase
 - 7. 4357-4518: Nonstructural protein 4A (NS4A); NS3
 Protease Cofactor
- 8. 4519-5301: Nonstructural protein 4B (NS4B)
 - 9. 5302-6642: Nonstructural protein 5A (NS5A)
 - 10.6643-8415: Nonstructural protein 5B (NS5B); RNA-dependent RNA-Polymerase
 - 11. 8419-8649: HCV 3' non-translated Region

20

10

SEQ ID-NO: 6

Name: I389/NS3-3'/9-13F

- 1.1-341: HCV 5' non-translated region
- 2.342-1193: HCV Core Protein-Neomycin Phosphotransferase fusion protein; selectable Marker
 - 3.1202-1812: internal ribosome entry site from encephalomyokarditis virus; directs translation of the downstream located HCV open reading frame
- 30 4.1813-7767: HCV Polyprotein from Nonstructural protein 3 up to Nonstructural protein 5B of the cell culture-adapted mutant 9-13F
 - 5. 1813-3708: Nonstructural protein 3 (NS3); HCV NS3 Protease/Helicase
- 35 6. 3709-3870: Nonstructural protein 4A (NS4A); NS3

Protease Cofactor . .

- 7. 3871-4653: Nonstructural protein 4B (NS4B)
- 8. 4654-5994: Nonstructural protein 5A (NS5A)
- 9. 5995-7767: Nonstructural protein 5B (NS5B); RNA-dependent RNA-Polymerase

7771-8001: HCV 3' non-translated Region

SEQ ID-NO: 7

5

30

Name: I389/Core-3'/9-13F

- 10 Composition (Nucleotide positions):
 - 1.1-341: HCV 5' non-translated region
 - 2.342-1193: HCV Core Protein-Neomycin Phosphotransferase fusion protein; selectable Marker
 - 3.1202-1812: internal ribosome entry site from
- encephalomyokarditis virus; directs translation of the downstream located HCV open reading frame
 - 4.1813-10842: HCV Polyprotein from Core up to Nonstructural protein 5B of the cell culture-adapted mutant 9-13F
 - 5. 1813-2385: HCV Core Protein; structural protein
- 20 6. 2386-2961: envelope protein 1 (E1); structural protein
 - 7. 2962-4050: envelope protein 2 (E2); structural protein
 - 8. 4051-4239: Protein p7
- 9. 4240-4890: Nonstructural protein 2 (NS2); HCV NS2-3 Protease
 - 10.4891-6783: Nonstructural protein 3 (NS3); HCV NS3 Protease/Helicase
 - 11.6784-6945: Nonstructural protein 4A (NS4A); NS3
 Protease Cofactor
 - 12.6946-7728: Nonstructural protein 4B (NS4B)
 - 13.7729-9069: Nonstructural protein 5A (NS5A)
 - 14.9070-10842: Nonstructural protein 5B (NS5B); RNA-dependent RNA-Polymerase
- 35 15.10846-11076: HCV 3' non-translated Region

SEQ ID-NO: 8

Name: I389/NS3-3'/5.1

Composition (Nucleotide positions):

- 1.1-341: HCV 5' non-translated region
- 5 2.342-1193: HCV Core Protein-Neomycin Phosphotransferase fusion protein; selectable Marker
 - 3.1202-1812: internal ribosome entry site from encephalomyokarditis virus; directs translation of the downstream located HCV open reading frame
- 4.1813-7767: HCV Polyprotein from Nonstructural protein 3 up to Nonstructural protein 5B of the cell culture-adapted mutant 5.1
 - 5. 1813-3708: Nonstructural protein 3 (NS3); HCV NS3 Protease/Helicase
- 6. 3709-3870: Nonstructural protein 4A (NS4A); NS3
 Protease Cofactor
 - 7. 3871-4653: Nonstructural protein 4B (NS4B)
 - 8. 4654-5994: Nonstructural protein 5A (NS5A)
 - 9. 5995-7767: Nonstructural protein 5B (NS5B); RNA-dependent RNA-Polymerase

7771-8001: HCV 3' non-translated Region

SEQ ID-NO: 9

20

30

Name: I389/Core-3'/5.1

- 25 Composition (Nucleotide positions):
 - 1.1-341: HCV 5' non-translated region
 - 2.342-1193: HCV Core Protein-Neomycin Phosphotransferase fusion protein; selectable Marker
 - 3.1202-1812: internal ribosome entry site from encephalomyokarditis virus; directs translation of the
 - downstream located HCV open reading frame
 - 4.1813-10842: HCV Polyprotein from Core up to Nonstructural protein 5B of the cell culture-adapted mutant 5.1
 - 5. 1813-2385: HCV Core Protein; structural protein

- 6. 2386-2961: envelope protein 1 (E1); structural protein
- 7. 2962-4050: envelope protein 2 (E2); structural protein
- 5 8. 4051-4239: Protein p7
 - 9. 4240-4890: Nonstructural protein 2 (NS2); HCV NS2-3 Protease
 - 10.4891-6783: Nonstructural protein 3 (NS3); HCV NS3 Protease/Helicase
- 10 11.6784-6945: Nonstructural protein 4A (NS4A); NS3

 Protease Cofactor
 - 12.6946-7728: Nonstructural protein 4B (NS4B)
 - 13.7729-9069: Nonstructural protein 5A (NS5A)
 - 14.9070-10842: Nonstructural protein 5B (NS5B); RNA-dependent RNA-Polymerase
 - 15.10846-11076: HCV 3' non-translated Region

SEQ ID-NO: 10

15

25

Name: I389/NS3-3'/19

- 20 Composition (Nucleotide positions):
 - 1.1-341: HCV 5' non-translated region
 - 2.342-1193: HCV Core Protein-Neomycin Phosphotransferase fusion protein; selectable Marker
 - 3.1202-1812: internal ribosome entry site from encephalomyokarditis virus; directs translation of the downstream located HCV open reading frame
 - 4.1813-7767: HCV Polyprotein from Nonstructural protein 3 up to Nonstructural protein 5B of the cell culture-adapted mutant 19
- 5. 1813-3708: Nonstructural protein 3 (NS3); HCV NS3 Protease/Helicase
 - 6. 3709-3870: Nonstructural protein 4A (NS4A); NS3 Protease Cofactor
 - 7. 3871-4653: Nonstructural protein 4B (NS4B)
- 35 8. 4654-5994: Nonstructural protein 5A (NS5A)

9. 5995-7767: Nonstructural protein 5B (NS5B); RNA-dependent RNA-Polymerase
7771-8001: HCV 3' non-translated Region

5 SEQ ID-NO: 11

10

15

20

25

Name: I389/Core-3'/19

- 1.1-341: HCV 5' non-translated region
- 2.342-1193: HCV Core Protein-Neomycin Phosphotransferase fusion protein; selectable Marker
- 3.1202-1812: internal ribosome entry site from encephalomyokarditis virus; directs translation of the downstream located HCV open reading frame
- 4.1813-10842: HCV Polyprotein from Core up to Nonstructural protein 5B of the cell culture-adpated mutant 19
 - 5. 1813-2385: HCV Core Protein; structural protein
 - 6. 2386-2961: envelope protein 1 (E1); structural protein
 - 7. 2962-4050: envelope protein 2 (E2); structural protein
 - 8. 4051-4239: Protein p7
 - 9. 4240-4890: Nonstructural protein 2 (NS2); HCV NS2-3 Protease
 - 10.4891-6783: Nonstructural protein 3 (NS3); HCV NS3 Protease/Helicase
 - 11.6784-6945: Nonstructural protein 4A (NS4A); NS3
 Protease Cofactor
 - 12.6946-7728: Nonstructural protein 4B (NS4B)
 - 13.7729-9069: Nonstructural protein 5A (NS5A)
- 30 14.9070-10842: Nonstructural protein 5B (NS5B); RNA-dependent RNA-Polymerase
 - 15.10846-11076: HCV 3' non-translated Region

The invention is described in detail in the following by way of examples of embodiments and respective diagrams. These are as follows

5 **Fig. 1 A:** The structure of a HCV-RNA construct according to the invention

10

15

20

25

30

On the top a diagram of the structure of the complete parental HCV genome is given with the positions of the genes for the cleavage products core, E1, E2, p7, NS2, NS3, NS4A, NS4B, NS5A, and NS5B within the polyprotein, and the 5' and 3' non-translated regions (5' NTR and 3' NTR) - shown as a thick horizontal line -, and with the two positions selected for the creation of the subgenomic constructs, namely the position of the 'GDD catalytic domain' of the NS5B RNA polymerase (GDD) and the position of the 3' end of the HCV-IRES (nucleotide positions 1 to 377 and 1 to 389) - drawn above the diagram of the genome. The numbers below the diagram of the genome indicate the respective nucleotide positions.

Diagrams of the structure of two modified HCV-RNA constructs (subgenome) according to the invention are shown below, consisting of the 5' HCV-IRES, the neomycin phosphotransferase gene (Neo^R), the EMCV-IRES (E-I) and the HCV sequences of NS2 or NS3 up to the authentic 3' end. The position of the 10-amino acid deletion comprising the NS5B polymerase GDD motive is marked with a triangle (Δ).

Fig. 1 B: The result of a denaturing formaldehyde-agarose gel electrophoresis for the detection of replicating plus-strand RNA in transfected subpassaged Huh 7 cell clones.

The positions of HCV specific RNAs (arrows) and the 28S rRNA are specified to the right of lane 12, the size (number of nucleotides) of the RNA marker (M) is specified to the left of lane 1.

Fig. 1 C: The result of a PCR test with subsequent Southern Blot to demonstrate the absence of integrated replicon DNA in most of the selected cell clones.

5

10

15

20

25

30

The lanes 1 and 2 show the positive control, lane 13 the negative control. The figures to the left of lane 1 indicate the size of the nucleotide marker molecules.

Fig. 2 A: The result of a PCR test with subsequent Southern Blot for the detection of the sensitive exclusion of integrated replicon DNA (plasmid molecule $I_{377}/NS3-3'/wt$) in a cell clone containing a HCV-RNA construct (9-13).

The lanes 7 to 11 represent the result of a titration of DNA molecules of the construct $I_{377}/NS3-3'/wt$ without addition of total DNA of the cell clone 9-13, and the lanes 2 - 6 represent the result obtained with the same plasmid molecules with the addition of 1 μ g 9-13 DNA each prior to the PCR (for the purpose of excluding an inhibitor of the PCR in the DNA preparation). Lane 13 represents the negative control (PCR without DNA template). Lane 1 shows the result, which was achieved with one μ g total DNA of the cell clone 9-13.

35 **Fig. 2 B:** The result of a Northern Blot test to quantify the amounts of HCV plus- and minus-strand RNA.

The arrows mark the positions of replicon RNA.

The "plus" and "minus" details indicate the positive (plus) and negative (minus) polarity of the RNA controls, which have been applied to the gel. "Minus-strand" and "Plus-strand" indicate the specificity of the radioactive RNA probes.

Fig. 2 C: The result of a formaldehyde-agarose gel electrophoresis after radioactive labeling of the intracellular replicated HCV-RNA to demonstrate the resistance of HCV-RNA replication to dactinomycin.

5

30

- 15 **Fig. 3 A:** The detection of HCV specific antigens in the selected cell clones by means of immunoprecipitation after metabolic radioactive labeling.
- The lanes 7 9 represent authentic size marker (which have been obtained in Huh 7 cells after the transient expression of a HCV-RNA construct); identified HCV proteins are labeled on the left edge of lane 1, the molecular weights (in Kilodalton) are specified to the right of lane 9.
 - Fig. 3 B: Results of an immunofluorescence test to establish the subcellular localisation of HCV antigens.
 - Fig. 4: Diagram of the structure of a selectable HCV-RNA construct according to the invention (complete genome) consisting of the 5' HCV-IRES, the neomycin phosphotransferase gene (NeoR), a heterologous IRES element, for example from the encephalomyocarditis virus (E-I), the complete HCV open reading frame and the authentic 3' NTR.

Fig. 5: Diagram of the structure of HCV-RNA constructs with inserted antibiotic resistance gene (A) within the nucleotide sequence encoding the polyprotein (monocistronic RNA construct), and (B) within the 3' NTR (bicistronic RNA construct).

- Fig. 6: Diagram of the structure of HCV-RNA constructs 10 with inserted reporter genes (A) as part of a HCV replicon from NS3 to NS5B, - in the end the reporter protein is cleaved by viral or cellular proteases out of the polyprotein or the marker gene for selection (selection gene) or 15 resistance gene are transfected into the cells through co-transfection -, (B) as part of a fusion gene composed of a resistance and reporter (for example for the neomycin phosphotransferase and green fluorescent 20 protein), (C) as part of a replicon composed of a resistance and reporter gene (for example the neomycin phosphotransferase and green fluorescent protein) bound via a nucleotide sequence, which encodes for an amino acid sequence (area with 25 hatches), which can be cleaved by a protease or has a self-cleaving (autocatalytic) activity, (D) independent gene (in this case the green fluorescent protein), which is expressed from its own internal ribosome binding site (IRES); - the 30 resistance gene (in this case the neomycin phosphotransferase gene) is also expressed from its own internal ribosome binding site (IRES) (polycistronic construct).
- 35 **Fig. 7:** Diagram of the structure of a HCV-RNA construct, where the resistance gene is linked to the HCV-

RNA sequence via a ribozyme or a recognition site for a ribozyme.

The thick lines illustrate the HCV 5' and 3' NTRs, E-I is a heterologous internal ribosome binding site, which is required for the expression of the resistance gene, and the grey square illustrates the ribozyme or a recognition site for a ribozyme.

10

- Fig. 8: Diagram of the structure of a HCV-RNA construct with resistance gene and integrated foreign gene.
- Fig. 9: Method for comparing the specific infectivity 15 (expressed as number of cell colonies obtained) of total RNA against in vitro transcripts. HCV-RNA is generated by in vitro transcription of a corresponding RNA construct and quantified by measurement of the optical density at 260 nm (OD 260 nm). A defined number of these molecules is 20 mixed with a specified amount of total RNA from naive Huh-7 cells and this mixture is transfected Huh-7 naive cells with the aid electroporation. At the same time the total RNA 25 of a cell clone, produced by the method described in Figure 1, is isolated using a known state of art method and the amount of HCV-RNA contained therein is determined by means Northern Blot using a HCV specific RNA probe and subsequent quantification via phosphoimaging. A 30 defined amount of this total RNA is analogously transfected in naïve Huh-7 cells. These cells from both the cultures are then subjected to a G418 selection and the number of colonies created 35 determined by counting after fixing staining with Coomassie Brilliant Blue. For the determination of transfection efficiency lug of a

plasmid allowing the expression of luciferase is added to each transfection culture. An aliquot of the transfected cells is collected after 24 hours and the luciferase activity determined in the respective cell lysates. The number of colonies is always normed to the luciferase expression.

Fig. 10: Sequence analysis of the 9-13 clone. Total RNA of the 9-13 cell clone, resulting from transfection 10 of HCV-RNA construct I377/NS3-3', was isolated using a known state of the art method and the HCV-RNA construct amplified from nucleotide position 59 to 9386 with the aid of distance RT-PCR' using primer S59 and A9413. The PCR fragments were cloned and 11 clones (9-13 A -15 K) completely sequenced. Clones D and I, E and G as well as H and J turned out to be identical, respectively. The positions of the amino acid differences in the NS3-5B region between the recloned HCV-RNAs and the parental construct are 20 marked with a thick vertical mark for each clone. Each clone was digested with restriction enzyme SfiI and the respective fragment inserted in the construct. These clones parental were Huh-7 cells 25 transfected in and the cells subjected to selection as described in Figure 1. The number of cell clones obtained with each construct is noted next to the respective construct on the right.

30

35

5

Fig.11 A: Principle of determination of replication with the aid of a reporter gene. In the upper part of the figure, the HCV-DNA construct I389/Luc/NS3-3' HCV consists of the shown. Ιt (nucleotide positions 1-389), the luciferase gene (luc), of the encephalomyocarditis the IRES HCV NS3-5B and the 3' NTR. virus, the

5

10

30

35

position of the active centre of the NS5B RNA polymerase, into which a deactivating amino acid exchange was introduced, is indicated by 'GND'. plasmids, which code for the HCV-RNA construct which is able to replicate or defective, are digested with the restriction vitro ScaIand added to an enzyme transcription reaction with T7 RNA polymerase. After removal of the template DNA, the respective HCV-RNA constructs were transfected in naive Huh-7 cells by means of electroporation and the latter collected at regular intervals.

- Fig.11 B: Comparison of luciferase activity in cells transfected with the parental HCV-RNA construct $I_{389}/Luc/NS3-3'/wt$ (wt) or the following variants: inactive RNA (318 DN), variants 9-13F or variant 5.1. The cells were collected 6 (not shown), 24, 48, 72, 96, 120, 144 and 168 hours after transfection and luciferase activities determined by luminometric measurement.
- Fig. 12: Selectable HCV full-length genomes (constructs I₃₈₉/core 3'/5.1 and I₃₈₉/core 3'/9-13F).

 (A) Diagram of the full-length construct. The region between both indicated recognition sites for the restriction enzyme SfiI corresponds to the sequences of the highly adapted RNA variants 5.1. or 9-13F.
 - (B) Number of colonies which were obtained after transfection of 0.1 μg in vitro transcribed RNA of the construct $I_{389}/\text{core}-3\,^{\prime}/5.1$. described under A into HUH7-cells. The result of a representative experiment is given.
 - (C) Demonstration of autonomously replicating HCV full-length RNAs in G418 resistant cell clones which were obtained after transfection of the

5

10

15

vitro transcript. The corresponding in the autoradiogram illustration shows Northern Blot, which was hybridised with a probe against the neo-resistance gene and the HCV 5' NTR. The controls shown in lanes 1 and 2 each correspond to 108 molecules of the indicated in vitro transcripts, mixed with total RNA from naive Huh-7 cells. The negative control contains only total RNA from naive Huh-7 cells (lane 3). Lanes 4-9 contain 3-10 µg total RNA from G418 resistant cell clones, which were obtained after transfection by in vitro transcribed I389/core 3'/5.1 RNA or $I_{389}/core$ 3'/9-13F RNA. The G418 concentration used for the selection is indicated in each case. Five of the cell clones shown contain the highly adapted RNA variant 5.1 (lanes 4-8), one contains the adapted RNA variant 9-13F(lane 9).

- HCV-RNA constructs with a reporter gene. (A) Fig. 13: 20 Bicistronic HCV-RNA constructs. The reporter gene is translated with the aid of a separate IRES. Monocistronic HCV-RNA constructs. reporter gene product is expressed as fusion protein with a HCV protein. Both portions are 25 linked via a recognition sequence for a viral or cellular protease, which permits a proteolytic separation of the two fused protein portions. In the example shown the reporter gene product and respective HCV protein was fused through a 30 recognition sequence for ubiquitin (Ub).
- Fig. 14: Tricistronic full-length HCV-RNA construct, that in addition to the resistance gene possesses an inserted foreign gene (ther. gene).

Fig. 15: Monocistronic HCV-RNA constructs, for which the resistance gene product is expressed as a fusion protein with HCV portion. The resistance gene (RG) is either active as a fusion protein or it is fused with the HCV portion via a proteolytically cleavable sequence in such a way that the resistance gene product is split from the HCV portion by a cellular or viral protease. In the example shown the resistance gene was fused with the respective HCV portion through the sequence coding for ubiquitin (Ub).

15 Example 1: Production of HCV-RNA constructs

5

10

- (A) Synthesis and cloning of a complete HCV consensus genome by means of RT-PCR
- The HCV genome, which means the HCV-RNA, was isolated from the liver of a chronically infected patient as described in the following:
- The total RNA was isolated from approx. 100 mg of liver according to the method described by Chomczynski and Sacci 25 (1987, Anal. Biochem. 162, 156). Using 1 µg of this isolated RNA a reverse transcription was carried out with primers A6103 (GCTATCAGCCGGTTCATCCACTGC) or CCTGGAG) the expand reverse (CAGGATGGCCTATTGG and transcriptase (Boehringer Mannheim, Germany) 30 system manufacturer's recommendations. according to the polymerase chain reaction (PCR) was carried out with the products of this reverse transcription using the expand long template system (Boehringer Mannheim, Germany), in which the buffer containing 2 % of dimethyl sulfoxide was 35 used. After one hour at 42 °C, 1/8 of the reaction mixture was used for a first PCR with primers A6103 and S59

(TGTCTTCACGCAGAAAGCGTCTAG) or A9413 and S4542 (GATGAGCT CGCCGCGAAGCTGTCC). After 40 cycles, 1/10 of this reaction mixture was used for a second PCR with primers S59 and A4919 (AGCACAGCCCGCGTCATAGCACTCG) or S4542 and A9386 (TTAGCTCCCCG TTCATCGGTTGG. After 30 cycles the PCR products by means of preparative agarose purified electrophoresis and the eluted fragments were ligated into the vector pCR2.1 (Invitrogen) or pBSK II (Stratagene). Four clones of each fragment were analyzed and sequenced, and a consensus sequence was established. For this purpose 10 DNA sequences were compared to each other. positions, where the sequence of one fragment was different from the others, were considered as undesired mutations. In case of ambiguities of the sequence, overlapping PCR fragments of the respective region were 15 amplified and several clones sequenced. By this means several potential mutations could be identified in each fragment and consequently an isolate specific consensus sequence could be established. This established consensus sequence or genome belongs to the worldwide spread genotype 20 1b. The non-translated region at the 3' end (=3' NTR) was obtained by means of a conventional PCR, whereby an antisense primer, which covers the last 24 nucleotides of the 'X-tail' known from the state of the art was used (Tanaka et al., 1995, Biochem. Biophys. Res. Commun. 215, 25 744; und Rice, PCT/US 96/14033). The authentic translated region on the 5' end (=5' NTR) downstream of the T7 promoter was created by means of PCR, whereby an oligonucleotide, which corresponds to a shortened promoter (TAA TAC GAC TCA CTA TAG) and the first 88 30 nucleotides of HCV, was used on one hand and one of the previously mentioned plasmids, which carries one of the 5' fragments of the genome, was used on the other hand. A complete HCV consensus genome was assembled from the subgenomic fragments with the smallest number of non-35 consensus replacements and inserted into a modified pBR322 vector. Deviations from the consensus sequence were eliminated by means of site-directed mutagenesis. In order to produce run-off transcripts with an authentic 3' end, the 3' NTR of the isolates (with the end TGT) was modified to AGT (according to the sequence of the genotype 3 = clone 'WS' according to Kolykhalov et al., 1996, J. Virol. 70, 3363) and an additional nucleotide replacement was carried out at position 9562, to preserve the A:T pairing in the hairpin structure at the 3' end of the 3' NTR (Kolyhalov et al. ibid.). In order to eliminate an internal restriction site for the Scal enzyme, a silent nucleotide replacement was further carried out. After joining the full-length genome with the appropriate 5' and 3' NTRs the complete HCV sequence was analyzed. No undesired nucleotide replacement was detected.

15

10

The HCV genome produced in this way should be hepatotropic according to the definition.

(B) Synthesis of selectable HCV subgenomic constructs

20

25

30

By means of the consensus genome described under (A), HCV subgenomic constructs were created, which include the antibiotic resistance gene neomycin phosphotransferase (NPT) and two sequences of internal ribosome entry sites (IRES). The biochemical procedures used for this are known and familiar to the expert (see: Sambrook, J., Fritsch, T. Maniatis, 1989, Molecular cloning: a laboratory 2nd ed., Cold Spring Harbour Laboratory, Spring Harbor, N.Y.; Ausubel et al. (eds.), 1994, Current Protocols in Molecular Biology, Vol. 1-3, John Wiley & Sons Inc., New York). The antibiotic resistance gene was inserted immediately after the 5' NTR, obtaining bicistronic RNA as a result (see Fig. 1 A). However, the antibiotic resistance gene might as well be inserted at another site of the HCV subgenomic construct, for example nucleotide sequence encoding for the polyprotein, obtaining a monocistronic RNA as a result (see Fig. 5 A), or in the 3' NTR (see Fig. 5 B). The IRES elements are one of the two HCV-IRES variants from nucleotides 1-377 or nucleotides 1-389 as well as the IRES of the encephalomyocarditis virus, which controls the translation of the HCV sequence downstream from the genes for NS2 or NS3 up to the authentic 3' end of the genome.

The two HCV-IRES variants mentioned were determined in the following way:

10

15

20

Based on deletion analyses of the 3' end of the HCV-IRES (Reynolds et al.1995, EMBO J. 14, 6010) various segments of the 5' NTR were fused with the NPT gene and analyzed with regard to the maximum number of colonies formed by means of co-transfection with a plasmid containing the polymerase gene. The best results were achieved with the HCV sequences from 1-377 to 1-389. Due to the fact that the AUG start codon of the HCV polyprotein is located at position 342 and is consequently included in the IRES sequence, 12 or 16 amino acids of the HCV core protein protein") were fused with the neomycin ("core phosphotransferase (see Fig. 1 A).

Accordingly, these modified HCV subgenomic constructs were given the designations $I_{377}/NS2-3$ ' (or $I_{377}/NS3-3$ ') and $I_{389}/NS2-3$ ' (or $I_{389}/NS3-3$ '). They are illustrated in a diagram in Fig. 1A.

Different cell lines and primary cell cultures of human hepatocytes were transfected with in vitro transcripts of these modified parental HCV subgenomic constructs $I_{377}/NS2-3'$ (or $I_{377}/NS3-3'$) and $I_{389}/NS2-3'$ (or $I_{389}/NS3-3'$).

As a parallel negative control for all transfection 35 experiments, an appropriately modified, but defective subgenome was constructed for every modified parental HCV subgenomic construct, which differs from the parental construct due to the fact, that it has a deletion of 10 amino acids within the reading frame comprising the active site of the NS5B RNA polymerase (Behrens et al., 1996, EMBO J. 15, 12; and Lohmann et al., 1997, J. Virol. 71, 8416).

5

10

15

20

25

30

(C) Synthesis of selectable HCV genomic constructs

A NS2-3' subgenomic construct, linked at its 5' end to a fragment of the luciferase gene and the complete EMCV-IRES, was restricted with NcoI and SpeI and purified using preparative agarose gel electrophoresis. The vector obtained in this way was ligated with a NcoI/NotI-HCV fragment corresponding to the nucleotide positions 342 to of the HCV genome and a NotI/SpeI fragment corresponding to the nucleotide positions 1968-9605 in a 3factor-ligation. The resulting construct, where the complete HCV open reading frame and the 3' NTR downstream from the luciferase gene fragment and the EMCV-IRES, was then restricted with PmeI and SpeI and ligated with the analogously restricted $I_{389}/NS3-3'/wt$ subgenomic construct vector. This selectable HCV genomic construct is illustrated in Fig. 4.

(D) Production of in vitro transcripts corresponding to the HCV-RNA constructs

The previously described purified plasmid linearized with ScaI and used for an in vitro transcription reaction after phenol/chloroform extraction and isopropanol precipitation using the following components: 80 mM HEPES, 7.5, 12,5 mM $MgCl_2$, 2 mΜ Spermidine, Dithiothreitol, 2 mM of each NTP, 1 unit RNasin/µl, 50 μg/ml restricted DNA and approx. 2 units/μl polymerase. After 2 hrs. at 37 °C half of the amount of T7 polymerase was added and the reaction mixture was incubated for two further hours. In order to remove DNA the mixture was extracted with acid phenole (U. Kedzierski, J.C. Porte,

1991, Bio Techniques 10, 210), precipitated with isopropanol, the pellet was dissolved in water and incubated with DNase (2 units per µg DNA) for 60 min. at 37 °C. After subsequent extraction with acid phenole, acid phenole/chloroform and chloroform as well as isopropanol precipitation the dissolved RNA was quantified using optical density measurement and its integrity was checked using formaldehyde-agarose gel electrophoresis.

10

Example 2: Transfection experiments with the hepatoma cell line Huh 7

With all transfection experiments it was carefully ensured that any template DNA had been removed beforehand so as to avoid the possibility of this DNA integrating in transfected cells and conferring a neomycin resistance to them independent from HCV replication. The reaction mixture was therefore treated with 2 units of DNase per µg DNA for 60 min. at 37 °C after the in vitro transcription and extracted with acid phenole, acid phenole/chloroform and chloroform. Prior to being used for the transfection the precipitated RNA was analyzed using formaldehyde-agarose gel electrophoresis.

25

30

35

20

Three separate transfection experiments were carried out with the highly differentiated human hepatoma cell line Huh 7 (according to Nakabayashi et al. 1982, Cancer Res. 42, 3858). Each time 15 μ g RNA were introduced into 8 x 10⁶ Huh 7 cells by electroporation and the cells were seeded in culture dishes with a diameter of 10 cm. 24 hours after seeding, neomycin (= G418) was added in a final concentration of 1 mg/ml. The culture medium was changed twice a week. After 3 - 5 weeks small colonies were visible, which were isolated and grown under the same culture conditions.

The cell clones obtained during the first experiment were isolated and subpassaged. Most of the clones died during this procedure, and the final yield was only 9 clones from cells, which had been transfected with the parental HCV subgenomic constructs and 1 clone (clone 8-1) from cells, which had been transfected with a defective HCV genomic construct, namely a defective NS2-3' HCV-RNA. Apart from an extended doubling time and the occasional occurrence of irregularly shaped cells, no consistent morphological differences were found between these 9 cell clones and the single cell clone (clone 8-1) or the parental Huh 7 cells.

10

15

20

25

30

The main criteria for functioning HCV genomic constructs are the formation of viral RNA with the correct size and the absence of (integrated) plasmid DNA, which could transfer or mediate on a G418 resistance.

To determine the HCV-RNA in the Huh 7 cells, the total RNA was isolated and analyzed by means of the common Northern Blot method using a plus-strand specific ribo probe (RNA probe). For this purpose the total RNA was isolated from respective cell clones according to the described by Chomczynski and Sacchi 1987, Anal. Biochem. 162, 156 and 10 µg RNA, which is equivalent to the total RNA content of $0.5 - 1 \times 10^6$ cells, are separated using denatured formaldehyde-agarose gel electrophoresis (lanes 3 of Fig. 1 B). At the same time 109 in vitro transcripts (ivtr.), which correspond to the $I_{389}/NS2-3'/wt$ or the $I_{389}/NS3-3'/wt$ replicon RNAs, are separated as well as size markers with authentic sequence (lane 1 or lane 2). transferred onto nylon-based separated RNA was membranes and hybridized with a radioactively labeled plusstrand specific RNA probe, which was complementary to the complete NPT gene and the HCV-IRES of nucleotide 377 to nucleotide 1. The positions of the HCV specific RNAs (arrows) and the 28S rRNA are specified to the right of lane 12, the size (amount of nucleotides) of the RNA marker

- 44 -

is specified to left of lane 1. The RNA marker fragments contain HCV sequences and therefore hybridize with the ribo probe (= RNA probe). The results of this analysis are illustrated in Fig. 1 B.

5

10

15

20

25

30

35

With the exception of clone 8-1 transfected with the defective HCV genomic construct, all cell clones produced homogenous HCV-RNAs of correct lengths (approx. nucleotides in the case of the NS2-3' and approx. 7970 nucleotides in the case of NS3-3' replicon). This result is an indication of the fact, that the functional replicons or the functional HCV genomic constructs transfer the G418 resistance. In order to exclude, that the G418 resistance is caused by a plasmid DNA, which is integrated in the genome of the Huh 7 host cell and transcribed under control of a cellular promoter, the DNA of each clone was analyzed by means of a NPT gene specific PCR. Consequently the DNA was isolated from the selected Huh 7 cell clones by means of digestion with proteinase K ($40\mu g/ml$, 1h, 37 °C) in 10mMTris, pH7,5, 1mM EDTA, 0,5 % SDS and subsequent extraction with phenol, phenol/chloroform and isopropanol precipitation. The DNA precipitate was dissolved in 10 mM Tris (pH 7,5) and 1 mM EDTA and incubated with Rnase A for 1 hour. Following a phenol/chloroform extraction and ethanol precipitation, 1 μg DNA, equivalent to 4 - 8 x 10^4 cells, was analyzed by means of PCR using NPT gene specific (5'-TCAAGACCGACCTG TCCGGTGCCC-3' primers CTTGAGCCTGGCGAACAGTTCGGC-3'), and a DNA fragment consisting of 379 nucleotides was generated. The specificity of the PCR product was established by means of the Southern Blot method, in which a DNA fragment labeled by digoxigenin was used, which corresponds to the NPT gene. As positive controls (for the detection of possibly contaminating nucleic acids) the PCR method was carried out with 107 plasmid molecules or 1 µg DNA from a BHK cell line, which was stably transfected with a neomycin resistance gene, and as negative control, the PCR was carried out with the same reagents but without added DNA.

The results of this analysis are illustrated in Fig. 1 C.
The lanes 1 and 2 represent the positive controls, lane 13
represents the negative control. The numbers to the left of
lane 1 indicate the sizes of the nucleotide marker
molecules.

A NPT-DNA could not be detected in any cell clone, apart 10 from clone 7-3 (Fig.1C, lane 3), which was obtained from cells after transfection with a NS2-3' replicon/NS2-3'HCV genomic construct, and clone 8-1 (Fig.1C, lane 12), which was obtained from cells after transfection with a defective HCV genomic construct. This result was another indication 15 of the fact, that the G418 resistance of most clones was passed on by the replicating HCV-RNA. But even regardless of these results, it is unlikely, that integrated plasmid DNA produces HCV-RNAs of correct sizes, because the plasmids used for the in vitro transcription contain 20 neither an eukaryotic promoter nor a polyadenylation In the case of clone 7-3 the resistance is therefore very probably passed on by the HCV-RNA construct or the replicating HCV-RNA as well as by an integrated NPT DNA sequence, whereas the resistance of the cells of clone 25 8-1 is only caused by the integrated plasmid DNA.

Clone 9-13 (Fig. 1 B, lane 11) was subject to further tests, to confirm that the G418 resistance was passed on by a self-replicating HCV-RNA. Clone 8-1, which carries the integrated copies of the NPT gene, was used throughout as negative control. A PCR was carried out, which allows the detection of < 1000 NPT gene copies in ~ 40.000 cells, with the aim to rigorously exclude the presence of NPT-DNA in clone 9-13. The result of this PCR is illustrated in Fig. 2A. The PCR proceeded in detail as follows:

30

35

During the test, 10^6 - 10^2 plasmid molecules (I₃₇₇/NS3-3'/wt) were used either directly (lanes 7 - 11) or after adding each 1 µg 9-13 DNA (lanes 2 - 6). The specificity of the amplified DNA fragment was determined by Southern Blot using a NPT specific probe. A PCR without DNA probe was carried out as negative control (lane 12).

Even with this sensitive method, no plasmid DNA could be detected in one μq DNA of the cell clone 9-13 (lane 1). To estimate the amount of HCV plus- and minus-strand RNAs in these cells, a dilution series of total RNA was analyzed with the Northern Blot method using a plus- or minus-strand specific radioactively labeled ribo probe (= RNA probe). For this purpose, 8, 4 or 2 µg of total RNA, which have been isolated from the cell clones 9-13 and 8-1, were analyzed in parallel to known amounts of in vitro transcripts with plus- or minus-strand polarity (control RNAs) in the Northern Blot method and were then subjected to a hybridization. The hybridization was carried out with a plus-strand specific ribo probe, which covered the complete NPT gene and the HCV-IRES ('plus-strand', top panel), or with a minus-strand specific RNA probe, which was complementary to the NS3 sequence ('minus-strand', bottom panel). The arrows mark the positions of replicon RNA. The results of this analysis are illustrated in Fig. 2 B.

Approx. 10⁸ copies/µg total RNA were detected in the case of the plus-strand, which is equivalent to 1000 - 5000 HCV-RNA molecules per cell, whereas the amount of minus-strand RNA was 5- to 10-times less. This result corresponds to the assumption, that the minus-strand RNA is the replicative intermediate form or intermediate copy, which is used as a template for the synthesis of the plus-strand molecules.

35

10

15

20

25

30

Due to the fact that the reaction is mainly catalyzed by the viral RNA-dependent RNA polymerase, the synthesis of

the HCV-RNAs should be resistant to dactinomycin, antibiotic, which selectively inhibits the RNA synthesis of synthesis from RNA templates, but not the RNA templates. To confirm this assumption, cells were incubated with [3H] uridine in the presence of dactinomycin, radioactively labeled RNAs were extracted, separated by means of denaturing agarose gel electrophoresis and analyzed with the aid of a common Bio-Imager using a [3H]sensitive screen. For this purpose approx. 5×10^5 cells of the clones 9-13 and 8-1 were incubated at a time with 100 μ Ci $[^3H]$ uridine for 16 hrs. in the absence (-) or presence (+) of 4 µg/ml of dactinomycin (Dact). Following this labeling reaction the total RNA was prepared and analyzed by means of formaldehyde-agarose gel electrophoresis. Only 1/10 of the total RNA is illustrated in the first two lanes. The radioactively labeled RNA was visualized using a BAS-2500 Bio-Imager (Fuji).

The results of this analysis are illustrated in Fig. 2 C. In accordance with the inhibitor profile of the NS5B polymerase (Behrens et al., 1996, EMBOJ. 15, 12 and Lohmann et al., 1997, J. Virol. 71, 8416), dactinomycin had no influence on the replication of the HCV RNA, whereas the synthesis of cellular RNA was inhibited. A RT-PCR was carried out for recloning the replicating sequences, to confirm the identity of the viral RNA. The sequence analysis of the recloned RNA showed that the RNA in clone 9-13 is HCV specific and corresponds to the transfected transcript of the HCV construct $I_{377}/NS3-3'/wt$.

30

35

20

25

10

For the analysis of the viral proteins, at first the respective cells were metabolically radioactively labeled with $[^{35}S]$ methionine/cysteine, then lysed and afterwards the HCV specific proteins were isolated from the cell lysates by means of immunoprecipitation. The results of these analyses are illustrated in Fig. 3 A. The detailed procedure was as follows: Cells of the cell clones 9-13

(wt) and 8-1 (Δ) were metabolically radioactively labeled by treating them with a protein labeling mixture familiar to the expert and available on the market (for example. NEN Life Science). The HCV specific proteins were separated from the cell lysate by immunoprecipitation (IP) under nondenaturing conditions (for example according Bartenschlager et al., 1995, J. Virol. 69, 7519) using three different antisera (3/4, 5A, 5B, according to the labeling on the top end of the lanes 1 to 12). The immune complexes were analyzed by means of tricine SDS-PAGE and made visible by means of autoradiography. To obtain authentic size markers, the homologous replicon construct $I_{377}/NS3-3'/wt$ was subject to a transient expression by the vaccinia virus-T7 hybrid system in the Huh 7 cells. The resulting products were used as size markers (lanes 7 - 9) parallel to the cells of the clones 9-13 and 8-1. Identified HCV proteins are labeled on the left edge of lane 1, the molecular weights (in Kilodalton) are specified on the right edge of lane 9. It should be noted that the NS3/4 specific antiserum ('3/4') used preferably reacts with NS4A and NS4B causing an underrepresentation of NS3.

10

15

20

25

35

All viral antigens could unambiguously be detected, apparent molecular weights did not show any difference to those being detected after transient expression of the same bicistronic HCV-RNA construct in the original Huh 7 cells. An immunofluorescence detection reaction was carried out using NS3 and NS5A specific antisera, to determine the subcellular distribution of the viral antigens (for example according to Bartenschlager et al., 1995, J. Virol. 69, 7519). For this purpose cells of clones 9-13 (wt) and 8-1 (Δ) were fixed with methanol/acetone 24 hrs. after incubating on coverslips and incubated with polyclonal NS3 or NS5A specific antisera. The bound antibodies were made visible with a commercially available FITC conjugated anti-rabbit antiserum. The cells

were counterstained with the 'Evans Blue' stain to suppress unspecific fluorescence signals.

The results of this detection test are illustrated in Fig. 3 B. A strong fluorescence in the cytoplasm could be detected with both antisera. The NS5A specific antiserum also caused a slight nuclear fluorescence, which indicates that at least small amounts of this antigen also reach the nucleus. But the generally dominating presence of the viral antigens in the cytoplasm are a strong indication that HCV-RNA replication occurs in the cytoplasm, as is the case with most RNA viruses.

These results prove clearly that the establishment of a cell culture system for the HCV could be accomplished with the test arrangement described, the efficiency of which surpasses everything known up until now by far and for the first time allows the detection of viral nucleic acids and proteins with conventional and approved biochemical methods. This efficiency actually allows detailed examination of HCV pathogenesis, genetic analyses of different HCV functions and a precise study of the virus/host cell interaction, through which new starting points for the development of a antiviral therapy can be defined.

30

35

10

20

25

Huh7 cells are transfected and selected as described in example 2, whereby in this case selectable constructs are used, which contain the complete virus genome. Corresponding to Example 2, the resulting cell clones are tested for the absence of HCV-DNA by means of PCR and the productive replication of HCV-RNA is then established by means of Northern Blot, [3H]uridine labeling in the

presence of dactinomycin, detection of the viral proteins or antigens preferably with the aid of the Western Blot, the immunoprecipitation or immunofluorescence. In contrast to the arrangements described in Example 2, the construct described here makes it possible to obtain more complete and very likely infectious viruses, which has not been the case in the subgenomic constructs described in Example 2. These viruses existing in the cell and the cell culture supernatant are concentrated for example by means of ultracentrifugation, immunoprecipitation or precipitation with polyethyleneglycol, and all exogenous nucleic acids, which means those that are not incorporated into the virus particle, are digested by incubation with nucleases (RNase, DNase, micrococal nuclease). In this way all contaminating nucleic acids, which are not included in the protecting virus particle, can be removed. After inactivation of the nucleases, the protected viral RNA is isolated for example by means of incubation with proteinase K in a buffer SDS, bу extracting with phenol containing phenol/chloroform and detected by means of Northern Blot or RT-PCR using HCV specific primers. Also in this test arrangement, the combination of the HCV consensus genome described with a selection marker was crucial for the efficient production of viral RNA, viral protein and therefore HCV particles.

10

15

20

25

30

Example 4: Production and application of a HCV-RNA construct, whereby the resistance gene is linked to the HCV subgenomic sequence via a ribozyme or a recognition site for a ribozyme.

A HCV-RNA construct is produced according to Example 1 or Example 3, where an antibiotic resistance gene is linked to the HCV-RNA sequence through a ribozyme or a recognition sequence for a ribozyme. These constructs are illustrated in a diagram in Fig. 7. Huh 7 cells are transfected with

this HCV-RNA construct as described in Example 2. A selection with the appropriate antibiotic follows the transfection into the cells. The inserted ribozyme is activated in the cell clones obtained in the procedure or, in the case of a construct, which carries a recognition sequence for a ribozyme, the ribozyme is transfected into the cell (for example by means of transfection of a ribozyme construct or infection with a viral expression vector, into which the respective ribozyme has inserted). In both cases the resistance gene is separated from the HCV-RNA sequence by the ribozyme-dependent cleavage. The result in the case of the HCV genome is an authentic HCV genome without a resistance gene, which can form authentic infectious virus particles. A HCV replicon without resistance gene is created in the case of the HCV subgenomic constructs.

10

15

20

25

30

35

Example 5: Co-transfection of a HCV-RNA construct with a separate luciferase transfection construct

A HCV-RNA construct is produced according to Example 1 (A) or Example 3 or Example 4. At the same time a transfection construct is produced, which comprises the luciferase gene, whereby this luciferase gene is linked to a nucleotide sequence, which encodes a HCV protease (for example NS3 protease) cleavage site, to a second nucleotide sequence, which encodes for another protein or a part of another protein. HCV-RNA construct and transfection construct are transfected into any host cells, preferably hepatoma cells, most preferably Huh 7 cells. This can be realised as described in Example 2. The product of the modified luciferase gene is a luciferase fusion protein, where the luciferase is inactivated due to the fusion with the foreign part. The fusion protein, which contains a recognition sequence for a HCV protease, is cleaved in transfected cells with high HCV replication,

consequently the active form of the luciferase, which can identified through luminometric measurement, released. If the replication of the HCV-RNA construct is inhibited the fusion protein will not be cleaved and no active luciferase will be released. The quantitative determination of the luciferase is therefore a measure for the replication of the HCV construct. Instead of the luciferase gene, another reporter gene can just as easily be used, which is modified in the same way, so that its expression depends on the viral replication, although this reporter gene is not part of the HCV construct. A cellular protein, which is deactivated or activated by the HCV proteins or nucleic acid, can also be used as a so called surrogate marker. The expression or activity of this surrogate marker is in this case a measure for the replication of the viral DNA.

10

15

25

30

35

Example 6: Production of HCV subgenomic constructs with integrated foreign genes to be used as liver cell specific vector in gene therapy

These recombinant and selectable HCV subgenomic constructs are transfected in transcomplementing helper cell lines, which means in cell lines, which express the missing functions (for example the structural proteins) in an inducible or constitutive way. Cell clones containing a functional HCV subgenomic construct can be established through appropriate selection. The viral structural proteins expressed from the host cell allow the formation of virus particles, into which the RNA of the HCV subgenomic constructs will be transfected. The results are therefore virus-like particles, which contain subgenomic construct according to the invention including the inserted foreign gene and which can transmit this to other cells by means of infection. An example for this construct is illustrated in Fig. 8.

It is also possible to use the HCV subgenomic construct with integrated foreign gene directly as an expression vector. This involves the same method as mentioned previously except that cell lines, which do not express transcomplementing factors, are transfected. In this case the HCV construct is only used as an expression vector.

10 Example 7: Production of cell culture adapted HCV-RNA constructs

(A) Method of isolation

The following method was used to determine adaptive 15 mutations and to produce cell culture adapted HCV-RNA constructs: cells were transfected with a HCV-RNA construct as described in Examples 1 and 2 and G418-resistant cell clone produced. For the determination of ability to replicate (understood in this context to be the number of 20 G418 resistant cell clones obtained per microgram of transfected HCV-RNA or HCV-RNA construct), the total RNA from one of the cell clones, [the 9-13 clone (Fig. 1 B, lane 11)], was isolated and the quantity of HCV-RNA contained within it was determined by Northern Blot as 25 described in Fig. 2 B. Ten micrograms of the total RNA, containing approx. 109 molecules of HCV-RNA, was then transfected into naive Huh-7 cells using electroporation (Fig. 9). In parallel, 109 in vitro transcripts of the analoguous neo-HCV-RNA, which had been adjusted with 30 isolated total RNA from naive Huh-7 cells to a total RNA quantity of 10 µg, were transfected in naive Huh-7 cells. After selection with G418, the number of cell colonies, expressed as 'colony forming units (cfu) per microgram RNA', was determined in both these cultures. 35 concentration of 500 µg/ml G418 in the selection medium, the number of colonies obtained with the HCV-RNA contained in **isolated** total RNA from clone 9-13, was approx. 100,000 cfu per microgram HCV-RNA. In contrast, only 30-50 colonies were obtained with the same quantity of in vitro transcribed HCV-RNA. This result confirms that the specific infectivity of the HCV-RNA isolated from the cell clones is approx. 1,000-10,000 times higher than the infectivity of the analoguous in vitro transcripts. The experimental approach is shown in Fig. 9.

With the aid of 'long-distance RT-PCR', the HCV-RNA was 10 amplified from the total RNA of the 9-13 cells, the PCR amplificate was cloned and numerous clones were sequenced. A comparison of the sequences of these recloned RNAs with the sequence of the RNA originally transfected into the naive Huh-7 cells, showed that the recloned RNAs possessed numerous amino acid exchanges distributed over the whole HCV sequence (Fig. 10). SfiI fragments of these recloned mutants were used to replace the analoguous SfiI fragment of the original replicon construct, and RNAs of the respective mutants were transfected in naive Huh-7 cells. 20 After selection with G418 the number of colonies created was determined for each HCV-RNA mutant. While only 30 - 50 colonies per microgram RNA were obtained with the parental RNA the number of colonies was noticeably higher for two of the recloned variants (Fig. 10). In the case of the HCV-RNA 25 constructs 9-13I and 9-13C the specific infectivity was increased to 100 - 1,000 cfu per microgram RNA and for 9-13F replicon it was 1,000 - 10,000 cfu per microgram RNA. These results show that the amino acid exchanges in the analysed NS3-5B regions of the mutants 9-13I, 9-13C and 30 particularly of 9-13F, led to a considerable increase in ability to replicate. In contrast all the other HCV-RNA constructs (9-13 A, B, G, H und K) were no longer able to replicate, they thus contained lethal mutations.

35

In order to answer the question which of the amino acid exchanges in the 9-13F construct led to an increase in

replication, the exchanges were introduced separately or in combination into the parental HCV-RNA construct, and the corresponding RNAs transfected in naive Huh-7 cells. The result of the transfection with these RNAs is summarised in Table 1. From this it is evident that in the present example the high ability to replicate is determined by several mutations. The amino acid exchanges in the HCV-RNA regions NS5A and NS4B make the greatest contribution. The single exchanges in the NS3-Region also make a contribution and perhaps they are synergistic.

10

20

25

30

35

These results confirm that it was through the selection of the cells transfected with the neo-HCV-RNA construct that there was enrichment of those HCV-RNAs having noticeably higher ability to replicate. HCV-RNA constructs with greatly differing replication efficiencies can be selected using the experimental approach described here. The higher the concentration of the antibiotic in the selection medium, in/on which the HCV-RNA construct containing cells are cultivated for selection, the higher must be the extent of adaptive mutations and hence replication efficiency of the relevant HCV-RNA constructs, to allow the cells to grow under these conditions. If the using lower antibiotic selections are carried out concentrations, cells can survive and multiply, but the HCV-RNA construct shows a comparatively lower replication efficiency and fewer adaptive mutations.

As has been shown, the 9-13F HCV-RNA construct described so far, which contains several adaptive mutations, had a higher replication efficiency than the parental HCV-RNA. In order to obtain HCV-RNAs with even higher replication in cell culture, the HCV-RNA contained in the total RNA of a selected cell clone was passaged several times in naive Huh-7 cells. The selected 5-15 cell clone, was obtained by transfection with the HCV-RNA construct $I_{389}/NS3-3$ ' (Fig. 1). It largely corresponds to the cell clone 9-13, produced

by transfection with a HCV-RNA construct, having a HCV-IRES shorter by 22 nucleotides ($I_{377}/NS3-3'$; Fig. 1). micrograms of total RNA, isolated from cell clone 5-15, transfected into naive Huh-7 cells electroporation and the cells subjected to a selection with 1 mg/ml G418. The total RNA from one of the cell clones thus produced was again isolated, transfected into naive Huh-7 cells and selected in the same way. This process was repeated a total of four times. After the fourth passage the total RNA was isolated from a cell clone and the neo-HCV-RNA amplified with the aid of the 'long-distance RT-PCR'. The amplified DNA fragment was digested with the and inserted into the restriction enzyme SfiI restricted parental construct I₃₈₉/NS3-3'. Over 100 DNA clones were obtained altogether and then analysed by means of restriction digestion. In vitro transcribed RNA of about 80 of these clones was each transfected into naive Huh-7 cells and subjected to a selection with 500mg/ml G418. Of the 80 neo-HCV-RNA variants examined, the great majority proved to be replication defective. However, the specific infectivity, expressed as 'colony forming units' microgram RNA, was noticeably increased in the case of two mutants, 5.1 and 19 (Table 2). Through several passages of the RNA in cell culture it is clear that HCV-RNAs are produced whose replication efficiency due to mutations ("adaptive mutations") is several orders of magnitude higher than the original RNA cloned from patients.

(B) Modified method

30

35

10

15

20

25

Adaptive mutations produced and identified according to (A) can be transferred into a HCV-RNA construct with low ability to replicate. This leads to a huge increase in the replication of this construct. The increase is so great it can be demonstrated that HCV-RNAs transfected into cell culture can replicate even in the absence of selection pressure Fig. 12 shows a comparison of the replication

efficiency of HCV-RNAs, which corresponded either to the starting sequence or to the adaptive sequences 9-13F or 5.1. For the purposes of simple measurement, the neo-gene was removed and replaced by the gene for luciferase. The negative control used was again a HCV-RNA construct that was replication defective due to a deactivating mutation in 24 hours after NS5B RNA polymerase. Already the noticeable difference is evident transfection a luciferase activity between the defective RNA and the 9-13F or 5.1 constructs, while hardly any difference could be seen between the defective RNA (318 DN) and the parental RNA construct (wt) that possessed no adaptive mutations. During the whole period of observation, the highest luciferase activity, and thus highest replication, obtained with the 5.1-RNA. These results not only confirm the high replication efficiency of this RNA, but also show that it is possible to create a cell culture system with adapted HCV-RNA constructs for which the presence of a selectable gene is no longer necessary. A summary of the nucleotide and amino acid differences between the starting construct and the mutants 9-13F, 5.1 and 19 is presented in Table 3.

10

15

20

30

35

25 Example 8: Production of cell culture adapted HCV-RNA full-length genome

In the examples 1 to 7 a subgenomic HCV-RNA was used which lacked the whole structural protein region from core up to p7 or even NS2. It will be shown in this example that it is possible to make a HCV full-length genome replicate in cell culture with the aid of an adapted NS3-5B sequence. For this purpose the SfiI fragment of the highly adapted HCV-RNA 5.1 produced according to Example 7 is first transferred into a selectable HCV full-length genome (Fig. 12). This HCV genome was transfected into naive Huh-7 cells and subjected to selection with various G418

concentrations. Depending on the strength of selection (the G418 concentration), a varying large number of cell clones was obtained (Fig. 12 B). By contrast no colonies were the parental HCV full-length with containing no adaptive mutations, as was the case for the negative control, which was replication defective due to a deactivating mutation in the NS5B RNA polymerase. To confirm that the thus resulting cell clones contained an autonomously replicating HCV full-length construct, total RNA from several cell clones was isolated 10 and analysed by means of the Northern Blot method. The full-length HCV-RNA was clearly detectable in all cell clones (Fig. 12). It is thus clearly confirmed, that with aid of cell culture adapted HCV sequences possible to produce a HCV full-length genome, which 15 replicates highly efficiently and autonomously in a cell line, i.e. adapted HCV full-length genomes can also be produced with the system of the invention. Furthermore, as this clone possesses the complete HCV sequence, i.e. it also possesses the structural proteins necessary for virus 20 particle formation, it is possible to produce quantities of infectious virus particles in cell cultures with this system. As a confirmation of these viruses, cellfree cell supernatants carrying a replicating HCV fulllength genome, are added to naive Huh-7 cells and the thus 25 infected cells subjected to selection with G418. Each cell clone growing under these conditions originates from an infected cell. The viruses in the cell culture supernatant of cells possessing a replicating HCV full-length genome 30 can be enriched and purified using various known state of the art methods such as ultracentrifugation microdialysis. They can then be used for the infection of naive cells. Using this method it is clearly demonstrated that cell culture adapted full-length genomes can be 35 produced with the HCV cell culture system of the invention. These genomes replicate with high efficiency in cells and produce infectious viruses. The latter can be detected by

infection of an experimental animal, preferably a chimpanzee.

5 Example 9: Production of HCV full-length constructs and HCV subgenomic constructs with reporter genes

A HCV-RNA construct is produced in which a reporter gene is inserted in place of the antibiotic resistance gene (Fig. 13). Replication can thereby be determined through the quantity or activity of the reporter gene or reporter gene product. The reporter gene is preferably a gene from the of the luciferase genes, the CAT (chloramphenicol acetyl transferase gene), the lacZ gene (beta galactosidase gene), the GFP gene (green fluorescence protein gene), the GUS gene (glucuronidase gene) or the SEAP gene (secreted alkaline phosphatase gene). and its products, namely the relevant reporter gene can be detected for example using reporter proteins, fluorescence, chemiluminescence, colorimetrically or by means of immunological methods (for example, enzyme-linked immunosorbent assay, ELISA).

The reporter gene can be expressed either from a separate IRES or in the form of a fusion protein, which is active either as such or fused with a HCV protein via a poteolytically cleavable amino acid sequence in such a way that the reporter is separated from the HCV protein by cleavage of a cellular or viral (HCV) protease.

30

10

15

20

25

Example 10: Production of HCV full-length constructs with integrated foreign genes used as liver cell specific vectors for gene therapy or as expression vectors.

35

The construct (Fig. 14) is transfected in cells and leads to the formation of HCV virus particles that can be used

for the infection of further cells. Since the virus particles have encapsidated RNA with a foreign gene, it can be used in the infected cells for the production of the protein coded by this foreign gene. Cells transfected with the construct also express the foreign gene.

Example 11: Production of monocistronic HCV-RNA constructs in which the resistance gene product is expressed as a fusion protein with the HCV portion.

10

15

20

30

It is an advantage for some tests if the HCV-RNA construct does not possess a heterologous IRES element. Tests of this type are, for example, the determination of interferon resistance. If a cell possessing a HCV-RNA construct is incubated with interferon alpha or beta, a reduction in replication of the HCV-RNA results. In order to explain the mechanism of this effect it is necessary for the HCV-RNA construct not to possess any heterologous otherwise it is not possible to determine whether the interferon mediated inhibition is via inhibition of the HCV replication or inhibition of the heterologous IRES. For this reason constructs are produced for which the resistance gene is fused with a HCV protein (Fig. 15). Either the fusion protein is active as such or the resistance gene product is linked to a HCV protein via a proteolytically cleavable amino acid sequence in such a way that it is separated from the HCV protein by a cellular or viral (HCV) protease.

. · . . - 61 -

Table 1: Specific infectivities (cfu/ μ g RNA) of HCV RNA constructs with adaptive mutations found with the 9-13F mutant introduced into the parental construct $I_{389}/NS3-3'/wt$

amino acid exchange ¹	HCV protein	cfu/µg RNA²
none		30 - 60
1283 arg -> gly	NS3	200 - 250
1383 glu -> ala	NS3	30 - 60
1577 lys -> arg	NS3	30 - 60
1609 lys -> glu	NS3	160 - 300
(1283 arg -> gly + 1383 glu -	NS3	360 - 420
> ala + 1577 lys -> arg +		
1609 lys -> glu)		
1936 pro -> ser	NS4B	1000-5000
2163 glu -> gly	NS5A	1000-5000
2330 lys -> glu	NS5A	30 - 60
2442 ile -> val	NS5A	30 - 60
all together		5000

 $^{^{1}}$ amino acid change in the polyprotein of the HCV isolate con 1 (EMBL-gene bank No. AJ238799); amino acids are given in single letter code.

5

 $^{^2}$ Colony forming units (number of cell clones) obtained with a selection of 500 $\mu g/ml$ G418.

Table 2: Specific infectivities (cfu/ μ g RNA) of the parental HCV RNA construct I₃₈₉/NS3-3'/wt and the variants 9-13I, 9-13F, 5.1 and 19.

Transfected RNA variant	cfu/µg RNA¹ .
wild type	30 - 50
9-13 I	100 - 1.000
9-13 F	1.000 - 10.000
5.1	50.000 - 100.000
19	50.000 - 100.000

 $^{^1}$ Colony forming units (number of cell clones) obtained with a selection of $500\mu g/ml\ G418$.

5

Table 3: Nucleotide and amino acid sequence differences between the parental HCV RNA construct $I_{389}/NS3-3'/wt$ and the mutants 9-13I, 9-13F, 5.1 und 19

Clone	nt-position	nt-exchange	aa-exchange
9-13 I	3685	C > T	P > L
	4933	C > T	T > M
	5249	T > C	-
	8486	C > T	-
	8821	G > A	W > stop
	8991	C > G	R > G
	9203	A > G	_
	9313	T > C	F > S
	9346	T > C	V > A
9-13 F	3866	C > T	-
	4188	A > G	R > G
	4489	A > C	E > A
	4562	G > A	_
	4983	T > C	-
	5071	A > G	K > R
	5166	A > G	K > E
	6147	C > T	P > S
	6829	A > G	E > G
	7329	A > G	K > E
	7664	A > G	I > V
	8486	C > T	-
	8991	C > G	R > G
NK5.1	4180	C > T	T > I
	4679	C > T	_
	4682	T > C	-
	5610	C > A	L > I
	6437	A > G	
	6666	A > G	N > D

	6842	C > T	
	6926	C > T	_
	6930	T > C	S > P
	7320	C > T	P > S
	7389	A > G	K > E
NK19	3946	A > G	E > G
	4078	C > G	A > G
	4180	C > T	T > I
	4682	T > C	_
	5610	C > A	L > I
	5958	A > T	M > L
	6170	T > A	-
	6596	G > A	_
	6598	C > G	A > G
	6833	C > T	
	6842	C > T	_
	6930	T > C	S > P
	7141	A > G	E > G
	7320	C > T	P > S
	7389	A > G	K > E
	7735	G > A	S > N
		···	*

Given are the differences between the nucleotide and amino acid sequences of the parental HCV RNA sequence con 1 (EMBL-gene bank No. AJ238799) and those of the cell culture adapted HCV RNAs. Numbers refer to the nucleotide and amino acid positions of the con 1 isolate. nt, nucleotide; aa, amino acid.

SEQUENCE LISTING

```
<110> Bartenschlager, Ralf
<120> Hepatitis C Virus cell culture system
<130> ba-1
<140> 199 15 178.4
<141> 1999-04-03
<160> 11
<170> PatentIn Ver. 2.1
<210> 1
<211> 11076
<212> DNA
<213> Hepatitis C Virus
<400> 1
gccaqccccc gattgggggc gacactccac catagatcac tcccctgtga ggaactactg 60
tetteaegea gaaagegtet ageeatggeg ttagtatgag tgtegtgeag eeteeaggae 120
ccccctccc gggagagcca tagtggtctg cggaaccggt gagtacaccg gaattgccag 180
gacgaccggg teettettg gateaacccg etcaatgeet ggagatttgg gegtgeecce 240
gcgagactgc tagccgagta gtgttgggtc gcgaaaggcc ttgtggtact gcctgatagg 300
gtgcttgcga gtgccccggg aggtctcgta gaccgtgcac catgagcacg aatcctaaac 360
ctcaaagaaa aaccaaacgt aacaccaacg ggcgcgccat gattgaacaa gatggattgc 420
acgcaggttc tccggccgct tgggtggaga ggctattcgg ctatgactgg gcacaacaga 480
caateggetg etetgatgee geegtgttee ggetgteage geaggggege eeggttettt 540
ttgtcaagac cgacctgtcc ggtgccctga atgaactgca ggacgaggca gcgcggctat 600
cqtqqctqqc cacqacqqqc qttccttqcq caqctqtqct cqacqttqtc actqaaqcqq 660
gaagggactg gctgctattg ggcgaagtgc cggggcagga tctcctgtca tctcaccttg 720
ctcctgccga gaaagtatcc atcatggctg atgcaatgcg gcggctgcat acgcttgatc 780
eggetacetg eccattegae caceaagega aacategeat egagegagea egtactegga 840
tggaagccgg tettgtegat caggatgate tggacgaaga geatcagggg etegegeeag 900
ccgaactgtt cgccaggctc aaggcgcgca tgcccgacgg cgaggatctc gtcgtgaccc 960
atggcgatgc ctgcttgccg aatatcatgg tggaaaatgg ccgcttttct ggattcatcg 1020
actgtggccg gctgggtgtg gcggaccgct atcaggacat agcgttggct acccgtgata 1080
ttgctgaaga gcttggcggc gaatgggctg accgcttcct cgtgctttac ggtatcgccg 1140
ctcccgattc gcagcgcatc gccttctatc gccttcttga cgagttcttc tgagtttaaa 1200
cagaccacaa eggttteect etagegggat caatteegee ecteteette ecceeceet 1260
aacgttactg gccgaagccg cttggaataa ggccggtgtg cgtttgtcta tatgttattt 1320 tccaccatat tgccgtcttt tggcaatgtg agggcccgga aacctggccc tgtcttcttg 1380
acgageatte ctaggggtet tteecetete gecaaaggaa tgeaaggtet gitgaatgte 1440
gtgaaggaag cagtteetet ggaagettet tgaagacaaa caacgtetgt agegaceett 1500
tgcaggcage ggaaccccc acctggcgac aggtgcctct gcggccaaaa gccacgtgta 1560
taagatacac ctgcaaaggc ggcacaaccc cagtgccacg ttgtgagttg gatagttgtg 1620
gaaagagtca aatggctctc ctcaagcgta ttcaacaagg ggctgaagga tgcccagaag 1680
gtaccccatt gtatgggatc tgatctgggg cctcggtgca catgctttac atgtgtttag 1740
tcgaggttaa aaaacgtcta ggcccccga accacgggga cgtggttttc ctttgaaaaa 1800
cacqataata ccatqqqcac qaatcctaaa cctcaaaqaa aaaccaaacq taacaccaac 1860
cgccgcccac aggacgtcaa gttcccgggc ggtggtcaga tcgtcggtgg agtttacctg 1920
ttgccgcgca ggggccccag gttgggtgtg cgcgcgacta ggaagacttc cgagcggtcg 1980
caacctcgtg gaaggcgaca acctatecee aaggetegee ageeegaggg tagggeetgg 2040
geteageeeg ggtaeeeetg geeeetetat ggeaatgagg gettggggtg ggeaggatgg 2100 eteetgteae eeegtggete teggeetagt tggggeeea eggaeeeeeg gegtaggteg 2160
cgcaatttgg gtaaggtcat cgataccctc acgtgcggct tcgccgatct catggggtac 2220
attecgeteg teggegeee eetagggge getgeeaggg ceetggegea tggegteegg 2280
gttctggagg acggcgtgaa ctatgcaaca gggaatctgc ccggttgctc cttttctatc 2340
ttccttttgg ctttgctgtc ctgtttgacc atcccagctt ccgcttatga agtgcgcaac 2400
gtatccggag tgtaccatgt cacgaacgac tgctccaacg caagcattgt gtatgaggca 2460
geggacatga teatgeatae eecegggtge gtgeeetgeg ttegggagaa caacteetee 2520
cgctgctggg tagcgctcac tcccacgctc gcggccagga acgctagcgt ccccactacg 2580
acqatacqac qccatqtcqa tttqctcqtt qqqqcqqctq ctctctqctc cqctatqtac 2640
gtgggagate tetgeggate tgtttteete gtegeecage tgtteacett etegeetege 2700
cggcacgaga cagtacagga ctgcaattgc tcaatatatc ccggccacgt gacaggtcac 2760
```

```
cgtatggctt gggatatgat gatgaactgg tcacctacag cagccctagt ggtatcgcag 2820
ttactccgga tcccacaagc tgtcgtggat atggtggcgg gggcccattg gggagtccta 2880
gegggeettg cetactatte catggtgggg aactgggeta aggttetgat tgtgatgeta 2940
ctctttgccg gcgttgacgg gggaacctat gtgacagggg ggacgatggc caaaaacacc 3000
ctogggatta ogtocotott ttoaccoggg toatoccaga aaatocagot tgtaaacaco 3060
aacggcagct ggcacatcaa caggactgcc ctgaactgca atgactccct caacactggg 3120
ttccttgctg cgctgttcta cgtgcacaag ttcaactcat ctggatgccc agagcgcatg 3180
gecagetgea gececatega egegtteget caggggtggg ggeceateae ttacaatgag 3240
tcacacagct cggaccagag gccttattgt tggcactacg caccccggcc gtgcggtatc 3300
gtacccgcgg cgcaggtgtg tggtccagtg tactgcttca ccccaagccc tgtcgtggtg 3360
gggacgaccg accggttcgg cgtccctacg tacagttggg gggagaatga gacggacgtg 3420
ctgcttctta acaacacgcg gccgccgcaa ggcaactggt ttggctgtac atggatgaat 3480
agcactgggt tcaccaagac gtgcgggggc cccccgtgta acatcggggg gatcggcaat 3540
aaaacettga cetgeeccae ggactgette eggaageace eegaggeeae ttacaceaag 3600
tgtggttcgg ggccttggtt gacacccaga tgcttggtcc actacccata caggctttgg 3660
cactaccct gcactgtcaa ctttaccatc ttcaaggtta ggatgtacgt gggggggggtg 3720
gagcacaggc tcgaagccgc atgcaattgg actcgaggag agcgttgtaa cctggaggac 3780
agggacagat cagagettag ecegetgetg etgtetacaa eggagtggea ggtattgece 3840
tgttccttca ccaccctacc ggctctgtcc actggtttga tccatctcca tcagaacgtc 3900
gtggacgtac aatacctgta cggtataggg tcggcggttg tctcctttgc aatcaaatgg 3960
gagtatgtcc tgttgctctt ccttcttctg gcggacgcgc gcgtctgtgc ctgcttgtgg 4020
atgatgetge tgatagetea agetgaggee geeetagaga acetggtggt ceteaacgeg 4080
gcatcogtgg coggggogca tggcattoto toottootog tgttottotg tgctgcctgg 4140
tacatcaagg gcaggctggt ccctggggcg gcatatgccc tctacggcgt atggccgcta 4200
ctectgetee tgetggegtt accaecaega geataegeea tggaeeggga gatggeagea 4260
tegtgeggag gegeggtttt egtaggtetg atactettga eettgteace geactataag 4320
ctgttcctcg ctaggctcat atggtggtta caatatttta tcaccagggc cgaggcacac 4380
ttgcaagtgt ggatcccccc cctcaacgtt cgggggggcc gcgatgccgt catcctcctc 4440
acgtgcgcga tccacccaga gctaatcttt accatcacca aaatcttgct cgccatactc 4500
ggtecactea tggtgeteca ggetggtata accaaagtge egtaettegt gegegeacae 4560
gggctcattc gtgcatgcat gctggtgcgg aaggttgctg ggggtcatta tgtccaaatg 4620
gctctcatga agttggccgc actgacaggt acgtacgttt atgaccatct cacccactg 4680
cgggactggg cccacgcggg cctacgagac cttgcggtgg cagttgagcc cgtcgtcttc 4740
tetgatatgg agaccaaggt tatcacetgg ggggcagaca cegeggegtg tggggacate 4800
atettgggee tgeeegtete egeeegeagg gggagggaga tacatetggg aceggeagae 4860
agcettgaag ggeaggggtg gegaeteete gegeetatta eggeetaete eeaacaqaeq 4920
cgaggeetae tiggetgeat cateactage etcacaggee gggacaggaa ccaggtegag 4980
ggggaggtcc aagtggtctc caccgcaaca caatctttcc tggcgacctg cgtcaatggc 5040
gtgtgttgga ctgtctatca tggtgccggc tcaaagaccc ttgccggccc aaagggccca 5100
atcacccaaa tgtacaccaa tgtggaccag gacctcgtcg gctggcaagc gcccccggg 5160
gegegtteet tgacaccatg cacetgegge ageteggace tttacttggt caegaggeat 5220
gccgatgtca ttccggtgcg ccggcgggc gacagcaggg ggagcctact ctcccccagg 5280
eccytetect acttgaaggg etetteggge ggtecactge tetgeceete ggggeacget 5340
gtgggcatct ttcgggctgc cgtgtgcacc cgaggggttg cgaaggcggt ggactttgta 5400
cccgtcgagt ctatggaaac cactatgcgg tccccggtct tcacggacaa ctcgtcccct 5460 ccggccgtac cgcagacatt ccaggtggcc catctacacg cccctactgg tagcggcaag 5520
agcactaagg tgccggctgc gtatgcagcc caagggtata aggtgcttgt cctgaacccg 5580
teegtegeeg ceaccetagg ttteggggeg tatatgteta aggeacatgg tategaeeet 5640
aacatcagaa ccggggtaag gaccatcacc acgggtgccc ccatcacgta ctccacctat 5700
ggcaagtttc ttgccgacgg tggttgctct gggggcgcct atgacatcat aatatgtgat 5760
gagtgccact caactgactc gaccactatc ctgggcatcg gcacagtcct ggaccaagcg 5820
gagacggetg gagegegaet egtegtgete geeacegeta egeeteeggg ateggteace 5880
gtgccacate caaacatega ggaggtgget etgtecagea etggagaaat eccettttat 5940
ggcaaagcca teeccatega gaccateaag ggggggagge aceteatttt etgecattee 6000
aagaagaaat gtgatgagct cgccgcgaag ctgtccggcc tcggactcaa tgctgtagca 6060
tattaccggg gccttgatgt atccgtcata ccaactagcg gagacgtcat tgtcgtagca 6120
acggacgete taatgacggg etttacegge gatttegaet cagtgatega etgeaataca 6180
tgtgtcaccc agacagtcga cttcagcctg gacccgacct tcaccattga gacgacgacc 6240
gtgccacaag acgcggtgtc acgctcgcag cggcgaggca ggactggtag gggcaggatg 6300
ggcatttaca ggtttgtgac tecaggagaa eggeeetegg geatgttega tteeteggtt 6360
ctgtgcgagt gctatgacgc gggctgtgct tggtacgagc tcacgcccgc cgagacctca 6420
gttaggttgc gggcttacct aaacacacca gggttgcccg tctgccagga ccatctggag 6480
ttctgggaga gcgtctttac aggcctcacc cacatagacg cccatttct% gtcccagact 6540
aagcaggcag gagacaactt cccctacctg gtagcatacc aggctacggt gtgcgccagg 6600
geteaggete cacetecate gtgggaceaa atgtggaagt gteteatacg getaaageet 6660
acgctgcacg ggccaacgcc cctgctgtat aggctgggag ccgttcaaaa cgaggttact 6720
accacacac ccataaccaa atacatcatg gcatgcatgt cggctgacct ggaggtcgtc 6780
```

```
acgageaeet gggtgetggt aggeggagte etageagete tggeegegta ttgeetgaea 6840
acaggcagcg tggtcattgt gggcaggatc atcttgtccg gaaagccggc catcattccc 6900
gacagggaag teetttaeeg ggagttegat gagatggaag agtgegeete acaeeteeet 6960
tacatcgaac agggaatgca gctcgccgaa caattcaaac agaaggcaat cgggttgctg 7020
caaacagcca ccaagcaagc ggaggctgct gctcccgtgg tggaatccaa gtggcggacc 7080
ctcgaagcct tctgggcgaa gcatatgtgg aatttcatca gcgggataca atatttagca 7140
ggettgteca etetgeetgg caaceeegeg atageateae tgatggeatt caeageetet 7200
atcaccagee egeteaceae ecaacatace etectgttta acateetggg gggatgggtg 7260
geogeocaac tigeteetee cagegotget tetgetiteg taggegoogg categotgga 7320
geggetgttg geageatagg cettgggaag gtgettgtgg atattttgge aggttatgga 7380 geaggggtgg eaggeget egtggeettt aaggteatga geggegagat geeeteeace 7440
gaggacetgg ttaacetact coetgetate eteteceetg gegeeetagt egteggggte 7500
gtgtgcgcag cgatactgcg tcggcacgtg ggcccagggg agggggctgt gcagtggatg 7560 *
aaccggctga tagcgttcgc ttcgcggggt aaccacgtct ccccacgca ctatgtgcct 7620
gagagegaeg etgeageaeg tgteacteag atecteteta gtettaceat cacteagetg 7680
ctgaagagge ttcaccagtg gatcaacgag gactgeteca egecatgete eggetegtgg 7740 ctaagagatg tttgggattg gatatgeacg gtgttgactg atttcaagae etggetecag 7800
tocaagetee tgeegegatt geegggagte ceettettet catgteaacg tgggtacaag 7860
ggagtetgge ggggegaegg cateatgeaa aceaeetgee eatgtggage acagateaee 7920
ggacatgtga aaaacggttc catgaggatc gtggggccta ggacctgtag taacacgtgg 7980
catggaacat teeccattaa egegtaeace aegggeeeet geaegeeete eeeggegeea 8040
aattatteta gggegetgtg gegggtgget getgaggagt acgtggaggt tacgegggtg 8100 ggggatttee actaegtgae gggeatgaee actgaeaacg taaagtgeee gtgteaggtt 8160
coggececg aattetteac agaagtggat ggggtgeggt tgcacaggta egetecageg 8220
tgcaaacccc tcctacggga ggaggtcaca ttcctggtcg ggctcaatca atacctggtt 8280
gggtcacagc tcccatgcga gcccgaaccg gacgtagcag tgctcacttc catgctcacc 8340
gacccctccc acattacggc ggagacggct aagcgtaggc tggccagggg atctccccc 8400
teettggeea geteateage tageeagetg tetgegeett eettgaagge aacatgeaet 8460
accogtcatg actocoogga cgotgacoto atogaggoda acotootgtg goggoaggag 8520
atgggcggga acatcacccg cgtggagtca gaaaataagg tagtaatttt ggactctttc 8580
gagccgctcc aagcggagga ggatgagagg gaagtatccg ttccggcgga gatcctgcgg 8640
aggtecagga aatteeeteg agegatgeee atatgggeae geeeggatta caacceteca 8700
ctgttagagt cctggaagga cccggactac gtccctccag tggtacacgg gtgtccattg 8760
ccgcctgcca aggcccctcc gataccacct ccacggagga agaggacggt tgtcctgtca 8820
gaatctaccg tgtcttctgc cttggcggag ctcgccacaa agaccttcgg cagctccgaa 8880
tegteggeeg tegacagegg caeggeaacg geeteteetg accageeete egacgaegge 8940
gacgegggat cegacgttga gtegtactee tecatgecee ceettgaggg ggageegggg 9000
gatecegate teagegaegg gtettggtet accgtaageg aggaggetag tgaggaegte 9060
gtotgotgot ogatgtocta cacatggaca ggogocotga toacgocatg cgotgoggag 9120
gaaaccaagc tgcccatcaa tgcactgagc aactctttgc tccgtcacca caacttggtc 9180
tatgctacaa catctcgcag cgcaagcctg cggcagaaga aggtcacctt tgacagactg 9240
caggtcctgg acgaccacta ccgggacgtg ctcaaggaga tgaaggcgaa ggcgtccaca 9300
gttaaggeta aacttetate egtggaggaa geetgtaage tgaegeeece acatteggee 9360
agatetaaat ttggetatgg ggeaaaggae gteeggaaee tateeageaa ggeegttaae 9420
cacatccgct ccgtgtggaa ggacttgctg gaagacactg agacaccaat tgacaccacc 9480
atcatggcaa aaaatgaggt tttctgcgtc caaccagaga aggggggccg caagccagct 9540
cgccttatcg tattcccaga tttgggggtt cgtgtgtgcg agaaaatggc cctttacgat 9600
giggteteca ecetecetea ggeegigatg ggetetteat aeggatteea atacteteet 9660 ggaeageggg tegagtteet ggtgaatgee tggaaagega agaaatgeee tatgggette 9720
gcatatgaca cccgctgttt tgactcaacg gtcactgaga atgacatccg tgttgaggag 9780
tcaatctacc aatgttgtga cttggccccc gaagccagac aggccataag gtcgctcaca 9840
gageggettt acateggggg ecceetgact aattetaaag ggeagaaetg eggetatege 9900
eggtgeegeg egageggtgt aetgaegace agetgeggta atacceteae atgttaettg 9960
aaggoogotg oggootgtog agotgogaag otocaggact goacgatgot ogtatgogga 10020
gacgaccttg tcgttatctg tgaaagcgcg gggacccaag aggacgaggc gagcctacgg 10080
gccttcacgg aggctatgac tagatactct gcccccctg gggacccgcc caaaccagaa 10140
tacgacttgg agttgataac atcatgctcc tccaatgtgt cagtcgcgca cgatgcatct 10200
ggcaaaaggg tgtactatct caccegtgac cccaccaccc cccttgegeg ggctgegtgg 10260
gagacageta gacacaetee agteaattee tggetaggea acateateat gtatgegeee 10320
accttgtggg caaggatgat cetgatgact catttettet ceatcettet ageteaggaa 10380
caacttgaaa aagccctaga ttgtcagatc tacggggcct gttactccat tgagccactt 10440
gacctacctc agatcattca acgactccat ggccttagcg cattttcact ccatagttac 10500
tetecaggtg agateaatag ggtggettea tgeeteagga aacttggggt.accgeeettg 10560
cgagtctgga gacatcgggc cagaagtgtc cgcgctaggc tactgtccca gggggggagg 10620
gctgccactt gtggcaagta cctcttcaac tgggcagtaa ggaccaagct caaactcact 10680
ccaatcccgg ctgcgtccca gttggattta tccagctggt tcgttgctgg ttacagcggg 10740
ggagacatat atcacageet gtetegtgee egaceeeget ggtteatgtg gtgeetaete 10800
```

CA 02303526 2000-03-31

ctactttctq	taggggtagg	catctatcta	ctccccaacc	gatgaacggg	gagctaaaca	10860
ctccaggcca	ataggccatc	ctgtttttt	ccctttttt	ttttctttt	ttttttttt	10920
ttttttttt	ttttttttc	tcctttttt	ttcctctttt	tttccttttc	tttcctttgg	10980
					gcttgactgc	
	gatactggcc					11076

<210> 2

```
<211> 8637
<212> DNA
<213> Hepatitis C Virus
<400> 2
gccagccccc gattgggggc gacactccac catagatcac tcccctgtga ggaactactg 60
tetteaegea gaaagegtet ageeatggeg ttagtatgag tgtegtgeag eeteeaggae 120
ccccctccc gggagagcca tagtggtctg cggaaccggt gagtacaccg gaattgccag 180
gacgaccggg teetttettg gatcaacccg etcaatgeet ggagatttgg gegtgeecce 240
gcgagactgc tagccgagta gtgttgggtc gcgaaaggcc ttgtggtact gcctgatagg 300
gtgcttgcga gtgccccggg aggtctcgta gaccgtgcac catgagcacg aatcctaaac 360
ctcaaagaaa aaccaaaggg cgcgccatga ttgaacaaga tggattgcac gcaggttctc 420
eggeegettg ggtggagagg etattegget atgaetggge acaacagaca ateggetget 480
etgatgeege egtgtteegg etgteagege aggggegeee ggttettttt gteaagaeeg 540
acctgtccgg tgccctgaat gaactgcagg acgaggcagc gcggctatcg tggctggcca 600
cgacgggcgt teettgegea getgtgeteg aegttgteae tgaageggga agggaetgge 660
tgctattggg cgaagtgccg gggcaggate teetgteate teacettget eetgeegaga 720
aagtateeat catggetgat geaatgegge ggetgeatae gettgateeg getaeetgee 780
cattegacea ceaagegaaa categeateg agegageacg tacteggatg gaageeggte 840
ttgtcgatca ggatgatctg gacgaagagc atcaggggct cgcgccagcc gaactgttcg 900
ccaggeteaa ggegegeatg eccgaeggeg aggatetegt egtgaeceat ggegatgeet 960
gettgeegaa tateatggtg gaaaatggee gettttetgg atteategae tgtggeegge 1020
tgggtgtggc ggaccgctat caggacatag cgttggctac ccgtgatatt gctgaagagc 1080
ttggcggcga atgggctgac cgcttcctcg tgctttacgg tatcgccgct cccgattcgc 1140
agegeatege ettetatege ettettgaeg agttettetg agtttaaaea gaecaeaaeg 1200
gttteeetet agegggatea atteegeeee teteeeteee eeceeetaa egttaetgge 1260
cgaagccgct tggaataagg ccggtgtgcg tttgtctata tgttattttc caccatattg 1320
ccgtcttttg gcaatgtgag ggcccggaaa cctggccctg tcttcttgac gagcattcct 1380
aggggtettt eccetetege caaaggaatg caaggtetgt tgaatgtegt gaaggaagca 1440
gttcctctgg aagcttcttg aagacaaaca acgtctgtag cgaccctttg caggcagcgg 1500
aaccccccac ctggcgacag gtgcctctgc ggccaaaagc cacgtgtata agatacacct 1560
gcaaaggcgg cacaacccca gtgccacgtt gtgagttgga tagttgtgga aagagtcaaa 1620
tggcteteet caagegtatt caacaagggg etgaaggatg cecagaaggt accecattgt 1680 atgggatetg atetggggee teggtgeaca tgetttacat gtgtttagte gaggttaaaa 1740
aacgtctagg cccccgaac cacggggacg tggttttcct ttgaaaaaca cgataatacc 1800
atggaccggg agatggcagc atcgtgcgga ggcgcggttt tcgtaggtct gatactcttg 1860
accttgtcac cgcactataa gctgttcctc gctaggctca tatggtggtt acaatatttt 1920
atcaccaggg ccgaggcaca cttgcaagtg tggatccccc ccctcaacgt tcggggggc 1980
cgcgatgccg tcatcctcct cacgtgcgcg atccacccag agctaatctt taccatcacc 2040
aaaatcttgc tegecatact eggteeacte atggtgetee aggetggtat aaccaaagtg 2100
ccgtacttcg tgcgcgcaca cgggctcatt cgtgcatgca tgctggtgcg gaaggttgct 2160
gggggtcatt atgtccaaat ggctctcatg aagttggccg cactgacagg tacgtacgtt 2220
tatgaccate teaceceact gegggaetgg geceaegegg geetaegaga cettgeggtg 2280
geagttgage cegtegtett etetgatatg gagaceaagg ttateacetg gggggeagae 2340 acegegget gtggggacat catettggge etgecegtet eegeeegeag ggggagggag 2400
atacatetgg gaceggeaga cageettgaa gggeaggggt ggegaeteet egegeetatt 2460 aeggeetaet eccaacagae gegaggeeta ettggetgea teateactag eetcacagge 2520
cgggacagga accaggtcga gggggaggtc caagtggtct ccaccgcaac acaatctttc 2580
ctggcgacct gcgtcaatgg cgtgtgttgg actgtctatc atggtgccgg ctcaaagacc 2640
cttgccggcc caaagggccc aatcacccaa atgtacacca atgtggacca ggacctcgtc 2700
ggctggcaag cgcccccgg ggcgcgttcc ttgacaccat gcacctgcgg cagctcggac 2760
etttaettgg teaegaggea tgeegatgte atteeggtge geeggegggg egaeageagg 2820
gggageetae tetececeag geoegtetee taettgaagg getetteggg eggteeactg 2880
ctctgcccct cggggcacgc tgtgggcatc tttcgggctg ccgtgtgcac ccgaggggtt 2940
gcgaaggcgg tggactttgt acccgtcgag tctatggaaa ccactatgcg gtccccggtc 3000
ttcacggaca actegteece teeggeegta eegeagacat teeaggtgge ceatetacae 3060
gcccctactg gtagcggcaa gagcactaag gtgccggctg cgtatgcagc ccaagggtat 3120
aaggtgettg teetgaacee gteegtegee geeaceetag gittegggge gtataigtet 3180
aaggcacatg gtatcgaccc taacatcaga accggggtaa ggaccatcac cacgggtgcc 3240
coatcacgt actccaccta tggcaagttt cttgccgacg gtggttgctc tgggggcgcc 3300
tatgacatca taatatgtga tgagtgccac tcaactgact cgaccactat cctgggcatc 3360
ggcacagtcc tggaccaagc ggagacggct ggagcgcgac tcgtcgtgct cgccaccgct 3420
acgeeteegg gateggteae egtgeeaeat eeaaaeateg aggaggtgge tetgteeage 3480
actggagaaa teeeettta tggcaaagee ateeecateg agaccateaa gggggggagg 3540 caceteattt tetgecatte caagaagaaa tgtgatgage tegeegggaa getgteegge 3600
```

```
ctcggactca atgctgtagc atattaccgg ggccttgatg tatccgtcat accaactagc 3660
ggagacgtca ttgtcgtagc aacggacgct ctaatgacgg gctttaccgg cgatttcgac 3720
tcagtgatcg actgcaatac atgtgtcacc cagacagtcg acttcagect ggacccgacc 3780
ttcaccattg agacgacgac cgtgccacaa gacgcggtgt cacgctcgca gcggcgaggc 3840
aggactggta ggggcaggat gggcatttac aggtttgtga ctccaggaga acggccctcg 3900
ggcatgttcg attectcggt tetgtgcgag tgetatgacg egggetgtge ttggtacgag 3960
ctcacgcccg ccgagacctc agttaggttg cgggcttacc taaacacacc agggttgccc 4020
gtotgocagg accatotgga gttotgggag agogtottta caggeotcac coacatagac 4080
geocattict tgteccagae taageaggea ggagaeaact teeectaeet ggtageatae 4140
caggetacgg tgtgcgccag ggctcagget ccacetecat cgtgggacca aatgtggaag 4200
tgictcatac ggctaaagcc tacgetgcac gggccaacgc ccctgctgta taggctggga 4260 gccgttcaaa acgaggttac taccacacac cccataacca aatacatcat ggcatgcatg 4320
teggetgace tggaggtegt caegageace tgggtgetgg taggeggagt cetageaget 4380
ctggccgcgt attgcctgac aacaggcagc gtggtcattg tgggcaggat catcttgtcc 4440
ggaaagccgg ccatcattcc cgacagggaa gtcctttacc gggagttcga tgagatggaa 4500
gagtgegeet cacaceteee ttacategaa cagggaatge agetegeega acaatteaaa 4560
cagaaggcaa tegggttget geaaacagee accaageaag eggaggetge tgeteeegtg 4620
gtggaateca agtggeggae eetegaagee ttetgggega ageatatgtg gaattteate 4680
agegggatae aatatttage aggettgtee actetgeetg geaaceeege gatageatea 4740
ctgatggcat tcacagcctc tatcaccagc ccgctcacca cccaacatac cctcctgttt 4800
aacateetgg ggggatgggt ggeegeecaa ettgeteete eeagegetge ttetgettte 4860
gtaggegeeg geategetgg ageggetgtt ggeageatag geettgggaa ggtgettgtg 4920 gatattttgg eaggttatgg ageaggggtg geaggegeege tegtggeett taaggteatg 4980
ageggegaga tgeecteeae egaggaeetg gttaacetae teeetgetat ceteteeeet 5040
ggcgccctag tegteggggt egtgtgegea gegatactge gteggeaegt gggcccaggg 5100
gagggggctg tgcagtggat gaaccggctg atagcgttcg cttcgcgggg taaccacgtc 5160
tececeaege actatgtgee tgagagegae getgeageae gtgteaetea gateetetet 5220
agtettacea teacteaget getgaagagg etteaceagt ggateaaega ggaetgetee 5280
acgccatgct ccggctcgtg gctaagagat gtttgggatt ggatatgcac ggtgttgact 5340
gatttcaaga cotggotoca gtocaageto otgoogogat tgoogggagt cocottetto 5400
tcatgtcaac gtgggtacaa gggagtctgg cggggcgacg gcatcatgca aaccacctgc 5460
ccatgtggag cacagatcac cggacatgtg aaaaacggtt ccatgaggat cgtggggcct 5520
aggacctgta gtaacacgtg gcatggaaca ttccccatta acgcgtacac cacgggcccc 5580
tgcacgccct ccccggcgcc aaattattct agggcgctgt ggcgggtggc tgctgaggag 5640
tacgtggagg ttacgcgggt gggggatttc cactacgtga cgggcatgac cactgacaac 5700
gtaaagtgcc cgtgtcaggt tccggccccc gaattcttca cagaagtgga tggggtgcgg 5760
ttqcacaggt acgctccagc gtgcaaaccc ctcctacggg aggaggtcac attcctggtc 5820
gggctcaatc aatacctggt tgggtcacag ctcccatgcg agcccgaacc ggacgtagca 5880
gtgctcactt ccatgctcac cgacccctcc cacattacgg cggagacggc taagcgtagg 5940
ctggccaggg gatctccccc ctccttggcc agctcatcag ctagccagct gtctgcgcct 6000
teettgaagg caacatgeac taccegteat gacteeeegg acgetgaeet categaggee 6060
aacctcctgt ggcggcagga gatgggcggg aacatcaccc gcgtggagtc agaaaataag 6120
gtagtaattt tggactettt egageegete caageggagg aggatgagag ggaagtatee 6180
gttccggcgg agatcctgcg gaggtccagg aaattccctc gagcgatgcc catatgggca 6240
cgcccggatt acaacctcc actgttagag tcctggaagg acccggacta cgtccctcca 6300
gtggtacacg ggtgtccatt gccgcctgcc aaggcccctc cgataccacc tccacggagg 6360
aagaggacgg ttgtcctgtc agaatctacc gtgtcttctg ccttggcgga gctcgccaca 6420
aagacetteg geageteega ategteggee gtegacageg geaeggeaac ggeeteteet 6480 gaceageeet eegacgaegg egacgeggga teegacgttg agtegtaete etecatgeee 6540
ccccttgagg gggagccggg ggatcccgat ctcagcgacg ggtcttggtc taccgtaagc 6600
gaggaggcta gtgaggacgt cgtctgctgc tcgatgtcct acacatggac aggcgccctg 6660
atcacgccat gcgctgcgga ggaaaccaag ctgcccatca atgcactgag caactctttg 6720
ctccqtcacc acaacttggt ctatgctaca acatctcgca gcgcaagcct gcggcagaag 6780
aaggtcacct ttgacagact gcaggtcctg gacgaccact accgggacgt gctcaaggag 6840
atgaaggcga aggcgtccac agttaaggct aaacttctat ccgtggagga agcctgtaag 6900
ctgacgcccc cacattcggc cagatctaaa tttggctatg gggcaaagga cgtccggaac 6960
ctatccagca aggccgttaa ccacatccgc tccgtgtgga aggacttgct ggaagacact 7020
gagacaccaa ttgacaccac catcatggca aaaaatgagg ttttctgcgt ccaaccagag 7080 aaggggggcc gcaagccagc tcgccttatc gtattcccag atttgggggt tcgtgtgtgc 7140 gagaaaatgg ccctttacga tgtggtctcc accctccctc aggccgtgat gggctcttca 7200
tacggattcc aatactetee tggacagegg gtegagttee tggtgaatge etggaaageg 7260 aagaaatgee etatgggett egeatatgae accegetgtt ttgacteaac ggteaetgag 7320
aatgacatcc gtgttgagga gtcaatctac caatgttgtg acttggcccc cgaagccaga 7380
caggccataa ggtcgctcac agagcggctt tacatcgggg gccccctgac taattctaaa 7440
gggcagaact geggetateg eeggtgeege gegageggtg taetgaegae eagetgeggt 7500
aataccetca catgetacti gaaggeeget geggeetgte gagetgegaa getecaggae 7560
tgcacgatge tegtatgegg agacgaeett gtegttatet gtgaaagege ggggaeeeaa 7620
```

gaggacgagg	cgagcctacg	ggccttcacg	gaggctatga	ctagatactc	tgccccccct	7680
ggggacccgc	ccaaaccaga	atacgacttg	gagttgataa	catcatgctc	ctccaatgtg	7740
tcagtcgcgc	acgatgcatc	tggcaaaagg	gtgtactatc	tcacccgtga	ccccaccacc	7800
ccccttgcgc	gggctgcgtg	ggagacagct	agacacactc	cagtcaattc	ctggctaggc	7860
aacatcatca	tgtatgcgcc	caccttgtgg	gcaaggatga	tcctgatgac	tcatttcttc	7920
tccatccttc	tagctcagga	acaacttgaa	aaagccctag	attgtcagat	ctacggggcc	7980
tgttactcca	ttgagccact	tgacctacct	cagatcattc	aacgactcca	tggccttagc	8040
gcattttcac	tccatagtta	ctctccaggt	gagatcaata	gggtggcttc	atgcctcagg	8100
				ccagaagtgt		8160
				acctcttcaa		8220
				agttggattt		8280
				tgtctcgtgc		8340
				gcatctatct		8400
cgatgaacgg	ggagctaaac	actccaggcc	aataggccat	cctgtttttt	tcccttttt	8460
				ctcctttttt		8520
ttttcctttt	ctttcctttg	gtggctccat	cttagcccta	gtcacggcta	gctgtgaaag	8580
gtccgtgagc	cgcttgactg	cagagagtgc	tgatactggc	ctctctgcag	atcaagt	8637

```
<210> 3
<211> 8001
<212> DNA
<213> Hepatitis C Virus
<400> 3
gccagccccc gattgggggc gacactccac catagatcac tcccctgtga ggaactactg 60
tetteaegea gaaagegtet ageeatggeg ttagtatgag tgtegtgeag eetceaggae 120 ceceetee gggagageea tagtggtetg eggaaceggt gagtacaceg gaattgeeag 180
gacgaccggg tectttettg gatcaacccg etcaatgeet ggagatttgg gegtgeecee 240
gcgagactgc tagccgagta gtgttgggtc gcgaaaggcc ttgtggtact gcctgatagg 300
gtgcttgcga gtgccccggg aggtctcgta gaccgtgcac catgagcacg aatcctaaac 360
ctcaaagaaa aaccaaacgt aacaccaacg ggcgcgccat gattgaacaa gatggattgc 420
acgcaggtte teeggeeget tgggtggaga ggetattegg etatgaetgg geacaacaga 480
caateggetg etetgatgee geogtgttee ggetgteage geaggggege eeggttettt 540
ttgtcaagac cgacctgtcc ggtgccctga atgaactgca ggacgaggca gcgcggctat 600
cgtggctggc cacgacgggc gttccttgcg cagctgtgct cgacgttgtc actgaagcqg 660
gaagggactg gctgctattg ggcgaagtgc cggggcagga tctcctgtca tctcaccttg 720
ctcctgccga gaaagtatcc atcatggctg atgcaatgcg gcggctgcat acgcttgatc 780
eggetacetg eccattegae caccaagega aacategeat egagegagea egtactegga 840
tggaagccgg tottgtcgat caggatgate tggacgaaga gcatcagggg ctcgcgccag 900
ccgaactgtt cgccaggctc aaggcgcgca tgcccgacgg cgaggatctc gtcgtgaccc 960
atggcgatgc ctgcttgccg aatatcatgg tggaaaatgg ccgcttttct ggattcatcg 1020
actgtggccg gctgggtgtg gcggaccgct atcaggacat agcgttggct acccgtgata 1080
ttgctgaaga gcttggcggc gaatgggctg accgcttcct cgtgctttac ggtatcgccg 1140
ctcccgattc gcagcgcatc gccttctatc gccttcttga cgagttcttc tgagtttaaa 1200
cagaccacaa eggttteeet etagegggat caatteegee eeteteeete eeceeecet 1260
aacgttactg geegaageeg ettggaataa ggeeggtgtg egtttgteta tatgttattt 1320
tecaceatat tgeegtettt tggeaatgtg agggeeegga aacetggeee tgtettettg 1380
acgagcattc ctaggggtct ttcccctctc gccaaaggaa tgcaaggtct gttgaatgtc 1440
gtgaaggaag cagtteetet ggaagettet tgaagacaaa caacgtetgt agegaceett 1500 tgeaggeage ggaaceeec acetggegae aggtgeetet geggeeaaaa geeacgtgta 1560
taagatacac ctgcaaaggc ggcacaaccc cagtgccacg ttgtgagttg gatagttgtg 1620
gaaagagtca aatggctete etcaagegta tteaacaagg ggetgaagga tgeecagaag 1680
gtaccccatt gtatgggatc tgatctgggg cctcggtgca catgctttac atgtgtttag 1740
tegaggttaa aaaaegteta ggeeeeega aeeaegggga egtggtttte etttgaaaaa 1800
cacgataata ccatggcgcc tattacggcc tactcccaac agacgcgagg cctacttggc 1860
tgcatcatca ctagcctcac aggccgggac aggaaccagg tcgaggggga ggtccaagtg 1920
gtctccaccg caacacaatc tttcctggcg acctgcgtca atggcgtgtg ttggactgtc 1980
tatcatggtg ccggctcaaa gacccttgcc ggcccaaagg gcccaatcac ccaaatgtac 2040
accaatgtgg accaggacct cgtcggctgg caagcgcccc ccggggcgcg ttccttgaca 2100
ccatgcacct gcggcagctc ggacctttac ttggtcacga ggcatgccga tgtcattccg 2160
gtgcgccggc ggggcgacag cagggggagc ctactctccc ccaggcccgt ctcctacttg 2220
aagggetett egggeggtee actgetetge eeetegggge aegetgtggg eatetttegg 2280 getgeegtgt geaccegagg ggttgegaag geggtggaet ttgtaccegt egagtetatg 2340 gaaaccacta tgeggteee ggtetteaeg gacaactegt eeecteegge egtacegeag 2400
acattecagg tggcccatet acacgcccct actggtageg gcaagagcac taaggtgccg 2460
gctgcgtatg cagcccaagg gtataaggtg cttgtcctga acccgtccgt cgccgccacc 2520
ctaggtttcg gggcgtatat gtctaaggca catggtatcg accctaacat cagaaccggg 2580
gtaaggacca tcaccacggg tgcccccatc acgtactcca cctatggcaa gtttcttgcc 2640
gacggtggtt gctctggggg cgcctatgac atcataatat gtgatgagtg ccactcaact 2700
gactegacea etateetggg categgeaca gteetggace aageggagae ggetggageg 2760
cgactegteg tgctegecac egetaegeet cegggategg teacegtgee acatecaaac 2820
ategaggagg tggctctgtc cagcactgga gaaatcccct tttatggcaa agccatcccc 2880
atcgagacca tcaagggggg gaggcacctc attttctgcc attccaagaa gaaatgtgat 2940
gagetegeeg egaagetgte eggeetegga eteaatgetg tageatatta eeggggeett 3000 gatgtateeg teataceaac tageggagae gteattgteg tageaaegga egetetaatg 3060
acgggettta ecggegattt egacteagtg ategactgea atacatgtgt cacceagaea 3120
gtcgacttca gcctggaccc gaccttcacc attgagacga cgaccgtgcc acaagacgcg 3180
gtgtcacget cgcageggeg aggcaggact ggtagggca ggatgggcat ttacaggttt 3240
gtgactccag gagaacggcc ctcgggcatg ttcgattcct cggttctgtg cgagtgctat 3300
gacgeggget gtgettggta egageteacg eeegeegaga eeteagttag gttgeggget 3360
tacctaaaca caccagggtt gecegtetge caggaceate tggagttetg ggagagegte 3420
tttacaggee teacecaeat agaegeeeat ttettgteee agaetaagea ggeaggagae 3480
aacttcccct acctggtagc ataccaggct acggtgtgcg ccagggctca ggctccacct 3540
```

```
ccatcgtggg accaaatgtg gaagtgtctc atacggctaa agcctacgct gcacgggcca 3600
acgcccctgc tgtataggct gggagccgtt caaaacgagg ttactaccac acaccccata 3660
accaaataca tcatggcatg catgtcggct gacctggagg tcgtcacgag cacctgggtg 3720
ctggtaggeg gagtectage agetetggee gegtattgee tgacaacagg cagegtggte
attgtgggca ggatcatett gteeggaaag eeggeeatea tteeegaeag ggaagteett 3840
taccgggagt tcgatgagat ggaagagtgc gcctcacacc tcccttacat cgaacaggga 3900
atgcageteg ecgaacaatt caaacagaag gcaategggt tgetgcaaac agccaccaag 3960
caageggagg etgetgetee egtggtggaa tecaagtgge ggaceetega ageettetgg 4020
gcgaagcata tgtggaattt catcagcggg atacaatatt tagcaggctt gtccactctg 4080
cctggcaacc ccgcgatagc atcactgatg gcattcacag cctctatcac cagcccgctc 4140 accacccaac ataccctcct gtttaacatc ctggggggat gggtggccgc ccaacttgct 4200
cctcccagcg ctgcttctgc tttcgtaggc gccggcatcg ctggagcggc tgttggcagc 4260
ataqqccttq gqaaqqtqct tqtgqatatt ttggcaggtt atggaqcagg ggtggcaggc 4320
gcgctcgtgg cctttaaggt catgagcggc gagatgccct ccaccgagga cctggttaac 4380
ctactcoctg ctatectete ecetggegee ctagtegteg gggtegtgtg egeagegata 4440
ctgcgtcggc acgtgggccc aggggagggg gctgtgcagt ggatgaaccg gctgatagcg 4500
ttcgcttcgc ggggtaacca cgtctccccc acgcactatg tgcctgagag cgacgctgca 4560
gcacgtgtca ctcagatect ctctagtett accateacte agetgetgaa gaggetteae 4620
cagtggatca acgaggactg ctccacgcca tgctccggct cgtggctaag agatgtttgg 4680
gattggatat gcacggtgtt gactgatttc aagacctggc tccagtccaa gctcctgccg 4740
cgattgccgg gagtcccctt cttctcatgt caacgtgggt acaagggagt ctggcggggc 4800
gacggcatca tgcaaaccac ctgcccatgt ggagcacaga tcaccggaca tgtgaaaaac 4860
ggttccatga ggatcgtggg gcctaggacc tgtagtaaca cgtggcatgg aacattcccc 4920
attaacqcqt acaccacqqq cccctqcacq ccctccccqq cqccaaatta ttctaqqqcq 4980
ctgtggcggg tggctgctga ggagtacgtg gaggttacgc gggtggggga tttccactac 5040
gtgacgggca tgaccactga caacgtaaag tgcccgtgtc aggttccggc ccccgaattc 5100
ttcacagaag tggatgggt gcggttgcac aggtacgctc cagcgtgcaa acccctccta 5160
cgggaggagg tcacattcct ggtcgggctc aatcaatacc tggttgggtc acagctccca 5220
tgcgagcccg aaccggacgt agcagtgctc acttccatgc tcaccgaccc ctcccacatt 5280
acqqcqqaqa cqqctaaqcq tagqctgqcc aggggatctc cccctcctt ggccagctca 5340
teagetagee agetgtetge geetteettg aaggeaacat geactaeeeg teatgaetee 5400
ccggacgctg acctcatcga ggccaacctc ctgtggcggc aggagatggg cgggaacatc 5460
accogogtgg agtcagaaaa taaggtagta attttggact ctttcgagcc gctccaagcg 5520
gaggaggatg agagggaagt atccgttccg gcggagatcc tgcggaggtc caggaaattc 5580
cctcgagcga tgcccatatg ggcacgcccg gattacaacc ctccactgtt agagtcctgg 5640 aaggacccgg actacgtccc tccagtggta cacgggtgtc cattgccgcc tgccaaggcc 5700
cctccgatac cacctccacg gaggaagagg acggttgtcc tgtcagaatc taccgtgtct 5760
tctgccttgg cggagctcgc cacaaagacc ttcggcagct ccgaatcgtc ggccgtcgac 5820
ageggeaegg caaeggeete teetgaeeag eesteegaeg aeggegaege gggateegae 5880
gttgagtegt actectecat geceecett gagggggage egggggatee egateteage 5940
gacgggtctt ggtctaccgt aagcgaggag gctagtgagg acgtcgtctg ctgctcgatg 6000
tectacaeat ggacaggege cetgateaeg ceatgegetg eggaggaaae caagetgeee 6060
atcaatgcac tgagcaactc tttgctccgt caccacaact tggtctatgc tacaacatct 6120
cgcagcgcaa gcctgcggca gaagaaggtc acctttgaca gactgcaggt cctggacgac 6180
cactaccggg acgtgctcaa ggagatgaag gcgaaggcgt ccacagttaa ggctaaactt 6240
ctatccgtgg aggaagcctg taagctgacg ccccacatt cggccagatc taaatttggc 6300 tatggggcaa aggacgtccg gaacctatcc agcaaggccg ttaaccacat ccgctccgtg 6360
tggaaggact tgctggaaga cactgagaca ccaattgaca ccaccatcat ggcaaaaaat 6420
gaggttttct gcgtccaacc agagaagggg ggccgcaagc cagctcgcct tatcgtattc 6480
ccagatttgg gggttcgtgt gtgcgagaaa atggcccttt acgatgtggt ctccaccctc 6540
cctcaggccg tgatgggctc ttcatacgga ttccaatact ctcctggaca gcgggtcgag 6600
ttootggtga atgootggaa agogaagaaa tgooctatgg gottogoata tgacaccogo 6660
tgttttgact caacggtcac tgagaatgac atccgtgttg aggagtcaat ctaccaatgt 6720
tgtgacttgg cccccgaagc cagacaggcc ataaggtcgc tcacagagcg gctttacatc 6780
gggggccccc tgactaattc taaagggcag aactgcggct atcgccggtg ccgcgcgagc 6840
ggtgtactga cgaccagetg cggtaatacc ctcacatgtt acttgaaggc cgctgcggcc 6900
tgtcgagctg cgaagctcca ggactgcacg atgctcgtat gcggagacga ccttgtcgtt 6960
atctgtgaaa gegeggggae ecaagaggae gaggegagee taegggeett eaeggagget 7020
atgactagat actotigocco coctiggigas cogoccaaac cagaatacga cttggagttg 7080
ataacatcat geteeteeaa tgtgteagte gegeacgatg catetggeaa aagggtgtac 7140
tateteacce gtgaccecae caccecectt gegegggetg egtgggagae agetagaeae 7200
actocagtea attectgget aggeaacate ateatgtatg egeceaeett gtgggeaagg 7260
atgatectga tgaeteattt ettetecate ettetagete aggaacaact tgaaaaagee 7320
ctagattgtc agatctacgg ggcctgttac tccattgagc cacttgacct acctcagatc 7380
attcaacgac tecatggeet tagegeattt teacteeata gttactetee aggtgagate 7440
aatagggtgg cttcatgcct caggaaactt ggggtaccgc ccttgcgagt ctggagacat 7500
cgggccagaa gtgtccgcgc taggctactg tcccaggggg ggagggctgc cacttgtggc 7560
```

aagtacctct	tcaactgggc	agtaaggacc	aagctcaaac	tcactccaat	cccggctgcg	7620
tcccagttgg	atttatccag	ctggttcgtt	gctggttaca	gcgggggaga	catatatcac	7680
agcctgtctc	gtgcccgacc	ccgctggttc	atgtggtgcc	tactcctact	ttctgtaggg	7740
gtaggcatct	atctactccc	caaccgatga	acggggagct	aaacactcca	ggccaatagg	7800
ccatcctgtt	tttttccctt	ttttttttc	tttttttt	tttttttt	ttttttttt	7860
ttttctcctt	tttttttcct	cttttttcc	ttttctttcc	tttggtggct	ccatcttagc	7920
cctagtcacg	gctagctgtg	aaaggtccgt	gagccgcttg	actgcagaga	gtgctgatac	7980
tggcctctct	gcagatcaag	t				8001

```
<210> 4
<211> 7989
<212> DNA
<213> Hepatitis C Virus
<400> 4
gccagcccc gattgggggc gacactccac catagatcac tcccctgtga ggaactactg 60
tetteacgea gaaagegtet agecatggeg ttagtatgag tgtegtgeag cetecaggae 120
ccccctccc gggagagcca tagtggtctg cggaaccggt gagtacaccg gaattgccag 180
gacgaccggg teetttettg gateaacccg etcaatgeet ggagatttgg gegtgeecee 240
gcgagactgc tagccgagta gtgttgggtc gcgaaaggcc ttgtggtact gcctgatagg 300
qtqcttgcga gtgccccggg aggtctcgta gaccgtgcac catgagcacg aatcctaaac 360
ctcaaagaaa aaccaaaggg cgcgccatga ttgaacaaga tggattgcac gcaggttctc 420
eggeegettg ggtggagagg etattegget atgaetggge acaacagaca ateggetget 480
ctgatgccgc cgtgttccgg ctgtcagcgc aggggcgccc ggttcttttt gtcaagaccg 540
acctgtccgg tgccctgaat gaactgcagg acgaggcagc gcggctatcg tggctggcca 600
cgacgggcgt teettgcgca getgtgeteg aegttgteae tgaageggga agggaetgge 660
tgctattggg cgaagtgccg gggcaggate teetgteate teacettget eetgeegaga 720
aagtateeat catggetgat geaatgegge ggetgeatae gettgateeg getaeetgee 780
cattogacca ccaagogaaa catogoatog agogagoacg tactoggatg gaagooggto 840
ttgtcgatca ggatgatctg gacgaagage atcagggget cgcgccagee gaactgttcg 900 ccaggetcaa ggcgcgcatg cccgacggcg aggatetcgt cgtgacccat ggcgatgeet 960
gettgeegaa tateatggtg gaaaatggee gettttetgg atteategae tgtggeegge 1020
tgqqtqtqqc qqaccqctat caqqacatag cgttggctac ccgtgatatt gctgaagagc 1080
ttggcggcga atgggctgac cgcttcctcg tgctttacgg tatcgccgct cccgattcgc 1140
agegeatege ettetatege ettettgaeg agttettetg agtttaaaca gaccacaacg 1200
gtttccctct agegggatca attccgcccc tctccctccc cccccctaa cgttactggc 1260
cgaagccgct tggaataagg ccggtgtgcg tttgtctata tgttattttc caccatattg 1320
ccgtcttttg gcaatgtgag ggcccggaaa cctggccctg tcttcttgac gagcattcct 1380
aggggtettt eccetetege caaaggaatg caaggtetgt tgaatgtegt gaaggaagea 1440
gttcctctgg aagcttcttg aagacaaaca acgtctgtag cgaccctttg caggcagcgg 1500 aacccccac ctggcgacag gtgcctctgc ggccaaaagc cacgtgtata agatacacct 1560 gcaaaggcgg cacaaccca gtgccacgtt gtgagttgga tagttgtgga aagagtcaaa 1620 tggctctcct caagcgtatt caacaagggg ctgaaggatg cccagaaggt accccattgt 1680
atgggatctg atctggggcc tcggtgcaca tgctttacat gtgtttagtc gaggttaaaa 1740
aacgtctagg cccccgaac cacggggacg tggttttcct ttgaaaaaca cgataatacc 1800
atggcgccta ttacggccta ctcccaacag acgcgaggcc tacttggctg catcatcact 1860
agecteacag geogggacag gaaccaggte gagggggagg tecaagtggt etecacegca 1920
acacaatett teetggegae etgegteaat ggegtgtgtt ggaetgteta teatggtgee 1980
ggetcaaaga ceettgeegg eccaaaggge ceaatcacee aaatgtacae caatgtggae 2040
caggaceteg teggetggea agegeeece ggggegegtt cettgacace atgeacetge 2100
ggcagetegg accettactt ggtcacgagg catgccgatg teattccggt gegeeggegg 2160
ggogacagea gggggageet acteteceee aggeeegtet eetaettgaa gggetetteg 2220
ggcggtccac tgctctgccc ctcggggcac gctgtgggca tctttcgggc tgccgtgtgc 2280
accegagggg tigcgaagge ggtggacttt gtaccegteg agtetatgga aaccactatg 2340 cggteecegg tetteacgga caactegtee ecteeggeeg taccgeagae attecaggtg 2400
geceatetae acgeeectae tggtagegge aagageacta aggtgeegge tgegtatgea 2460
qcccaaqqqt ataagqtqct tqtcctgaac ccgtccqtcg ccgccaccct aggtttcggg 2520
gcgtatatgt ctaaggcaca tggtatcgac cctaacatca gaaccggggt aaggaccatc 2580
accaegggtg eccecateae gractecaee tatggeaagt ttettgeega eggtggttge 2640
totggggggg cotatgacat cataatatgt gatgagtgcc actcaactga ctcgaccact 2700
atcctgggca tcggcacagt cctggaccaa gcggagacgg ctggagcgcg actcgtcgtg 2760
ctcqccaccq ctacgcctcc gggatcggtc accgtgccac atccaaacat cgaggaggtg 2820
gctctgtcca gcactggaga aatccccttt tatggcaaag ccatccccat cgagaccatc 2880
aaggggggga ggcacctcat tttctgccat tccaagaaga aatgtgatga gctcgccgcg 2940
aagetgteeg geeteggaet caatgetgta geatattace ggggeettga tgtateegte 3000
ataccaacta gcggagacgt cattgtcgta gcaacggacg ctctaatgac gggctttacc 3060
ggcgatttcg actcagtgat cgactgcaat acatgtgtca cccagacagt cgacttcagc 3120
ctggaccega cetteaceat tgagaegaeg acegtgeeae aagaegeggt gteaegeteg 3180
cagcggcgag gcaggactgg taggggcagg atgggcattt acaggtttgt gactccagga 3240
gaacggccct cgggcatgtt cgattcctcg gttctgtgcg agtgctatga cgcgggctgt 3300
gettggtacg ageteaegee egeegagace teagttaggt tgegggetta cetaaacaca 3360
ccagggttgc ccgtctgcca ggaccatctg gagttctggg agagcgtctt tacaggcctc 3420
acceacatag acgeceattt ettgteecag actaageagg caggagaeaa etteecetae 3480
ctggtagcat accaggctac ggtgtgcgcc agggctcagg ctccacctcc atcgtgggac 3540
caaatqtqqa aqtqtctcat acqqctaaaq cctacqctqc acqqqccaac gcccctqctg 3600
```

```
tataggetgg gageegttea aaacgaggtt actaceaeae acceeataae caaatacate 3660
atggcatgca tgtoggctga cotggaggto gtoacgagca cotgggtgot ggtaggogga 3720
gtcctagcag ctctggccgc gtattgcctg acaacaggca gcgtggtcat tgtgggcagg 3780
atcatcttgt ccggaaagcc ggccatcatt cccgacaggg aagtccttta ccgggagttc 3840
gatgagatgg aagagtgcgc ctcacacctc ccttacatcg aacagggaat gcagctcgcc
gaacaattca aacagaaggc aatcgggttg ctgcaaacag ccaccaagca agcggaggct 3960
gctgctcccg tggtggaatc caagtggcgg accetcgaag cettetggge gaagcatatg 4020
tqqaatttca tcaqcqqqat acaatattta qcaqqcttqt ccactctgcc tggcaacccc 4080
gcgatagcat cactgatggc attcacagcc tctatcacca gcccgctcac cacccaacat 4140
accetectgt ttaacatect ggggggatgg gtggeegeec aacttgetee teccageget 4200
gettetgett tegtaggege eggeateget ggageggetg ttggeageat aggeettggg 4260
aaggtgettg tggatattit ggeaggttat ggageagggg tggeaggege getegtggee 4320
tttaaggtca tgageggega gatgeeetee acegaggaee tggttaacet acteeetget 4380
atcetetece etggegeet agtegteggg gtegtgtgeg eagegataet gegteggeae 4440
gtgggcccag gggaggggc tgtgcagtgg atgaaccggc tgatagcgtt cgcttcgcgg 4500
ggtaaccacg tetececcae geactatgtg cetgagageg acgetgeage acgtgteaet 4560
caqatectet etaqtettae cateacteaq etqetqaaqa ggetteacea gtggateaac 4620
gaggactget ceaegecatg eteeggeteg tggetaagag atgtttggga ttggatatge 4680
acggtgttga ctgatttcaa gacctggctc cagtccaagc tcctgccgcg attgccggga 4740
gtccccttct tctcatgtca acgtgggtac aagggagtct ggcggggcga cggcatcatg 4800
caaaccacct gcccatgtgg agcacagatc accggacatg tgaaaaacgg ttccatgagg 4860
atcgtggggc ctaggacctg tagtaacacg tggcatggaa cattccccat taacgcgtac 4920
accacgggcc cctgcacgcc ctccccggcg ccaaattatt ctagggcgct gtggcggtg 4980
gctgctgagg agtacgtgga ggttacgcgg gtgggggatt tccactacgt gacgggcatg 5040
accactgaca acgtaaagtg cccgtgtcag gttccggccc ccgaattctt cacagaagtg 5100
gatggggtgc ggttgcacag gtacgctcca gcgtgcaaac ccctcctacg ggaggaggtc 5160
acatteetgg tegggeteaa teaatacetg gttgggteae ageteecatg egageeegaa 5220
ceggaegtag cagtgeteac ttecatgete acegaeceet eccaeattae ggeggagaeg 5280
gctaagcgta ggctggccag gggatctccc ccctccttgg ccagctcatc agctagccag 5340
ctatetacae ettectiqua agcaleatae actaceegte atgactecce agacgetaae 5400
ctcatcgagg ccaacctcct gtggcggcag gagatgggcg ggaacatcac ccgcgtggag 5460
tcagaaaata aggtagtaat tttggactet ttegageege teeaagegga ggaggatgag 5520
agggaagtat ccgttccggc ggagatcctg cggaggtcca ggaaattccc tcgagcgatg 5580
cccatatggg cacgcccgga ttacaaccct ccactgttag agtcctggaa ggacccggac 5640
tacgtccctc cagtggtaca cgggtgtcca ttgccgcctg ccaaggcccc tccgatacca 5700
cctccacgga ggaagaggac ggttgtcctg tcagaatcta ccgtgtcttc tgccttggcg 5760
gagotogoca caaagacott oggoagetoo gaatogtogg cogtogacag oggoacggca 5820
acggeetete etgaeeagee eteegaegae ggegaegegg gateegaegt tgagtegtae 5880
tectecatge ecceettga gggggageeg ggggateeeg ateteagega egggtettgg 5940
totacogtaa gogaggaggo tagtgaggao gtogtotgot gotogatgto ctacacatgg 6000
acaggegece tgateaegee atgegetgeg gaggaaaeea agetgeeeat caatgeaetg 6060
agcaactett tgeteegtea ceacaacttg gtetatgeta caacateteg cagegeaage 6120
ctgcggcaga agaaggtcac etttgacaga etgcaggtee tggacgacca etacegggac 6180
gtgctcaagg agatgaaggc gaaggcgtcc acagttaagg ctaaacttct atccgtggag 6240
gaageetgta agetgaegee eccaeatteg geeagateta aatttggeta tggggeaaag 6300
gacgtccgga acctatccag caaggccgtt aaccacatcc gctccgtgtg gaaggacttg 6360 ctggaagaca ctgagacacc aattgacacc accatcatgg caaaaaatga ggttttctgc 6420
gtccaaccag agaagggggg ccgcaagcca gctcgcctta tcgtattccc agatttgggg 6480
gttcgtgtgt gcgagaaaat ggccctttac gatgtggtct ccaccctccc tcaggccgtg 6540
atgggctctt catacggatt ccaatactct cctggacagc gggtcgagtt cctggtgaat 6600
gcctggaaag cgaagaaatg ccctatgggc ttcgcatatg acacccgctg ttttgactca 6660
acggtcactg agaatgacat ccgtgttgag gagtcaatct accaatgttg tgacttggcc 6720
cccgaagcca gacaggccat aaggtcgctc acagagcggc tttacatcgg gggccccctg 6780
actaatteta aagggeagaa etgeggetat egeeggtgee gegegagegg tgtaetgaeg 6840
accagetgeg gtaataceet cacatigttae tigaaggeeg etgeggeetg tegagetgeg 6900
aagetecagg actgeacgat getegtatge ggagaegaee ttgtegttat etgtgaaage 6960
gcggggaccc aagaggacga ggcgagccta cgggccttca cggaggctat gactagatac 7020
tetgecece etggggacee geceaaacea gaatacgaet tggagttgat aacateatge 7080
tectecaatg tgteagtege geacgatgea tetggeaaaa gggtgtaeta teteaceegt 7140
gaccccacca cocccttgc gcgggctgcg tgggagacag ctagacacac tccagtcaat 7200
teetggetag geaacateat catgitatgeg eccacettgt gggeaaggat gateetgatg 7260
actcatttct tctccatcct tctagctcag gaacaacttg aaaaagccct agattgtcag 7320
atctacgggg cctgttactc cattgagcca cttgacctac ctcagatcat tcaacgactc 7380
catggcctta gcgcattttc actccatagt tactctccag gtgagatcaa tagggtggct 7440
tcatgcctca ggaaacttgg ggtaccgccc ttgcgagtct ggagacatcg ggccagaagt 7500
gtecgegeta ggetaetgte ceaggggggg agggetgeea ettgtggeaa gtaeetette 7560 aactgggeag taaggaeeaa geteaaacte acteeaatee eggetgegte ceagttggat 7620
```

ttatccagct	ggttcgttgc	tggttacagc	gggggagaca	tatatcacag	cctgtctcgt	7680
gcccgacccc	gctggttcat	gtggtgccta	ctcctacttt	ctgtaggggt	aggcatctat	7740
ctactcccca	accgatgaac	ggggagctaa	acactccagg	ccaataggcc	atcctgtttt	7800
					ttctcctttt	
tttttcctct	ttttttcctt	ttctttcctt	tggtggctcc	atcttagccc	tagtcacggc	7920
tagctgtgaa	aggtccgtga	gccgcttgac	tgcagagagt	gctgatactg	gcctctctgc	7980
agatcaagt						7989

```
<211> 8649
<212> DNA
<213> Hepatitis C Virus
<400> 5
qccaqcccc qattqqqqqc qacactccac catagatcac tcccctgtga ggaactactg 60
tottcacgca gaaagegtet agecatggeg ttagtatgag tgtcgtgcag cetecaggae 120
ccccctccc gggagagcca tagtggtctg cggaaccggt gagtacaccg gaattgccag 180
gacgaccggg teetttettg gatcaacceg etcaatgeet ggagatttgg gegtgeecce 240
gegagactge tageegagta gtgttgggte gegaaaggee ttgtggtaet geetgatagg 300
gtgcttgcga gtgccccggg aggtctcgta gaccgtgcac catgagcacg aatcctaaac 360
ctcaaagaaa aaccaaacgt aacaccaacg ggcgcgccat gattgaacaa gatggattgc 420
acgcaggttc tccggccgct tgggtggaga ggctattcgg ctatgactgg gcacaacaga 480
caateggetg etetgatgee geogtgttee ggetgteage geaggggege eeggttettt 540
ttgtcaagac cgacctgtcc ggtgccctga atgaactgca ggacgaggca gcgcggctat 600
cgtggctggc cacgacgggc gttccttgcg cagctgtgct cgacgttgtc actgaagcgg 660
gaagggactg getgetattg ggegaagtge eggggeagga teteetgtea teteacettg 720 eteetgeega gaaagtatee ateatggetg atgeaatgeg geggetgeat aegettgate 780
cggctacctg cccattcgac caccaagcga aacatcgcat cgagcgagca cgtactcgga 840
tggaagccgg tettgtegat caggatgate tggacgaaga geatcagggg etegegecag 900
ccgaactgtt cgccaggctc aaggcgcgca tgcccgacgg cgaggatctc gtcgtgaccc 960
atggcgatgc ctgcttgccg aatatcatgg tggaaaatgg ccgcttttct ggattcatcg 1020
actgtggccg gctgggtgtg gcggaccgct atcaggacat agcgttggct acccgtgata 1080
ttgctgaaga gcttggcggc gaatgggctg accgcttcct cgtgctttac ggtatcgccg 1140
ctcccgattc gcagcgcatc gccttctatc gccttcttga cgagttcttc tgagtttaaa 1200
cagaccacaa cggtttccct ctagcgggat caattccgcc cctctccctc cccccccct 1260
aacgttactg gccgaagccg cttggaataa ggccggtgtg cgtttgtcta tatgttattt 1320
tocaccatat tgccgtcttt tggcaatgtg agggcccgga aacctggccc tgtcttcttg 1380
acgagcattc ctaggggtct ttcccctctc gccaaaggaa tgcaaggtct gttgaatgtc 1440
gtgaaggaag cagttcctct ggaagcttct tgaagacaaa caacgtctgt agcgaccctt 1500
tgcaggcagc ggaacccccc acctggcgac aggtgcctct gcggccaaaa gccacgtgta 1560
taagatacac ctgcaaaggc ggcacaaccc cagtgccacg ttgtgagttg gatagttgtg 1620
gaaagagtca aatggctctc ctcaagcgta ttcaacaagg ggctgaagga tgcccagaag 1680
gtaccccatt gtatgggate tgatctgggg ceteggtgea catgetttae atgtgtttag 1740
toqaqqttaa aaaacqtota qqoocoocga accacgggga cgtggtttto otttgaaaaa 1800
cacgataata ccatggaccg ggagatggca gcatcgtgcg gaggcgcggt tttcgtaggt 1860
ctgatactet tgacettgte accgeactat aagetgttee tegetagget catatggtgg 1920
ttacaatatt ttatcaccag ggccgaggca cacttgcaag tgtggatccc cccctcaac 1980
gttcgggggg gccgcgatgc cgtcatcctc ctcacgtgcg cgatccaccc agagctaatc 2040
tttaccatca ccaaaatctt gctcgccata ctcggtccac tcatggtgct ccaggctggt 2100
ataaccaaag tgccgtactt cgtgcgcgca cacgggctca ttcgtgcatg catgctggtg 2160
cggaaggttg ctgggggtca ttatgtccaa atggctctca tgaagttggc cgcactgaca 2220
ggtacgtacg tttatgacca tctcacccca ctgcgggact gggcccacgc gggcctacga 2280
gacctigegg tggcagttga gecegtegte ttetetgata tggagaccaa ggttateace 2340 tggggggcag acaccgegge gtgtggggae atcatettgg geetgeeegt eteegeeege 2400
agggggaggg agatacatct gggaccggca gacagccttg aagggcaggg gtggcgactc 2460
ctcgcgccta ttacggccta ctcccaacag acgcgaggcc tacttggctg catcatcact 2520
agecteacag geegggacag gaaccaggte gagggggagg tecaagtggt etecacegea 2580
acacaatett teetggegae etgegteaat ggegtgtgtt ggaetgteta teatggtgee 2640
ggctcaaaga cccttgccgg cccaaagggc ccaatcaccc aaatgtacac caatgtggac 2700
caggaceteg teggetggea agegeeece ggggegegtt cettgacace atgeacetge 2760
ggcagctcgg acctttactt ggtcacgagg catgccgatg tcattccggt gcgccggcgg 2820
ggcgacagea gggggageet acteteceee aggeeegtet cetaettgaa gggetetteg 2880
ggcggtccac tgctctgccc ctcggggcac gctgtgggca tctttcgggc tgccgtgtgc 2940
accogagggg ttgcgaaggc ggtggacttt gtaccogtcg agtctatgga aaccactatg 3000
cggtcccgg tcttcacgga caactcgtcc cctccggccg taccgcagac attccaggtg 3060
geceatetae aegeeeetae tggtagegge aagageaeta aggtgeegge tgegtatgea 3120
geccaagggt ataaggtget tgteetgaae cegteegteg eegecaeeet aggttteggg 3180
gegtatatgt ctaaggcaca tggtategae ectaacatea gaaceggggt aaggaecate 3240
accacgggtg cocccatcac gtactccacc tatggcaagt ttcttgccga cggtggttgc 3300
tctgggggcg cctatgacat cataatatgt gatgagtgcc actcaactga ctcgaccact 3360
atcctgggca tcggcacagt cctggaccaa gcggagacgg ctggagcgcg actcgtcgtg 3420
ctcgccaccg ctacgcctcc gggatcggtc accgtgccac atccaaacat cgaggaggtg 3480 gctctgtcca gcactggaga aatccccttt tatggcaaag ccatccccat cgagaccatc 3540
aaggggggga ggcacctcat tttctgccat tccaagaaga aatgtgatga gctcgccgcg 3600
```

```
aagctgtccg gcctcggact caatgctgta gcatattacc ggggccttga tgtatccgtc 3660
ataccaacta geggagaegt cattgtegta geaacggaeg etetaatgae gggetttaee 3720
ggcgatttcg actcagtgat cgactgcaat acatgtgtca cccagacagt cgacttcagc 3780
ctggacccga ccttcaccat tgagacgacg accgtgccac aagacgcggt gtcacgctcg 3840
cagoggogag gcaggactgg taggggcagg atgggcattt acaggttigt gactccagga 3900
gaacggccct cgggcatgtt cgattcctcg gttctgtgcg agtgctatga cgcgggctgt 3960
gettggtacg agetcaegee egeegagace teagttaggt tgegggetta cetaaacaca 4020
ccagggttgc ccgtctgcca ggaccatctg gagttctggg agagcgtctt tacaggcctc 4080
acccacatag acgcccattt cttgtcccag actaagcagg caggagacaa cttcccctac 4140
ctggtagcat accaggetae ggtgtgegec agggeteagg etecacetee ategtgggae 4200 caaatgtgga agtgteteat aeggetaaag eetaegetge aegggeeaae geeeetgetg 4260
tataggetgg gageegttea aaaegaggtt actaceaeae acceeataae caaatacate 4320
atggcatgca tgtcggctga cctggaggtc gtcacgagca cctgggtgct ggtaggcgga 4380
gtoctagoag ctotggoogo gtattgootg acaacaggoa gogtggtoat tgtgggoagg 4440
atcatcttgt coggaaagec ggccatcatt cocgacaggg aagtcettta cogggagtte 4500
gatgagatgg aagagtgcgc ctcacacctc ccttacatcg aacagggaat gcagctcgcc 4560
gaacaattca aacagaaggc aatcgggttg ctgcaaacag ccaccaagca agcggaggct 4620
getgeteceg tggtggaate caagtggegg accetegaag cettetggge gaageatatg 4680
tggaatttca tcagcgggat acaatattta gcaggcttgt ccactctgcc tggcaacccc 4740
gcgatagcat cactgatggc attcacagcc tctatcacca gcccgctcac cacccaacat 4800
accetectgt ttaacateet ggggggatgg gtggeegeee aaettgetee teecageget 4860
gettetgett tegtaggege eggeateget ggageggetg ttggeageat aggeettggg 4920 aaggtgettg tggatatttt ggeaggttat ggageagggg tggeaggege getegtggee 4980
tttaaggtca tgagcggcga gatgccctcc accgaggacc tggttaacct actccctgct 5040
atcetetece etggegeeet agtegteggg gtegtgtgeg cagegataet gegteggeae 5100
gtgggcccag gggaggggc tgtgcagtgg atgaaccggc tgatagcgtt cgcttcgcgg 5160
ggtaaccacg totocccac gcactatgtg cotgagageg acgetgcage acgtgtcact 5220
cagatectet etagtettae cateacteag etgetgaaga ggetteacea gtggateaac 5280
gaggactgct ccacgccatg ctccggctcg tggctaagag atgtttggga ttggatatgc 5340
acggtgttga ctgatttcaa gacctggctc cagtccaagc tcctgccgcg attgccggga 5400
gtccccttct tctcatgtca acgtgggtac aagggagtct ggcggggcga cggcatcatg 5460
caaaccacct gcccatgtgg agcacagatc accggacatg tgaaaaacgg ttccatgagg 5520 atcgtggggc ctaggacctg tagtaacacg tggcatggaa cattccccat taacgcgtac 5580
accacgggcc cetgcacgcc etecceggcg ccaaattatt etagggcgct gtggcggtg 5640
gctgctgagg agtacgtgga ggttacgcgg gtgggggatt tccactacgt gacgggcatg 5700
accactgaca acgtaaagtg cocgtgtcag gttccggccc ccgaattett cacagaagtg 5760
gatggggtgc ggttgcacag gtacgctcca gcgtgcaaac ccctcctacg ggaggaggtc 5820
acatteetgg tegggeteaa teaatacetg gttgggteae ageteecatg egageeegaa 5880
ceggaegtag cagtgeteae ttecatgete acegaeceet eccaeattae ggeggagaeg 5940
gctaagegta ggctggccag gggatetece eceteettgg ccageteate agetagecag 6000
ctgtctgcgc cttccttgaa ggcaacatgc actacccgtc atgactcccc ggacgctgac 6060
ctcatcgagg ccaacctcct gtggcggcag gagatgggcg ggaacatcac ccgcgtggag 6120
tcagaaaata aggtagtaat tttggactct ttcgagccgc tccaagcgga ggaggatgag 6180
agggaagtat cogttooggo ggagatootg oggaggtooa ggaaattooc togagogatg 6240
cccatatggg cacgccgga ttacaacct ccactgttag agtcctggaa ggaccggac 6300 tacgtcctc cagtggtaca cgggtgtcca ttgccgctg ccaaggccc tccgatacca 6360 cctccacgga ggaagaggac ggttgtcctg tcagaatcta ccgtgtcttc tgccttggcg 6420 gagctcgca caagacctt ctagacat cagacatgca cagacatgca caagacctt ctagacatgca caagacctt ctagacatgca 6480
acggeetete etgaceagee etecgacgae ggegaegegg gateegaegt tgagtegtae 6540
tectecatge ecceettga gggggageeg ggggateeeg ateteagega egggtettgg 6600
tctaccgtaa gcgaggaggc tagtgaggac gtcgtctgct gctcgatgtc ctacacatgg 6660
acaggogoco tgatoacgoo atgogotgog gaggaaacca agotgocoat caatgoactg 6720
agcaactett tgeteegtea ceacaacttg gtetatgeta caacateteg cagegeaage 6780
ctgcggcaga agaaggtcac ctttgacaga ctgcaggtcc tggacgacca ctaccgggac 6840
gtgctcaagg agatgaaggc gaaggcgtcc acagttaagg ctaaacttct atccgtggag 6900
gaageetgta agetgaegee eccacatteg geeagateta aatttggeta tggggcaaag 6960
gacgtccgga acctatccag caaggccgtt aaccacatcc gctccgtgtg gaaggacttg 7020 ctggaagaca ctgagacacc aattgacacc accatcatgg caaaaaatga ggttttctgc 7080
gtccaaccag agaaggggg ccgcaagcca gctcgcctta tcgtattccc agatttgggg 7140
gttcgtgtgt gcgagaaaat ggccctttac gatgtggtct ccaccctccc tcaggccgtg 7200
atgggctctt catacggatt ccaatactct cctggacagc gggtcgagtt cctggtgaat 7260
gcctggaaag cgaagaaatg ccctatgggc ttcgcatatg acacccgctg ttttgactca 7320
acggicactg agaatgacat ccgtgttgag gagtcaatct accaatgttg tgacttggcc 7380
cccgaagcca gacaggccat aaggtcgctc acagagcggc tttacatcgg gggccccctg 7440
actaatteta aagggeagaa etgeggetat egeeggtgee gegegagegg tgtaetgaeg 7500
accagetgeg gtaataceet cacatgttae ttgaaggeeg etgeggeetg tegagetgeg 7560
aageteeagg actgeaegat getegtatge ggagaegaee ttgtegttat etgtgaaage 7620
```

```
<210> 6
<211> 8001
<212> DNA
<213> Hepatitis C Virus
<400> 6
gccagccccc gattgggggc gacactccac catagatcac tcccctgtga ggaactactg 60
tetteacgea gaaagegtet agecatggeg ttagtatgag tgtegtgeag cetecaggae 120
ccccctccc gggagagcca tagtggtctg cggaaccggt gagtacaccg gaattgccag 180
gacgaccggg teetttettg gateaacccg etcaatgeet ggagatttgg gegtgeecce 240
gcgagactgc tagccgagta gtgttgggtc gcgaaaggcc ttgtggtact gcctgatagg 300 gtgcttgcga gtgccccggg aggtctcgta gaccgtgcac catgagcacg aatcctaaac 360
ctcaaagaaa aaccaaacgt aacaccaacg ggcgcgccat gattgaacaa gatggattgc 420
acgcaggttc tccggccgct tgggtggaga ggctattcgg ctatgactgg gcacaacaga 480
caateggetg etetgatgee geegtgttee ggetgteage geaggggege eeggttettt 540
ttgtcaagac cgacctgtcc ggtgccctga atgaactgca ggacgaggca gcgcggctat 600
cgtggctggc cacgacgggc gttccttgcg cagctgtgct cgacgttgtc actgaagcgg 660
gaagggactg gctgctattg ggcgaagtgc cggggcagga tctcctgtca tctcaccttg 720
ctcctgccga gaaagtatcc atcatggctg atgcaatgcg gcggctgcat acgcttgatc 780
cggctacctg cccattcgac caccaagega aacatcgcat cgagcgagca cgtactcgga 840
tggaagccgg tcttgtcgat caggatgatc tggacgaaga gcatcagggg ctcgcgccag 900
ccgaactgtt cgccaggctc aaggcgcgca tgcccgacgg cgaggatctc gtcgtgaccc 960
atggcgatgc ctgcttgccg aatatcatgg tggaaaatgg ccgcttttct ggattcatcg 1020 actgtggccg gctggaccgct atcaggacat agcgttggct acccgtgata 1080
ttgctgaaga gcttggcggc gaatgggctg accgcttcct cgtgctttac ggtatcgccg 1140
ctcccgatte gcagegcate gccttctate gccttcttga cgagttcttc tgagtttaaa 1200
cagaccacaa eggttteeet etagegggat caatteegee ceteteeete eeececeet 1260
aacgttactg gccgaagccg cttggaataa ggccggtgtg cgtttgtcta tatgttattt 1320
tccaccatat tgccgtcttt tggcaatgtg agggcccgga aacctggccc tgtcttcttg 1380
acgagcattc ctaggggtct ttcccctctc gccaaaggaa tgcaaggtct gttgaatgtc 1440
gtgaaggaag cagttcctct ggaagcttct tgaagacaaa caacgtctgt agcgaccctt 1500
tgcaggcage ggaaccccc acctggcgac aggtgcctct gcggccaaaa gccacgtgta 1560
taagatacac ctgcaaaggc ggcacaaccc cagtgccacg ttgtgagttg gatagttgtg 1620
gaaagagtca aatggctctc ctcaagcgta ttcaacaagg ggctgaagga tgcccagaag 1680
gtaccccatt gtatgggatc tgatctgggg cctcggtgca catgctttac atgtgtttag 1740
togaggttaa aaaacgtota ggccccccga accacgggga cgtggttttc ctttgaaaaa 1800 cacgataata ccatggcgcc tattacggcc tactcccaac agacgcgagg cctacttggc 1860
tqcatcatca ctagcctcac aggccgggac aggaaccagg tcgaggggga ggtccaagtg 1920
gtctccaccg caacacaatc tttcctggcg acctgcgtca atggcgtgtg ttggactgtc 1980
tatcatggtg ccggctcaaa gacccttgcc ggcccaaagg gcccaatcac ccaaatgtac 2040
accaatgtgg accaggacet cgtcggctgg caagegeeee eeggggegeg tteettgaca 2100
ccatgcacct gcggcagctc ggacctttac ttggtcacga ggcatgccga tgtcattccg 2160
gtgcgccggc ggggcgacag cagggggagc ctactctccc ccaggcccgt ctcctacttg 2220
aagggetett egggeggtee actgetetge eestegggge atgetgtggg catetttegg 2280
gctgccgtgt gcacccgagg ggttgcgaag gcggtggact ttgtacccgt cgagtctatg 2340
gaaaccacta tgcggtcccc ggtcttcacg gacaactcgt cccctccggc cgtaccgcag 2400
acattccagg tggcccatct acacgcccct actggtagcg gcaagagcac taaggtgccg 2460 gctgcgtatg cagcccaagg gtataaggtg cttgtcctga acccgtccgt cgccgccacc 2520
ctaggitteg gggegtatat gtetaaggea catggtateg accetaacat cagaaceggg 2580
gtagggacca tcaccacggg tgcccccatc acgtactcca cctatggcaa gtttcttgcc 2640
gacggtggtt gctctggggg cgcctatgac atcataatat gtgatgagtg ccactcaact 2700
gactcgacca ctatcctggg catcggcaca gtcctggacc aagcggagac ggctggagcg 2760
cgactcgtcg tgctcgccac cgctacgcct ccgggatcgg tcaccgtgcc acatccaaac 2820
atcgaggagg tggctctgtc cagcactgga gaaatcccct tttatggcaa agccatcccc 2880
atcgcgacca tcaagggggg gaggcacctc attttctgcc attccaagaa gaaatgtgat 2940
gagetegeeg egaagetate eggeetegga eteaatgetg tageatatta eeggggeett 3000
gatgtateeg teataceaac tageggagae gteattgteg tageaacgga egetetaatg 3060
acgggcttta ccggcgattt cgactcagtg atcgactgca atacatgtgt cacccagaca 3120
gtcgacttca gcctggaccc gaccttcacc attgagacga cgaccgtgcc acaagacgcg 3180
gtgtcacgct cgcagcggcg aggcaggact ggtaggggca ggatgggcat ttacaggttt 3240
gtgactccag gagaacggcc ctcgggcatg ttcgattcct cggttctgtg cgagtgctat 3300
gacgcgggct gtgcttggta cgagctcacg cccgccgaga cctcagttag gttgcgggct 3360
tacctaaaca caccagggct geocgtetge caggaceate tggagttetg ggagagegte 3420
```

tttacaggee teacceacat agacgeecat ttettgteec agactaggea ggeaggagae 3480 aactteect acetggtage ataceagget aeggtgtgeg ceagggetea ggeteeacet 3540 ceategtggg aceaaatgtg ggagtgtete atacggetaa ageetaeget geaegggeea 3600

```
acgecectge tgtatagget gggageegtt caaaacgagg ttactaceae acaccecata 3660
accaaataca tcatqqcatq catqtcqqct gacctqqagq tcgtcacqag cacctqggtg 3720
ctggtaggeg gagtectage agetetggee gegtattgee tgacaacagg cagegtggte 3780
attytyggca ggatcatett gteeggaaag eeggeeatea tteeegaeag ggaagteett 3840
taccgggagt tcgatgagat ggaagagtgc gcctcacacc tcccttacat cgaacaggga 3900
atgeageteg eegaacaatt caaacagaag geaategggt tgetgeaaac ageeaccaag 3960
caagcggagg ctgctgctcc cgtggtggaa tccaagtggc ggaccctcga agccttctgg 4020 gcgaagcata tgtggaattt catcagcggg atacaatatt tagcaggctt gtccactctg 4080
cctqqcaacc ccqcqatagc atcactgatg gcattcacag cctctatcac cagcccqctc 4140
accacccaac ataccctcct gtttaacatc ctggggggat gggtggccgc ccaacttgct 4200
ceteceageg etgettetge tttegtagge geeggeateg etggagegge tgttggeage 4260
ataggeettg ggaaggtget tgtggatatt ttggeaggtt atggageagg ggtggeagge 4320
gcgctcgtgg cctttaaggt catgagcggc gagatgccct ccaccgagga cctggttaac 4380
ctactocotg ctatoctoto cootggogoo otagtogtog gggtogtgtg cgcagogata 4440
ctgcgtcggc acgtgggccc aggggagggg gctgtgcagt ggatgaaccg gctgatagcg 4500
ttcgcttcgc ggggtaacca cgtctccccc acgcactatg tgtctgagag cgacgctgca 4560
gcacgtgtca ctcagatect etetagtett accateacte agetgetgaa gaggetteae 4620
cagtggatca acgaggactg ctccacgcca tgctccggct cgtggctaag agatgtttgg 4680
gattggatat geacggtgtt gactgattte aagaeetgge tecagteeaa geteetgeeg 4740
cgattgccgg gagtcccctt cttctcatgt caacgtgggt acaagggagt ctggcggggc 4800
gacggcatca tgcaaaccac ctgcccatgt ggagcacaga tcaccggaca tgtgaaaaac 4860
ggttccatga ggatcgtggg gcctaggacc tgtagtaaca cgtggcatgg aacattcccc 4920
attaacgcgt acaccacggg cocctgcacg coctccccgg cgccaaatta ttctagggcg 4980 ctgtggcggg tggctgctga ggagtacgtg gaggttacgc gggtggggga tttccactac 5040 gtgacgggca tgaccactga caacgtaaag tgcccgtgtc aggttccggc ccccgaattc 5100
ttcacagaag tggatggggt gcggttgcac aggtacgctc cagcgtgcaa acccctccta 5160
cgggaggagg tcacattect ggtegggete aateaatace tggttgggte acageteeca 5220
tgcgggcccg aaccggacgt agcagtgctc acttccatgc tcaccgaccc ctcccacatt 5280
acggcggaga cggctaagcg taggctggcc aggggatctc cccctcctt ggccagctca 5340
teagetagee agetgtetge geetteettg aaggeaacat geactaeeeg teatgaetee 5400
ccggacgctg acctcatcga ggccaacctc ctgtggcggc aggagatggg cgggaacatc 5460
accogcytyg agtcagaaaa taaggtagta attttggact ctttcgagcc gctccaagcg 5520
gaggaggatg agagggaagt atccgttccg gcggagatcc tgcggaggtc caggaaattc 5580
cologagoga tycccataty gycacycccy gattacaacc ctccactytt agagtcctyg 5640
aaggaccegg actaegteee teeagtggta caegggtgte cattgeegee tgeeaaggee 5700
cotcogatac cacctocacg gagggagagg acggttgtcc tgtcagaatc taccgtgtct 5760
totgoottgg oggagotogo cacaaagaco ttoggoagot cogaatogto ggoogtogao 5820
ageggeacgg caacggeete teetgaceag ceeteegaeg aeggegaege gggateegae 5880
gttgagtcgt actoctocat geoceccett gagggggage egggggatee egateteage 5940
gacgggtctt ggtctaccgt aagcgaggag gctagtgagg acgtcgtctg ctgctcgatg 6000
tectacaeat ggaeaggege cetgateaeg ceatgegetg eggaggaaae caagetgeee 6060
gtcaatgcac tgagcaactc tttgctccgt caccacaact tggtctatgc tacaacatct 6120
cgcagcgcaa gcctgcggca gaagaaggtc acctttgaca gactgcaggt cctggacgac 6180
cactaccggg acgtgctcaa ggagatgaag gcgaaggcgt ccacagttaa ggctaaactt 6240
ctateogtgg aggaageetg taagetgaeg eececacatt eggeeagate taaatttgge 6300
tatggggcaa aggacgtccg gaacctatcc agcaaggccg ttaaccacat ccgctccgtg 6360
tggaaggact tgctggaaga cactgagaca ccaattgaca ccaccatcat ggcaaaaaat 6420
gaggttttct gcgtccaacc agagaagggg ggccgcaagc cagctcgcct tatcgtattc 6480
ccagatttgg gggttcgtgt gtgcgagaaa atggcccttt acgatgtggt ctccaccctc 6540 cctcaggccg tgatgggctc ttcatacgga ttccaatact ctcctggaca gcgggtcgag 6600
ttcctggtga atgcctggaa agcgaagaaa tgccctatgg gcttcgcata tgacacccgc 6660
tgttttgact caacggtcac tgagaatgac atccgtgttg aggagtcaat ctaccaatgt 6720
tgtgacttgg cccccgaagc cagacaggcc ataaggtcgc tcacagagcg gctttacatc 6780
gggggccccc tgactaattc taaagggcag aactgcggct atcgccggtg ccgcgcgagc 6840
ggtgtactga cgaccagctg cggtaatacc ctcacatgtt atttgaaggc cgctgcggcc 6900
tgtcgagctg cgaagctcca ggactgcacg atgctcgtat gcggagacga ccttgtcgtt 6960
atctgtgaaa gcgcggggac ccaagaggac gaggcgagcc tacggggcctt cacggaggct 7020
atgactagat actotycocc cootggggac cogoccaaac cagaatacga ottggagttg 7080
ataacatcat geteeteeaa tgtgteagte gegeaegatg catetggeaa aagggtgtae 7140
tatotoacco gtgacoccac caccocctt gcgcgggctg cgtgggagac agctagacac 7200
actocagtoa attoctggot aggoaacato atcatgtatg ogcocacott gtgggcaagg 7260
atgatectga tgaeteattt ettetecate ettetagete aggaacaact tgaaaaagee 7320
ctagattgtc agatctacgg ggcctgttac tccattgagc cacttgacct acctcagatc 7380
atteaacqae tecatqqeet taqeqeattt teacteeata qttactetee aggtgagate 7440
aataqqqtqq cttcatgcct caggaaactt ggggtaccgc ccttgcgagt ctggagacat 7500
cgggccagaa gtgtccgcgc taggctactg tcccaggggg ggagggctgc cacttgtggc 7560
aagtacetet teaactggge agtaaggace aageteaaae teacteeaat eeeggetgeg 7620
```

tcccagttgg	atttatccag	ctggttcgtt	gctggttaca	gcgggggaga	catatatcac	7680
agcctgtctc	gtgcccgacc	ccgctggttc	atgtggtgcc	tactcctact	ttctgtaggg	7740
gtaggcatct	atctactccc	caaccgatga	acggggagct	aaacactcca	ggccaatagg	7800
ccatcctgtt	tttttccctt	ttttttttc	tttttttt	tttttttt	tttttttt	7860
ttttctcctt	tttttttcct	cttttttcc	ttttctttcc	tttggtggct	ccatcttagc	7920
cctagtcacg	gctagctgtg	aaaggtccgt	gagccgcttg	actgcagaga	gtgctgatac	7980
taacctctct	gcagatcaag	t				8001

```
<211> 11076
<212> DNA
<213> Hepatitis C Virus
<400> 7
gccagccccc gattgggggc gacactccac catagatcac tcccctgtga ggaactactq 60
tetteaegea gaaagegtet agecatggeg ttagtatgag tgtegtgeag ceteeaggae 120
ccccctccc gggagagcca tagtggtctg cggaaccggt gagtacaccg gaattgccag 180
gacgaccggg teetttettg gateaacccg eteaatgeet ggagatttgg gegtgeecce 240
gcgagactge tagccgagta gtgttgggte gcgaaaggee ttgtggtaet geetgatagg 300
gtgcttgcga gtgccccggg aggtctcgta gaccgtgcac catgagcacg aatcctaaac 360
ctcaaagaaa aaccaaacgt aacaccaacg ggcgcgccat gattgaacaa gatggattgc 420
acgcaggttc tccggccgct tgggtggaga ggctattcgg ctatgactgg gcacaacaga 480
caateggetg etetgatgee geegtgttee ggetgteage geaggggege eeggttettt 540
ttgtcaagac cgacctgtcc ggtgccctga atgaactgca ggacgaggca gcgcggctat 600
cgtggctggc cacgacgggc gttccttgcg cagctgtgct cgacgttgtc actgaagcgg 660
gaagggactg getgetattg ggcgaagtge eggggeagga teteetgtea teteacettg 720
ctcctgccga gaaagtatcc atcatggctg atgcaatgcg gcggctgcat acgcttgatc 780
eggetacetg eccattegae caccaagega aacategeat egagegagea egtactegga 840
tggaagccgg tettgtegat caggatgate tggacgaaga geatcagggg etegegeeag 900 cegaactgtt egecaggete aaggegegea tgeeegaegg egaggatete gtegtgaeee 960
atggcgatgc ctgcttgccg aatatcatgg tggaaaatgg ccgcttttct ggattcatcg 1020 actgtggccg gctgggtgtg gcggaccgct atcaggacat agcgttggct acccgtgata 1080
ttgctgaaga gcttggcggc gaatgggctg accgcttcct cgtgctttac ggtatcgccg 1140
ctcccgattc gcagcgcatc gccttctatc gccttcttga cgagttcttc tgagtttaaa 1200
cagaccacaa eggttteeet etagegggat caatteegee eeteteeete eeeceeeet 1260
aacgttactg gccgaagccg cttggaataa ggccggtgtg cgtttgtcta tatgttattt 1320
tecaccatat tgeogtettt tggcaatgtg agggeeegga aacctggeee tgtettettg 1380
acgageatte ctaggggtet ticecetete gecaaaggaa tgeaaggtet gitgaatgte 1440
qtqaaqgaag cagtteetet ggaagettet tgaagacaaa caacgtetgt agegaceett 1500
tgcaggcagc ggaacccccc acctggcgac aggtgcctct gcggccaaaa gccacgtgta 1560
taagatacac ctgcaaaggc ggcacaaccc cagtgccacg ttgtgagttg gatagttgtg 1620
gaaagagtca aatggetete etcaagegta tteaacaagg ggetgaagga tgeecagaag 1680 gtaceceatt gtatgggate tgatetgggg eeteggtgea eatgetttae atgtgtttag 1740
togaggttaa aaaacgtota ggooccooga accaogggga ogtggtttto otttgaaaaa 1800
cacgataata ccatgggcac gaatcctaaa cctcaaagaa aaaccaaacg taacaccaac 1860
cgccgcccac aggacgtcaa gttcccgggc ggtggtcaga tcgtcggtgg agtttacctg 1920
ttgccgcgca ggggccccag gttgggtgtg cgcgcgacta ggaagacttc cgagcggtcg 1980
caacctegtg gaaggegaca acctateece aaggetegee ageeegaggg tagggeetgg 2040
getcageceg ggtacecetg geceetetat ggcaatgagg gettggggtg ggcaggatgg 2100
ctectgteac eccgtggete teggeetagt tggggeecca eggaececeg gegtaggteg 2160
cgcaatttgg gtaaggtcat cgataccctc acgtgcggct tcgccgatct catggggtac 2220
attecgeteg teggegeec ectaggggge getgeeaggg ecetggegea tggegteegg 2280
gttctggagg acggcgtgaa ctatgcaaca gggaatctgc ccggttgctc cttttctatc 2340
tteettttgg etttgetgte etgtttgace atcecagett eegettatga agtgegeaae 2400
gtatccggag tgtaccatgt cacgaacgac tgctccaacg caagcattgt gtatgaggca 2460
geggacatga teatgeatae eccegggtge gtgeeetgeg ttegggagaa caacteetee 2520
cgctgctggg tagcgctcac toccacgctc gcggccagga acgctagcgt ccccactacg 2580
acqatacqac qccatqtcqa tttqctcqtt qqqqcqqctq ctctctqctc cqctatqtac 2640
cggcacgaga cagtacagga ctgcaattgc tcaatatatc ccggccacgt gacaggtcac 2760
cgtatggctt gggatatgat gatgaactgg tcacctacag cagccctagt ggtatcgcag 2820 ttactccgga tcccacaagc tgtcgtggat atggtggcgg gggcccattg gggagtccta 2880 gcgggccttg cctactattc catggtgggg aactgggcta aggttctgat tgtgatgcta 2940
ctctttgccg gcgttgacgg gggaacctat gtgacagggg ggacgatggc caaaaacacc 3000
ctcgggatta cgtccctctt ttcacccggg tcatcccaga aaatccagct tgtaaacacc 3060
aacggcagct ggcacatcaa caggactgcc ctgaactgca atgactccct caacactggg 3120 ttccttgctg cgctgttcta cgtgcacaag ttcaactcat ctggatgccc agagcgcatg 3180 gccagctgca gcccatcga cgcgttcgct caggggtggg ggcccatcac ttacaatgag 3240
tcacacaget eggaceagag geettatigt tggcactaeg caceeggee gtgeggtate 3300
qtacccgcgg cgcaggtgtg tggtccagtg tactgcttca ccccaagccc tgtcgtggtg 3360
gggacgaccg accggttcgg cgtccctacg tacagttggg gggagaatga gacggacgtg 3420
ctgettetta acaacaegeg geegeegeaa ggeaactggt ttggetgtae atggatgaat 3480
agcactgggt tcaccaagac gtgcgggggc cccccgtgta acatcggggg gatcggcaat 3540
aaaacettga eetgeeecae ggaetgette eggaageaee eegaggeeae ttacaeeaag 3600
```

```
tgtggttcgg ggccttggtt gacacccaga tgcttggtcc actacccata caggctttgg 3660
cactacccct gcactgtcaa ctttaccatc ttcaaggtta ggatgtacgt ggggggagtg 3720
gagcacagge tegaageege atgeaattgg aetegaggag agegttgtaa eetggaggae 3780
agggacagat cagagettag ecegetgetg etgtetacaa eggagtggea ggtattgeee 3840
tgttccttca ccaccctacc ggctctgtcc actggtttga tccatctcca tcagaacgtc 3900
gtggacgtac aatacctgta cggtataggg tcggcggttg tctcctttgc aatcaaatgg 3960
gagtatgtcc tgttgctctt ccttcttctg gcggacgcgc gcgtctgtgc ctgcttgtgg 4020
atgatgctgc tgatagctca agctgaggcc gccctagaga acctggtggt cctcaacgcg 4080
gcatcogtgg coggggegea tggcattete teetteeteg tgttettetg tgetgeetgg 4140
tacatcaagg gcaggetggt eeetggggeg gcatatgeee tetaeggegt atggeegeta 4200
ctectgetee tgetggegtt accaecaega geataegeea tggaeeggga gatggeagea 4260
tegtgeggag gegeggtttt egtaggtetg ataetettga eettgteace geactataag 4320
ctgttcctcg ctaggctcat atggtggtta caatatttta tcaccagggc cgaggcacac 4380
ttgcaagtgt ggatccccc cctcaacgtt cgggggggcc gcgatgccgt catcctcctc 4440
acgtgcgcga tccacccaga gctaatcttt accatcacca aaatcttgct cgccatactc 4500
ggtccactca tggtgctcca ggctggtata accaaagtgc cgtacttcgt gcgcgcacac 4560
gggeteatte gtgeatgeat getggtgegg aaggttgetg ggggteatta tgteeaaatg 4620
gototoatga agitggoogo actgacaggt acgtacgttt atgaccatct caccccactg 4680
cgggactggg cccacgcggg cctacgagac cttgcggtgg cagttgagcc cgtcgtcttc 4740
tctgatatgg agaccaaggt tatcacctgg ggggcagaca ccgcggcgtg tggggacatc 4800
atcttgggcc tgcccgtctc cgcccgcagg gggagggaga tacatctggg accggcagac 4860
agecttgaag ggeaggggtg gegacteete gegeetatta eggeetacte ceaacagaeg 4920
cgaggectae tiggetgeat cateactage etcacaggee gggacaggaa ecaggtegag 4980
qqqqaqqtcc aagtqqtctc caccqcaaca caatctttcc tgqcqacctq cqtcaatgqc 5040
gtgtgttgga ctgtctatca tggtgccggc tcaaagaccc ttgccggccc aaagggccca 5100
atcacccaaa tgtacaccaa tgtggaccag gacctcgtcg gctggcaagc gccccccggg 5160
gegegtteet tgacaccatg cacetgegge ageteggace tttaettggt caegaggeat 5220
geogatgtea tteeggtgeg eeggeggge gacageaggg ggageetaet eteeceeagg 5280
cocgtotoct acttgaaggg ctottoggge ggtocactge totgococtc ggggcatget 5340
gtgggcatct ttcgggctgc cgtgtgcacc cgaggggttg cgaaggcggt ggactttgta 5400
cccgtcgagt ctatggaaac cactatgcgg tccccggtct tcacggacaa ctcgtcccct 5460
coggocgtac ogcagacatt coaggtggco catotacacg cocotactgg tagoggcaag 5520
agcactaagg tgccggctgc gtatgcagcc caagggtata aggtgcttgt cctgaacccg 5580 tccgtcgccg ccaccctagg tttcggggcg tatatgtcta aggcacatgg tatcgaccct 5640
aacatcagaa ccggggtagg gaccatcace acgggtgccc ccatcacgta ctccacctat 5700
qqcaaqtttc ttgccgacgg tggttgctct gggggcgcct atgacatcat aatatgtgat 5760
gagtgccact caactgactc gaccactatc ctgggcatcg gcacagtcct ggaccaagcg 5820
gagacggctg gagcgcgact cgtcgtgctc gccaccgcta cgcctccggg atcggtcacc 5880
gtgccacatc caaacatcga ggaggtggct ctgtccagca ctggagaaat ccccttttat 5940
ggcaaagcca tececatege gaceateaag ggggggagge aceteatttt etgecattee 6000
aaqaaqaaat gtgatgaget egeegegaag etateeggee teggaeteaa tgetgtagea 6060
tattaccggg gccttgatgt atccgtcata ccaactagcg gagacgtcat tgtcgtagca 6120
acggacgete taatgaeggg etttaeegge gatttegaet eagtgatega etgeaataea 6180
tgtgtcaccc agacagtcga cttcagcctg gacccgacct tcaccattga gacgacgacc 6240
gtgccacaag acgcggtgtc acgctcgcag cggcgaggca ggactggtag gggcaggatg 6300
ggcatttaca ggtttgtgac tccaggagaa cggccctcgg gcatgttcga ttcctcggtt 6360 ctgtgcgagt gctatgacgc gggctgtgct tggtacgagc tcacgcccgc cgagacctca 6420
gttaggttgc gggcttacct aaacacacca gggctgcccg tctgccagga ccatctggag 6480
ttctgggaga gcgtctttac aggcctcacc cacatagacg cccatttctt gtcccagact 6540
aggcaggcag gagacaactt cccctacctg gtagcatacc aggctacggt gtgcgccagg 6600
gctcaggctc cacctccatc gtgggaccaa atgtgggagt gtctcatacg gctaaagcct 6660
acgctgcacg ggccaacgcc cctgctgtat aggctgggag ccgttcaaaa cgaggttact 6720
accacacacc ccataaccaa atacatcatg gcatgcatgt cggctgacct ggaggtcgtc 6780
acgageaeet gggtgetggt aggeggagte etageagete tggcegegta ttgeetgaea 6840
acaggcagcg tggtcattgt gggcaggatc atcttgtccg gaaagccggc catcattccc 6900
gacagggaag teetttaceg ggagttegat gagatggaag agtgegeete acaceteeet 6960
tacategaae agggaatgea getegeegaa caatteaaae agaaggeaat egggttgetg 7020 caaacageea ceaageaage ggaggetget geteeegtgg tggaateeaa gtggeggaee 7080
ctcgaagcct tctgggcgaa gcatatgtgg aatttcatca gcgggataca atatttagca 7140
ggettgteca etetgeetgg caaceeegeg atageateae tgatggeatt cacageetet 7200
atcaccagoe egeteaceae ecaacatace etectgttta acateetggg gggatgggtg 7260
gccgcccaac ttgctcctcc cagcgctgct tctgctttcg taggcgccgg catcgctgga 7320
gcggctgttg gcagcatagg ccttgggaag gtgcttgtgg atattttggc aggttatgga 7380
gcaggggtgg caggcgct cgtggccttt aaggtcatga gcggcgagat gccctccacc 7440
gaggacctgg ttaacctact ccctgctate eteteceetg gegeectagt egteggggte 7500
gtgtgcgcag cgatactgcg tcggcacgtg ggcccagggg agggggctgt gcagtggatg 7560
aaccqqctqa tagcqttcqc ttcqcqqqqt aaccacqtct cccccacqca ctatqtqtct 7620
```

```
gagagegaeg etgeageaeg tgteaeteag atecteteta gtettaceat caeteagetg 7680
ctgaagagge ttcaccagtg gatcaacgag gactgeteca egecatgete eggetegtgg 7740
ctaagagatg tttgggattg gatatgcacg gtgttgactg atttcaagac ctggctccag 7800
tocaagetee tgeegegatt geegggagte ecettettet catgteaaeg tgggtacaag 7860
ggagtetgge ggggegaegg cateatgeaa accaeetgee catgtggage acagateace 7920
ggacatgtga aaaacggttc catgaggatc gtggggccta ggacctgtag taacacgtgg 7980
catggaacat teeceattaa egegtaeace aegggeeeet geaegeeete eeeggegeea 8040
aattattcta gggcgctgtg gcgggtggct gctgaggagt acgtggaggt tacgcgggtg 8100
ggggatttee actacgtgae gggeatgaee actgaeaacg taaagtgeee gtgteaggtt 8160
ccggcccccg aattcttcac agaagtggat ggggtgcggt tgcacaggta cgctccagcg 8220
tgcaaacccc tcctacggga ggaggtcaca ttcctggtcg ggctcaatca atacctggtt 8280
gggtcacage teccatgegg geoegaaceg gacgtageag tgeteaette catgeteaec 8340
gacccetece acattacgge ggagaegget aagegtagge tggeeagggg ateteceee 8400 teettggeea geteateage tageeagetg tetgegeett cettgaagge aacatgeact 8460
accogtoatg actocoogga cgctgacoto atcgaggooa acctootgtg goggoaggag 8520
atgggcggga acatcacccg cgtggagtca gaaaataagg tagtaatttt ggactctttc 8580
gageegetee aageggagga ggatgagagg gaagtateeg tteeggegga gateetgegg 8640
aggtecagga aatteeeteg agegatgeee atatgggeae geeeggatta caacceteca 8700
ctgttagagt cctggaagga cccggactac gtccctccag tggtacacgg gtgtccattg 8760
ccocctoca aggecectee gataceaeet ccaeggaggg agaggaeggt tgteetgtea 8820
gaatctaccg tgtcttctgc cttggcggag ctcgccacaa agaccttcgg cagctccgaa 8880
tegteggeeg tegacagegg caeggeaacg geeteteetg accageeete egacgaegge 8940
gacgcgggat ccgacgttga gtcgtactcc tccatgcccc cccttgaggg ggagccgggg 9000
gatecegate teagegaegg gtettggtet acegtaageg aggaggetag tgaggaegte 9060
gtctgctgct cgatgtccta cacatggaca ggcgccctga tcacgccatg cgctgcggag 9120
quanceaqc toccotcan tocactoagc anciettic tecotcace cancitogte 9180
tatqctacaa catctcgcag cgcaagcctg cggcagaaga aggtcacctt tgacagactg 9240
caggteetgg acgaecacta eegggaegtg etcaaggaga tgaaggegaa ggegteeaca 9300
gttaaggeta aacttetate egtggaggaa geetgtaage tgaegeeece acatteggee 9360
agatetaaat ttggetatgg ggeaaaggae gteeggaace tateeageaa ggeegttaae 9420
cacatcoget cogtgtggaa ggacttgctg gaagacactg agacaccaat tgacaccacc 9480
atcatggcaa aaaatgaggt tttctgcgtc caaccagaga aggggggccg caagccagct 9540
cgccttatcg tattcccaga tttgggggtt cgtgtgtgcg agaaaatggc cctttacgat 9600
qtqqtctcca ccctccctca qqccqtqatq qqctcttcat acggattcca atactctcct 9660
ggacageggg tegagtteet ggtgaatgee tggaaagega agaaatgeee tatgggette 9720
gcatatgaca cccgctgttt tgactcaacg gtcactgaga atgacatccg tgttgaggag 9780
tcaatctacc aatgttgtga cttggccccc gaagccagac aggccataag gtcgctcaca 9840
gageggettt acateggggg ecceetgact aattetaaag ggeagaactg eggetatege 9900
cggtgccgcg cgagcggtgt actgacgacc agctgcggta ataccctcac atgttatttg 9960
aaggccgctg cggcctgtcg agctgcgaag ctccaggact gcacgatgct cgtatgcgga 10020
gacgacettg tegttatetg tgaaagegeg gggacecaag aggacgagge gageetaegg 10080
gccttcacgg aggctatgac tagatactct gcccccctg gggacccgcc caaaccagaa 10140
tacgacttgg agttgataac atcatgctcc tccaatgtgt cagtcgcgca cgatgcatct 10200
ggcaaaaggg tgtactatct caccegtgae cecaceaece ceettgegeg ggetgegtgg 10260
gagacageta gacacactee agteaattee tggetaggea acateateat gtatgegeee 10320
accttqtqqq caaqqatqat cctqatqact catttcttct ccatccttct agctcaggaa 10380
caacttgaaa aagccctaga ttgtcagatc tacggggcct gttactccat tgagccactt 10440
gacctacete agateattea acgaeteeat ggeettageg cattiteaet ceatagitae 10500
tctccaggtg agatcaatag ggtggcttca tgcctcagga aacttggggt accgcccttg 10560
cgagtctgga gacatcgggc cagaagtgtc cgcgctaggc tactgtccca gggggggagg 10620
gctgccactt gtggcaagta cetetteaac tgggcagtaa ggaccaaget caaacteact 10680
ccaatcccgg ctgcgtccca gttggattta tccagctggt tcgttgctgg ttacagcggg 10740
ggagacatat atcacageet gtetegtgee egaceeeget ggtteatgtg gtgeetacte 10800
ctactttctg taggggtagg catctatcta ctccccaacc gatgaacggg gagctaaaca 10860
tttttttttt ttttttttc teetttttt tteetetttt ttteetttt ttteettte ttteetttgg 10980
tggctccatc ttagccctag tcacggctag ctgtgaaagg tccgtgagcc gcttgactgc 11040
agagagtget gatactggee tetetgeaga teaagt
                                                                  11076
```

```
<210> 8
<211> 8001
<212> DNA
<213> Hepatitis C Virus
<400> 8
gecageeece gattggggge gacaeteeae eatagateae teeeetgtga ggaactaetg 60
tetteaegea gaaagegtet ageeatggeg ttagtatgag tgtegtgeag eeteeaggae 120
ccccctccc gggagagcca tagtggtctg cggaaccggt gagtacaccg gaattgccag 180
gacgaccggg teetttettg gateaacccg eteaatgeet ggagatttgg gegtgeecce 240
gcgagactgc tagccgagta gtgttgggtc gcgaaaggcc ttgtggtact gcctgatagg 300
gtgcttgcga gtgccccggg aggtctcgta gaccgtgcac catgagcacg aatcctaaac 360
ctcaaagaaa aaccaaacgt aacaccaacg ggcgcgccat gattgaacaa gatggattgc 420
acgcaggttc tccggccgct tgggtggaga ggctattcgg ctatgactgg gcacaacaga 480
caateggetg etetgatgee geegtgttee ggetgteage geaggggege eeggttettt 540
ttgtcaagac cgacctgtcc ggtgccctga atgaactgca ggacgaggca gcgcggctat 600
cgtggctggc cacgacgggc gttccttgcg cagctgtgct cgacgttgtc actgaagcgg 660
gaagggactg gctgctattg ggcgaagtge eggggeagga teteetgtea teteacettg 720
ctcctgccga gaaagtatcc atcatggctg atgcaatgcg gcggctgcat acgcttgatc 780
cggctacctg cccattcgac caccaagcga aacatcgcat cgagcgagca cgtactcgga 840
tggaagccgg tettgtegat caggatgate tggaegaaga geateagggg etegegecag 900
ccgaactgtt cgccaggctc aaggcgcgca tgcccgacgg cgaggatctc gtcgtgaccc 960
atggcgatgc ctgcttgccg aatatcatgg tggaaaatgg ccgcttttct ggattcatcg 1020
actiftggccg getgggtgtg geggaeeget ateaggaeat agegttgget accegtgata 1080
ttgctgaaga gettggegge gaatgggetg accgetteet egtgetttae ggtategeeg 1140 etceegatte geagegeate geettetate geettettga egagttette tgagtttaaa 1200
cagaccacaa cggfttccct ctagcgggat caattccgcc cctctccctc cccccccct 1260
aacgttactg gccgaagccg cttggaataa ggccggtgtg cgtttgtcta tatgttattt 1320
tccaccatat tgccgtcttt tggcaatgtg agggcccgga aacctggccc tgtcttcttg 1380
acgagcatte etaggggtet tteceetete gecaaaggaa tgeaaggtet gttgaatgte 1440
gtgaaggaag cagttcctct ggaagcttct tgaagacaaa caacgtctgt agcgaccctt 1500
tgcaggcage ggaacccccc acctggcgac aggtgcctct gcggccaaaa gccacgtgta 1560
taagatacac ctgcaaaggc ggcacaaccc cagtgccacg ttgtgagttg gatagttgtg 1620
gaaagagtca aatggctctc ctcaagcgta ttcaacaagg ggctgaagga tgcccagaag 1680
gtaccccatt gtatgggatc tgatctgggg cctcggtgca catgctttac atgtgtttag 1740
tcgaggttaa aaaacgtcta ggccccccga accacgggga cgtggttttc ctttgaaaaa 1800
cacgataata ccatggegee tattaeggee tacteecaac agaegegagg cetaettgge 1860
tgcatcatca ctagcctcac aggccgggac aggaaccagg tcgaggggga ggtccaagtg 1920
gtotocacog caacacaato tttoctggcg acctgcgtca atggcgtgtg ttggactgtc 1980
tatcatggtg ccggctcaaa gaccettgcc ggcccaaagg gcccaatcac ccaaatgtac 2040
accaatgtgg accaggacet cgtcggctgg caagcgcccc ccggggcgcg ttccttgaca 2100
ccatgcacct gcggcagete ggacetttae ttggtcacga ggcatgccga tgtcattccg 2160
gtgcgccggc ggggcgacag cagggggagc ctactctccc ccaggcccgt ctcctacttg 2220
aagggetett egggeggtee aetgetetge eeetegggge aegetgtggg catetttegg 2280
gctgccgtgt gcacccgagg ggttgcgaag gcggtggact ttgtacccgt cgagtctatg 2340
gaaaccacta tgcggtcccc ggtcttcacg gacaactcgt cccctccggc cgtaccgcag 2400
acattccagg tggcccatct acacgcccct actggtagcg gcaagagcac taaggtgccg 2460
gctgcgtatg cagcccaagg gtataaggtg cttgtcctga acccgtccgt cgccgccacc 2520
ctaggtttcg gggcgtatat gtctaaggca catggtatcg accctaacat cagaatcggg 2580
gtaaggacca tcaccacggg tgcccccatc acgtactcca cctatggcaa gtttcttgcc 2640
gacggtggtt gctctggggg cgcctatgac atcataatat gtgatgagtg ccactcaact 2700
gactogacca ctatoctggg catoggcaca gtoctggacc aagoggagac ggctggagcg 2760
egactegteg tgetegeeae egetaegeet eegggategg teaeegtgee acateeaaae 2820
atcgaggagg tggctctgtc cagcactgga gaaatcccct tttatggcaa agccatcccc 2880
atcgagacca tcaagggggg gaggcacctc attttctgcc attccaagaa gaaatgtgat 2940
gagetegeeg egaagetgte eggeetegga eteaatgetg tageatatta eeggggeett 3000
gatgtatccg tcataccaac tagcggagac gtcattgtcg tagcaacgga cgctctaatg 3060
acgggettta eeggtgaett egaeteagtg ategaetgea atacatgtgt eacceagaea 3120
gtcgacttca gcctggaccc gaccttcacc attgagacga cgaccgtgcc acaagacgcg 3180
gtgtcacgct cgcagcggcg aggcaggact ggtaggggca ggatgggcat ttacaggttt 3240
gtgactccag gagaacggcc ctcgggcatg ttcgattcct cggttctgtg cgagtgctat 3300
gacgcgggct gtgcttggta cgagctcacg cccgccgaga cctcagttag gttgcgggct 3360
tacctaaaca caccagggtt gecegtetge caggaceate tggagttetg ggagagegte 3420
tttacaggcc tcacccacat agacgcccat ttcttgtccc agactaagca ggcaggagac 3480
aactteeect acetggtage ataceagget aeggtgtgeg eeagggetea ggeteeaect 3540
ccatcgtggg accaaatgtg gaagtgtctc atacggctaa agcctacgct gcacgggcca 3600
```

```
acgcccctgc tgtataggct gggagccgtt caaaacgagg ttactaccac acaccccata 3660
accaaataca tcatggcatg catgtcggct gacctggagg tcgtcacgag cacctgggtg 3720
ctggtaggcg gagtcctagc agctctggcc gcgtattgcc tgacaacagg cagcgtggtc 3780
attigtgggca ggatcatett gteeggaaag eeggeeatea tteeegacag ggaagteett 3840
taccgggagt tcgatgagat ggaagagtgc gcctcacacc tcccttacat cgaacaggga 3900
atgcageteg eegaacaatt caaacagaag gcaategggt tgetgcaaac agccaccaag 3960
caageggagg etgetgetee egtggtggaa tecaagtgge ggaccatega ageettetgg 4020
gcgaagcata tgtggaattt catcagcggg atacaatatt tagcaggctt gtccactctg 4080
cctggcaacc ccgcgatagc atcactgatg gcattcacag cctctatcac cagcccgctc 4140
accacccaac ataccctcct gtttaacatc ctggggggat gggtggccgc ccaacttgct 4200
cctcccagcg ctgcttctgc tttcgtaggc gccggcatcg ctggagcggc tgttggcagc 4260
ataggeettg ggaaggtget tgtggatatt ttgggaaggtt atggageagg ggtggeagge 4320
gegetegtgg eetttaaggt catgagegge gagatgeeet eeacegagga eetggttaae 4380 etaeteetg etateetete eeetggegee etagtegteg gggtegtgtg egeagegata 4440
ctgcgtcggc acgtgggccc aggggagggg gctgtgcagt ggatgaaccg gctgatagcg 4500
ttegettege ggggtaacca egteteecee aegeactatg tgeetgagag egaegetgea 4560
gcacgtgtca ctcagatcct ctctagtctt accatcactc agctgctgaa gaggcttcac 4620
cagtggatca acgaggactg ctccacgcca tgctccggct cgtggctaag agatgtttgg 4680
gattggatat gcacggtgtt gactgatttc aagacctggc tccagtccaa gctcctgccg 4740
cgattgccgg gagtcccctt cttctcatgt caacgtgggt acaagggagt ctggcggggc 4800
gacggcatca tgcaaaccac ctgcccatgt ggggcacaga tcaccggaca tgtgaaaaac 4860
ggttccatga ggatcgtggg gcctaggacc tgtagtaaca cgtggcatgg aacattcccc 4920
attaacgcgt acaccacggg cccctgcacg ccctccccgg cgccaaatta ttctagggcg 4980
ctgtggcggg tggctgctga ggagtacgtg gaggttacgc gggtggggga tttccactac 5040
gtgacggca tgaccactga cgacgtaaag tgcccgtgtc aggttccggc ccccgaattc 5100 ttcacagaag tggatgggt gcggttgcac aggtacgctc cagcgtgcaa acccctccta 5160
cgggaggagg teacatteet ggtegggete aateaatace tggttgggte acageteeca 5220
tgcgagcccg aaccggatgt agcagtgctc acttccatgc tcaccgaccc ctcccacatt 5280
acggeggaga eggetaageg taggetggee aggggatete etececeett ggecagetea 5340
tcagctagcc agctgtctgc gccttccttg aaggcaacat gcactacccg tcatgactcc 5400
ccggacgctg acctcatcga ggccaacctc ctgtggcggc aggagatggg cgggaacatc 5460
accogcytyg agtcagaaaa taaggtagta attttggact ctttcgagcc gctccaagcg 5520
gaggaggatg agagggaagt atccgttccg gcggagatcc tgcggaggtc caggaaattc 5580
cctcgagcga tgcccatatg ggcacgcccg gattacaacc ctccactgtt agagtcctgg 5640
aaggacccgg actacgtccc tccagtggta cacgggtgtc cattgccgcc tgccaaggcc 5700
cetecgatac cacetteacg gaggaagagg acggttgtee tgtcagaate taccgtgtet 5760
totgoottgg oggagotogo cacagagaco ttoggoagot cogaatogto ggoogtogac 5820
ageggeaegg caaeggeete teetgaeeag eeeteegaeg aeggegaege gggateegae 5880
gttgagtcgt actectecat gececectt gagggggage egggggatee egateteage 5940
gacgggtctt ggtctaccgt aagcgaggag gctagtgagg acgtcgtctg ctgctcgatg 6000
tectacaeat ggaeaggege cetgateaeg ceatgegetg eggaggaaae caagetgeee 6060
atcaatgcac tgagcaactc tttgctccgt caccacaact tggtctatgc tacaacatct 6120
cgcagcgcaa gcctgcggca gaagaaggtc acctttgaca gactgcaggt cctggacgac 6180
cactaccggg acgtgctcaa ggagatgaag gcgaaggcgt ccacagttaa ggctaaactt 6240
ctatccgtgg aggaageetg taagetgaeg eeeccacatt eggeeagate taaatttgge 6300
tatggggcaa aggacgtccg gaacctatcc agcaaggccg ttaaccacat ccgctccgtg 6360
tggaaggact tgctggaaga cactgagaca caattgaca ccaccatcat ggcaaaaaat 6420
gaggttttct gcgtccaacc agagaagggg ggccgcaagc cagctcgcct tatcgtattc 6480
ccagatttgg gggttcgtgt gtgcgagaaa atggcccttt acgatgtggt ctccaccctc 6540
ceteaggeeg tgatgggete tteataegga tteeaataet eteetggaca gegggtegag 6600
tteetggtga atgeetggaa agegaagaaa tgeeetatgg gettegeata tgacaccege 6660
tqttttgact caacqqtcac tqaqaatgac atccqtqttq aggaqtcaat ctaccaatgt 6720
tgtgacttgg cccccgaagc cagacaggcc ataaggtcgc tcacagagcg gctttacatc 6780
gggggccccc tgactaattc taaagggcag aactgcggct atcgccggtg ccgcgcgagc 6840
ggtgtactga cgaccagctg cggtaatacc ctcacatgtt acttgaaggc cgctgcggcc 6900
tgtcgagctg cgaagctcca ggactgcacg atgctcgtat gcggagacga ccttgtcgtt 6960
atctgtgaaa gegeggggae ecaagaggae gaggegagee taegggeett caeggagget 7020
atgactagat actotycocc coctygygac cogoccaaac cagaatacga cttggagtty 7080
ataacatcat gctcctccaa tgtgtcagtc gcgcacgatg catctggcaa aagggtgtac 7140
tatctcaccc gtgaccccac caccccctt gcgcgggctg cgtgggagac agctagacac 7200
actocagtoa attoctggot aggoaacato atoatgtatg ogoocacott gtgggoaagg 7260 atgatoctga tgactoattt ottotocato ottotagoto aggaacaact tgaaaaagco 7320
ctagattgic agatetacgg ggeetgttae tecattgage caettgaeet aceteagate 7380
atteaacqae tecatggeet tagegeattt teactecata gttactetee aggtgagate 7440
aatagggtgg cttcatgcct caggaaactt ggggtaccgc ccttgcgagt ctggagacat 7500
cgggccagaa gtgtccgcgc taggctactg tcccaggggg ggagggctgc cacttgtggc 7560
aagtacetet teaactggge agtaaggace aageteaaae teacteeaat eeeggetgeg 7620
```

					catatatcac	
agcctgtctc	gtgcccgacc	ccgctggttc	atgtggtgcc	tactcctact	ttctgtaggg	7740
gtaggcatct	atctactccc	caaccgatga	acggggagct	aaacactcca	ggccaatagg	7800
					ttttttttt	
ttttctcctt						
cctagtcacg	gctagctgtg	aaaggtccgt	gagccgcttg	actgcagaga	gtgctgatac	7980
tggcctctct	gcagatcaag	t				8001

```
<211> 11076
<212> DNA
<213> Hepatitis C Virus
<400> 9
gccagccccc gattgggggc gacactccac catagatcac tcccctgtga ggaactactg 60
tetteaegea gaaagegtet ageeatggeg ttagtatgag tgtegtgeag eeteeaggae 120
ccccctccc gggagagcca tagtggtctg cggaaccggt gagtacaccg gaattgccag 180
gacgaccggg teetttettg gateaacccg eteaatgeet ggagatttgg gegtgeecce 240
gcgagactgc tagccgagta gtgttgggtc gcgaaaggcc ttgtggtact gcctgatagg 300
gtgcttgcga gtgccccggg aggtctcgta gaccgtgcac catgagcacg aatcctaaac 360
ctcaaagaaa aaccaaacgt aacaccaacg ggcgcgccat gattgaacaa gatggattgc 420
acgcaggttc tccggccgct tgggtggaga ggctattcgg ctatgactgg gcacaacaga 480
caateggetg etetgatgee geegtgttee ggetgteage geaggggege eeggttettt 540
ttgtcaagac cgacctgtcc ggtgccctga atgaactgca ggacgaggca gcgcggctat 600
cgtggctggc cacgacgggc gttccttgcg cagctgtgct cgacgttgtc actgaagcgg 660
gaagggactg gctgctattg ggcgaagtgc cggggcagga tctcctgtca tctcaccttg 720
ctcctgccga gaaagtatcc atcatggctg atgcaatgcg gcggctgcat acgcttgatc 780
eggetacetg eccattegae caceaagega aacategeat egagegagea egtaetegga 840
tggaagccgg tcttgtcgat caggatgatc tggacgaaga gcatcagggg ctcgcgccag 900
ccgaactgtt cgccaggctc aaggcgcgca tgcccgacgg cgaggatctc gtcgtgaccc 960
atggcgatgc ctgcttgccg aatatcatgg tggaaaatgg ccgcttttct ggattcatcg 1020 actgtggccg gctgggtgtg gcggaccgct atcaggacat agcgttggct acccgtgata 1080
ttgctgaaga gcttggcggc gaatgggctg accgcttcct cgtgctttac ggtatcgccg 1140
ctcccgattc gcagcgcatc gccttctatc gccttcttga cgagttcttc tgagtttaaa 1200
cagaccacaa cggtttccct ctagcgggat caattccgcc cctctccctc cccccccct 1260
aacgttactg gccgaagccg cttggaataa ggccggtgtg cgtttgtcta tatgttattt 1320
tocaccatat tgccgtcttt tggcaatgtg agggcccgga aacctggccc tgtcttcttg 1380
acgageatte etaggggtet treceetete gecaaaggaa tgeaaggtet gitgaatgte 1440
gtgaaggaag cagtteetet ggaagettet tgaagacaaa caacgtetgt agegaceett 1500
tgcaggcage ggaacccccc acetggegae aggtgcetet geggecaaaa gecaegtgta 1560
taagatacac ctgcaaaggc ggcacaaccc cagtgccacg ttgtgagttg gatagttgtg 1620
gaaagagtca aatggctctc ctcaagcgta ttcaacaagg ggctgaagga tgcccagaag 1680
gtaccccatt gtatgggatc tgatctgggg cctcggtgca catgctttac atgtgtttag 1740
tcgaggttaa aaaacgtcta ggccccccga accacgggga cgtggttttc ctttgaaaaa 1800
cacqataata ccatgggcac gaatcctaaa cctcaaagaa aaaccaaacg taacaccaac 1860
cgccgcccac aggacgtcaa gttcccgggc ggtggtcaga tcgtcggtgg agtttacctg 1920
ttgccgcgca ggggccccag gttgggtgtg cgcgcgacta ggaagacttc cgagcggtcg 1980
caacctegtg gaaggegaca acetateeec aaggetegee ageeegaggg tagggeetgg 2040
gctcagcccg ggtacccctg gcccctctat ggcaatgagg gcttggggtg ggcaggatgg 2100
ctcctgtcac cccgtggctc tcggcctagt tggggcccca cggacccccg gcgtaggtcg 2160
cgcaatttgg gtaaggtcat cgataccete acgtgcgget tcgccgatct catggggtac 2220
attocgctcg tcggcgccc cctagggggc gctgccaggg ccctggcgca tggcgtccgg 2280
gttctggagg acggcgtgaa ctatgcaaca gggaatctgc ccggttgctc cttttctatc 2340
tteettttgg etttgetgte etgtttgace ateceagett eegettatga agtgegeaae 2400
gtatccggag tgtaccatgt cacgaacgac tgctccaacg caagcattgt gtatgaggca 2460
geggacatga teatgeatae eccegggtge gtgeeetgeg ttegggagaa caacteetee 2520
cgctgctggg tagcgctcac tcccacgctc gcggccagga acgctagcgt ccccactacg 2580
acqatacqac qccatqtcqa tttqctcqtt qqqqcqqctq ctctctqctc cqctatqtac 2640
gtgggagate tetgeggate tgtttteete gtegeecage tgtteacett etegeetege 2700
cggcacgaga cagtacagga ctgcaattgc tcaatatatc ccggccacgt gacaggtcac 2760
cgtatggctt gggatatgat gatgaactgg tcacctacag cagccctagt ggtatcgcag 2820 ttactccgga tcccacaagc tgtcgtggat atggtggcgg gggcccattg gggagtccta 2880
gegggeettg cetactatte catggtgggg aactgggeta aggttetgat tgtgatgeta 2940
ctctttgccg gcgttgacgg gggaacctat gtgacagggg ggacgatggc caaaaacacc 3000
ctcgggatta cgtccctctt ttcacccggg tcatcccaga aaatccagct tgtaaacacc 3060
aacggcagct ggcacatcaa caggactgcc ctgaactgca atgactccct caacactggg 3120 ttccttgctg cgctgttcta cgtgcacaag ttcaactcat ctggatgccc agagcgcatg 3180 gccagctgca gcccatcga cgcgttcgct caggggtggg ggcccatcac ttacaatgag 3240
teacaeaget eggaceagag geettattgt tggcactaeg caeceeggee gtgeggtate 3300
gtaccogogg cgcaggtgtg tggtccagtg tactgcttca ccccaagccc tgtcgtggtg 3360
gggacgaccg accggttcgg cgtccctacg tacagttggg gggagaatga gacggacgtg 3420
ctgcttctta acaacacgcg gccgccgcaa ggcaactggt ttggctgtac atggatgaat 3480
agcactgggt tcaccaagac gtgcgggggc cccccgtgta acatcggggg gatcggcaat 3540
aaaacettga cetgeeceae ggactgette eggaageace eegaggeeae ttacaceaag 3600
```

```
tgtggttcgg ggccttggtt gacacccaga tgcttggtcc actacccata caggctttgg 3660
cactacccct gcactgtcaa ctttaccatc ttcaaggtta ggatgtacgt ggggggagtg 3720
gagcacagge tegaageege atgcaattgg actegaggag agegttgtaa cetggaggae 3780
agggacagat cagagettag ecegetgetg etgtetacaa eggagtggea ggtattgeee 3840
tgttccttca ccaccctacc ggctctgtcc actggtttga tccatctcca tcagaacgtc 3900
gtggacgtac aatacctgta cggtataggg tcggcggttg tctcctttgc aatcaaatgg 3960
gagtatgtee tgttgetett cettettetg geggaegege gegtetgtge etgettgtgg 4020
atgatgctgc tgatagctca agctgaggcc gccctagaga acctggtggt cctcaacgcg 4080
gcatcogtgg coggggcgca tggcattctc tecttecteg tgttettetg tgctgcctgg 4140
tacatcaagg gcaggctggt ccctggggcg gcatatgccc tctacggcgt atggccgcta 4200
ctcctgctcc tgctggcgtt accaccacga gcatacgcca tggaccggga gatggcagca 4260
tegtgeggag gegeggtttt egtaggtetg atactettga cettgteace geactataag 4320
ctgttcctcg ctaggctcat atggtggtta caatatttta tcaccagggc cgaggcacac 4380
ttgcaagtgt ggatcccccc cctcaacgtt cggggggcc gcgatgccgt catcctcctc 4440
acgtgcgcga tccacccaga gctaatcttt accatcacca aaatcttgct cgccatactc 4500
ggtccactca tggtgctcca ggctggtata accaaagtgc cgtacttcgt gcgcgcacac 4560
gggctcattc gtgcatgcat gctggtgcgg aaggttgctg ggggtcatta tgtccaaatg 4620
gctctcatga agttggccgc actgacaggt acgtacgttt atgaccatct caccccactg 4680
egggaetggg cecaegeggg cetaegagae ettgeggtgg eagttgagee egtegtette 4740
tetgatatgg agaceaaggt tateacetgg ggggeagaea eegeggegtg tggggaeate 4800
atettgggee tgeeegtete egeeegeagg gggagggaga tacatetggg aceggeagae 4860
ageettgaag ggeaggggtg gegacteete gegeetatta eggeetaete eeaacagaeg 4920
cgaggeetae ttggetgeat cateactage etcacaggee gggacaggaa ecaggtegag 4980
ggggaggtcc aagtggtctc caccgcaaca caatctttcc tggcgacctg cgtcaatggc 5040
gtgtgttgga ctgtctatca tggtgccggc tcaaagaccc ttgccggccc aaagggccca 5100
atcacccaaa tgtacaccaa tgtggaccag gacctcgtcg gctggcaagc gcccccggg 5160
gegegtteet tgacaceatg cacetgegge ageteggace tttacttggt caegaggeat 5220
geogatgtea tteeggtgeg eeggeggge gaeageaggg ggageetaet eteeceeagg 5280
congrete actigaaggg ctottoggge ggtocactge totgecoote ggggcacget 5340
gtgggcatct ttcgggctgc cgtgtgcacc cgaggggttg cgaaggcggt ggactttgta 5400
cccgtcgagt ctatggaaac cactatgcgg tccccggtct tcacggacaa ctcgtcccct 5460
ceggeegtae egeagacatt ceaggtggee catetacaeg eccetactgg tageggeaag 5520
agcactaagg tgccggctgc gtatgcagcc caagggtata aggtgcttgt cctgaacccg 5580
teegtegeeg ceaccetagg ttteggggeg tatatgteta aggeacatgg tategaceet 5640
aacatcagaa teggggtaag gaccatcace aegggtgeee ceatcaegta etecaeetat 5700
ggcaagtttc ttgccgacgg tggttgctct gggggcgcct atgacatcat aatatgtgat 5760
gagtgeeact caactgacte gaecaetate etgggeateg geacagteet ggaccaageg 5820 gagaeggetg gagegegact egtegtgete geeacegeta egeeteeggg ateggteace 5880
gtgccacate caaacatega ggaggtgget etgtecagca etggagaaat eceettttat 5940
ggcaaagcca tececatega gaccateaag ggggggagge aceteatttt etgecattee 6000
aagaagaaat gtgatgaget egeeggaag etgteeggee teggaeteaa tgetgtagea 6060
tattaccggg gccttgatgt atccgtcata ccaactagcg gagacgtcat tgtcgtagca 6120
acggacgete taatgacggg etttaceggt gaettegaet eagtgatega etgeaataca 6180
tgtgtcaccc agacagtcga cttcagcctg gacccgacct tcaccattga gacgacgacc 6240
gtgccacaag acgcggtgtc acgctcgcag cggcgaggca ggactggtag gggcaggatg 6300
ggcatttaca ggtttgtgac tccaggagaa cggccctcgg gcatgttcga ttcctcggtt 6360
ctgtgcgagt gctatgacgc gggctgtgct tggtacgagc tcacgcccgc cgagacctca 6420
gttaggttgc gggcttacct aaacacacca gggttgcccg tctgccagga ccatctggag 6480
ttctgggaga gegtetttae aggeeteace cacatagaeg eccatttett gteecagaet 6540 aageaggeag gagacaaett eccetacetg gtageatace aggetaeggt gtgegeeagg 6600
gctcaggctc cacctccatc gtgggaccaa atgtggaagt gtctcatacg gctaaagcct 6660
acgctgcacg ggccaacgcc cctgctgtat aggctgggag ccgttcaaaa cgaggttact 6720
accacacacc ccataaccaa atacatcatg gcatgcatgt cggctgacct ggaggtcgtc 6780
acgagcacct gggtgctggt aggcggagtc ctagcagctc tggccgcgta ttgcctgaca 6840
acaggcagcg tggtcattgt gggcaggatc atcttgtccg gaaagccggc catcattccc 6900
gacagggaag teetttaceg ggagttegat gagatggaag agtgegeete acaeeteeet 6960
tacatogaac agggaatgca gotogoogaa caattoaaac agaaggcaat ogggttgotg 7020
caaacagcca ccaagcaagc ggaggctgct gctcccgtgg tggaatccaa gtggcggacc 7080
atcgaageet tetgggegaa geatatgtgg aattteatea gegggataea atatttagea 7140
ggettgteca etetgeetgg caacecegeg atageateae tgatggeatt cacageetet 7200 ateaceagee egeteaceae ceaacatace etectgtta acateetggg gggatgggtg 7260 geegeecaae ttgeteetee cagegetget tetgettteg taggegeegg categetgga 7320
gcggctgttg gcagcatagg ccttgggaag gtgcttgtgg atattttggc aggttatgga 7380
gcaggggtgg caggcgctc cgtggccttt aaggtcatga gcggcgagat gccctccacc 7440
gaggacetgg ttaacetact coetgetate eteteceetg gegeectagt egteggggte 7500
gtgtgcgcag cgatactgcg tcggcacgtg ggcccagggg agggggctgt gcagtggatg 7560 aaccggctga tagcgttcgc ttcgcggggt aaccacgtct cccccacgca ctatgtgcct 7620
```

```
gagagegaeg etgeageaeg tgteacteag atecteteta gtettaceat cacteagetg 7680
ctgaagaggc ttcaccagtg gatcaacgag gactgctcca cgccatgctc cggctcgtgg 7740
ctaagagatg tttgggattg gatatgcacg gtgttgactg atttcaagac ctggctccag 7800
tocaagetee tgeegegatt geegggagte ecettettet catgteaacg tgggtacaag 7860
ggagtctggc ggggcgacgg catcatgcaa accacctgcc catgtggggc acagatcacc 7920
ggacatgtga aaaacggttc catgaggatc gtggggccta ggacctgtag taacacgtgg 7980
catggaacat tececattaa egegtaeace aegggeeeet geaegeeete eeeggegeea 8040
aattattcta gggcgctgtg gcgggtggct gctgaggagt acgtggaggt tacgcgggtg 8100
ggggatttcc actacgtgac gggcatgacc actgacgacg taaagtgccc gtgtcaggtt 8160
ccggcccccg aattettcac agaagtggat ggggtgcggt tgcacaggta cgctccagcg 8220
tgcaaacccc tcctacggga ggaggtcaca ttcctggtcg ggctcaatca atacctggtt 8280
gggtcacage teccatgega geeegaaceg gatgtageag tgetcaette catgetcaee 8340
gacccctccc acattacggc ggagacggct aagcgtaggc tggccagggg atctcctccc 8400
cccttggcca gctcatcagc tagccagctg tctgcgcctt ccttgaaggc aacatgcact 8460
acceptcatg acteccegga egetgacete ategaggeca acetectgtg geggeaggag 8520
atgggcggga acatcacccg cgtggagtca gaaaataagg tagtaatttt ggactctttc 8580
gageegetee aageggagga ggatgagagg gaagtateeg tteeggegga gateetgegg 8640
aggtccagga aattccctcg agcgatgccc atatgggcac gcccggatta caaccctcca 8700
ctgttagagt cctggaagga cccggactac gtccctccag tggtacacgg gtgtccattg 8760
ccgcctgcca aggcccctcc gataccacct tcacggagga agaggacggt tgtcctgtca 8820
gaatetaceg tgtettetge ettggeggag etegeeacag agaeettegg eageteegaa 8880
tegteggeeg tegacagegg caeggeaacg geeteteetg accageeete egacgaegge 8940
gacgcgggat ccgacgttga gtcgtactcc tccatgcccc cccttgaggg ggagccgggg 9000
gatecegate teagegaegg gtettggtet acegtaageg aggaggetag tgaggaegte 9060
gtctgctgct cgatgtccta cacatggaca ggcgccctga tcacgccatg cgctgcggag 9120
gaaaccaage tgcccatcaa tgcactgage aactetttge teegteacca caacttggte 9180
tatgctacaa catctcgcag cgcaagcctg cggcagaaga aggtcacctt tgacagactg 9240
caggtcctgg acgaccacta ccgggacgtg ctcaaggaga tgaaggcgaa ggcgtccaca 9300
gttaaggeta aacttetate egtggaggaa geetgtaage tgaegeeece acatteggee 9360
agatetaaat ttggetatgg ggeaaaggae gteeggaaee tateeageaa ggeegttaae 9420
cacateeget eegtgtggaa ggaettgetg gaagacaetg agacaecaat tgacaecaec 9480
atcatggcaa aaaatgaggt tttctgcgtc caaccagaga aggggggccg caagccagct 9540
cgccttatcg tattcccaga tttgggggtt cgtgtgtgcg agaaaatggc cctttacgat 9600
gtggtctcca ccctccctca ggccgtgatg ggctcttcat acggattcca atactctcct 9660
ggacageggg tegagtteet ggtgaatgee tggaaagega agaaatgeee tatgggette 9720
gcatatgaca cccgctgttt tgactcaacg gtcactgaga atgacatccg tgttgaggag 9780
tcaatctacc aatgttgtga cttggccccc gaagccagac aggccataag gtcgctcaca 9840
gageggettt acateggggg ecceetgact aattetaaag ggeagaactg eggetatege 9900
cggtgccgcg cgagcggtgt actgacgacc agctgcggta ataccctcac atgttacttg 9960
aaggeegetg eggeetgteg agetgegaag etecaggaet geaegatget egtatgegga 10020
gacgacettg tegttatetg tgaaagegeg gggaceeaag aggacgagge gageetaegg 10080
gccttcacgg aggctatgac tagatactct gcccccctg gggacccgcc caaaccagaa 10140
tacgacttgg agttgataac atcatgctcc tccaatgtgt cagtcgcgca cgatgcatct 10200
ggcaaaaggg tgtactatet caccegtgae eccaceacee eeettgegeg ggetgegtgg 10260
gagacageta gacacactee agteaattee tggetaggea acateateat gtatgegeee 10320
accttgtggg caaggatgat cctgatgact catttettet ccatcettet agetcaggaa 10380
caacttgaaa aagccctaga ttgtcagatc tacggggcct gttactccat tgagccactt 10440
gacctacete agateattea acgaeteeat ggeettageg catttteaet ceatagttae 10500
tetecaggtg agateaatag ggtggettea tgeeteagga aaettggggt aeegeeettg 10560
cgagtctgga gacatcgggc cagaagtgtc cgcgctaggc tactgtccca gggggggagg 10620
gctgccactt gtggcaagta cctcttcaac tgggcagtaa ggaccaagct caaactcact 10680
ccaatcccgg ctgcgtccca gttggattta tccagctggt tcgttgctgg ttacagcggg 10740
ggagacatat atcacagect gtetegtgee egaceceget ggtteatgtg gtgeetaete 10800
ctactttctg taggggtagg catctatcta ctccccaacc gatgaacggg gagctaaaca 10860
tttttttttt ttttttttt teetttttt tteetetttt ttteetttte ttteetttgg 10980
tggctccatc ttagccctag tcacggctag ctgtgaaagg tccgtgagcc gcttgactgc 11040
agagagtgct gatactggcc tctctgcaga tcaagt
                                                                 11076
```

```
<210> 10
<211> 8001
<212> DNA
<213> Hepatitis C Virus
<400> 10
gccagccccc gattgggggc gacactccac catagatcac tcccctgtga ggaactactg 60
tetteaegea gaaagegtet ageeatggeg ttagtatgag tgtegtgeag eeteeaqqae 120
ecceetece gggagageca tagtggtetg eggaaceggt gagtacaceg gaattgeeaq 180
gacgaccggg teetttettg gateaacccg eteaatgeet ggagatttgg gegtgeecce 240
gcgagactgc tagccgagta gtgttgggtc gcgaaaggcc ttgtggtact gcctgatagg 300
gtgcttgcga gtgccccggg aggtctcgta gaccgtgcac catgagcacg aatcctaaac 360
ctcaaagaaa aaccaaacgt aacaccaacg ggcgcgccat gattgaacaa gatggattgc 420
acgcaggttc tccggccgct tgggtggaga ggctattcgg ctatgactgg gcacaacaga 480
caateggetg etetgatgee geegtgttee ggetgteage geaggggege eeggttettt 540
ttgtcaagac cgacctgtcc ggtgccctga atgaactgca ggacgaggca gcgcggctat 600
egtggetgge caegaeggge gtteettgeg eagetgtget egaegttgte aetgaagegg 660
gaagggactg getgetattg ggcgaagtge eggggeagga teteetgtea teteacettg
ctcctgccga gaaagtatcc atcatggctg atgcaatgcg gcggctgcat acgcttgatc 780
eggetacetg eccattegae caccaagega aacategeat egagegagea egtactegga 840
tggaagccgg tettgtegat caggatgate tggacgaaga geatcagggg etegegecag 900
ccgaactgtt cgccaggete aaggegegea tgcccgacgg cgaggatete gtcgtgacec 960
atggcgatgc ctgcttgccg aatatcatgg tggaaaatgg ccgcttttct ggattcatcg 1020 actgtggccg gctgggtgtg gcggaccgct atcaggacat agcgttggct acccgtgata 1080
ttgctgaaga gcttggcggc gaatgggctg accgcttcct cgtgctttac ggtatcgccg 1140
ctcccgattc gcagcgcatc gccttctatc gccttcttga cgagttcttc tgagtttaaa 1200
cagaccacaa eggttteeet etagegggat caatteegee eeteteeete eeeeeeeet 1260
aacgttactg gccgaagccg cttggaataa ggccggtgtg cgtttgtcta tatgttattt 1320
tecaccatat tgeogtettt tggeaatgtg agggeoogga aacctggeoo tgtettettg 1380
acgageatte etaggggtet tteecetete gecaaaggaa tgeaaggtet gttgaatgte 1440
gtgaaggaag cagtteetet ggaagettet tgaagacaaa caacgtetgt agegaceett 1500
tgcaggcage ggaacccccc acctggcgac aggtgcctct gcggccaaaa gccacgtgta 1560
taagatacac ctgcaaaggc ggcacaaccc cagtgccacg ttgtgagttg gatagttgtg 1620
gaaagagtca aatggetete etcaagegta tteaacaagg ggetgaagga tgeecagaag 1680
gtaccccatt gtatgggatc tgatctgggg cetcggtgca catgetttae atgtgtttag 1740 tegaggttaa aaaacgteta ggeeceega accaegggga egtggtttte etttgaaaaa 1800
cacgataata ccatggcgcc tattacggcc tactcccaac agacgcgagg cctacttggc 1860
tgcatcatca ctagcctcac aggccgggac aggaaccagg tcgaggggga ggtccaagtg 1920
gtctccaccg caacacaatc tttcctggcg acctgcgtca atggcgtgtg ttggactgtc 1980
tatcatggtg ccggctcaaa gacccttgcc ggcccaaagg gcccaatcac ccaaatgtac 2040
accaatgtgg accaggacct cgtcggctgg caagcgcccc ccggggcgcg ttccttgaca 2100
ccatgcacct gcggcagctc ggacctttac ttggtcacga ggcatgccga tgtcattccg 2160
gtgegeegge ggggegaeag eagggggage etactetece ecaggecegt etectaettg 2220
aagggetett egggeggtee actgetetge eeetegggge acgetgtggg catetttegg 2280
gctgccgtgt gcacccgagg ggttgcgaag gcggtggact ttgtacccgt cgagtctatg 2340
ggaaccacta tgcggtcccc ggtcttcacg gacaactcgt cccctccggc cgtaccgcag 2400
acattecagg tggcccatet acaegeeeet actggtageg geaagageae taaggtgeeg 2460
getgegtatg caggecaagg gtataaggtg ettgteetga accegteegt egeegeeace 2520
ctaggtttcg gggcgtatat gtctaaggca catggtatcg accctaacat cagaatcggg 2580
gtaaggacca tcaccacggg tgcccccatc acgtactcca cctatggcaa qtttcttqcc 2640
gacggtggtt getetggggg egeetatgae ateataatat gtgatgagtg eeacteaact 2700
gactogacca ctatootggg catoggcaca gtootggaco aagoggagac ggotggagcg 2760
egactegteg tgetegecae egetaegeet eegggategg teaeegtgee acatecaaae 2820 ategaggagg tggetetgte eageaetgga gaaateeeet tttatggeaa ageeateeee 2880
atcgagacca tcaagggggg gaggcacctc attttctgcc attccaagaa gaaatgtgat 2940
gagetegeeg egaagetgte eggeetegga etcaatgetg tageatatta eeggggeett 3000
gatgtatccg tcataccaac tagcggagac gtcattgtcg tagcaacgga cgctctaatg 3060
acgggettta ccggcgactt cgactcagtg atcgactgca atacatgtgt cacccagaca 3120
gtcgacttca gcctggaccc gaccttcacc attgagacga cgaccgtgcc acaagacgcg 3180 gtgtcacgct cgcagcggcg aggcaggact ggtagggca ggatgggcat ttacaggttt 3240
gtgactccag gagaacggcc ctcgggcatg ttcgattcct cggttctgtg cgagtgctat 3300
gacgcgggct gtgcttggta cgagctcacg cccgccgaga cctcagttag gttgcgggct 3360
tacctaaaca caccagggtt geeegtetge caggaceate tggagttetg ggagagegte 3420
tttacaggcc tcacccacat agacgcccat ttcttgtccc agactaagca ggcaggagac 3480
aactteeeet aeetggtage ataceagget aeggtgtgeg eeagggetea ggeteeacet 3540
ccatcgtggg accaaatgtg gaagtgtctc atacggctaa agcctacgct gcacgggcca 3600
```

```
acgcccctgc tgtataggct gggagccgtt caaaacgagg ttactaccac acaccccata 3660
accaaataca tcatggcatg catgtcggct gacctggagg tcgtcacgag cacctgggtg 3720
ctggtaggcg gagtcctagc agctctggcc gcgtattgcc tgacaacagg cagcgtggtc 3780
attgtgggca ggatcatctt gtccggaaag ccggccatca ttcccgacag ggaagtcctt 3840
taccgggagt tegatgagat ggaagagtge geeteacace tecettacat egaacaggga 3900
atgcageteg eegaacaatt caaacagaag gcaategggt tgetgcaaac agccaccaag 3960
caageggagg etgetgetee egtggtggaa tecaagtgge ggaceatega ageettetgg 4020
gcgaagcata tgtggaattt catcagcggg atacaatatt tagcaggctt gtccactctg 4080
cctggcaacc ccgcgatagc atcactgatg gcattcacag cctctatcac cagcccgctc 4140
accacceaac atacceteet gtttaacate etggggggat gggtggeege ceaacttget 4200
ceteceageg etgettetge tttegtagge geeggeateg etggagegge tgttggeage 4260
ataggcettg ggaaggtget tgtggatatt ttggcaggtt atggagcagg ggtggcaggc 4320
gcgctcgtgg cctttaaggt catgagcggc gagttgccct ccaccgagga cctggttaac 4380
ctactocotg ctatoctoto cootggogoo ctagtogtog gggtogtgtg cgcagogata 4440
etgegtegge aegtgggeee aggggagggg getgtgeagt ggatgaaeeg getgatageg 4500
ttcgcttcgc ggggtaacca cgtctccccc acgcactatg tgcctgagag cgacgctgca 4560
geaegagtea eteagateet etetagtett accateaete agetgetgaa gaggetteae 4620
cagtggatca acgaggactg ctccacgcca tgctccggct cgtggctaag agatgtttgg 4680
gattggatat gcacggtgtt gactgatttc aagacctggc tccagtccaa gctcctgccg 4740
cgattgccgg gagtcccctt cttctcatgt caacgtgggt acaagggagt ctggcgggc 4800
gacggcatca tgcaaaccac ctgcccatgt ggagcacaqa tcaccggaca tqtqaaaaac 4860
ggttccatga ggatcgtggg gcctaggacc tgtagtaaca cgtggcatgg aacattcccc 4920
attaacgcgt acaccacggg cccctgcacg ccctccccgg cgccaaatta ttctagggcg 4980
ctgtggcggg taggtgctga ggagtacgtg gaggttacgc gggtggggga tttccactac 5040 gtgacgggca tgaccactga caacgtaaag tgcccgtgtc aggttccggc ccccgaattc 5100
ttcacagaag tggatggggt gcggttgcac aggtacgctc cagcgtgcaa acccctccta 5160
egggaggagg teacatteet ggtegggete aateaatace tggttgggte acageteeca 5220
tgcgagcctg aaccggatgt agcagtgctc acttccatgc tcaccgaccc ctcccacatt 5280
acggcggaga cggctaagcg taggctggcc aggggatete ecceeeett ggccagetea 5340
teagetagee agetgtetge geetteettg aaggeaacat geactaceeg teatgaetee 5400
ceggaegetg accteatega ggecaacete etgtggegge aggagatggg egggaacate 5460
acccgcgtgg agtcagaaaa taaggtagta attttggact ctttcgagcc gctccaagcg 5520
gaggaggatg agaggggagt atccgttccg gcggagatcc tgcggaggtc caggaaattc 5580
cctcgagcga tgcccatatg ggcacgcccg gattacaacc ctccactgtt agagtcctgg 5640
aaggacccgg actacgtccc tccagtggta cacgggtgtc cattgccgcc tgccaaggcc 5700
cetecgatae cacetteacg gaggaagagg acggttgtee tgteagaate tacegtgtet 5760
tetgeettgg eggagetege cacagagace tteggeaget eegaategte ggeegtegae 5820
ageggeacgg caacggeete teetgaceag ceeteegacg aeggegacge gggateegac 5880
gttgagtegt actectecat gecececett gagggggage egggggatee egateteage 5940
gacgggtett ggtetacegt aagegaggag getagtgagg aegtegtetg etgetegatg 6000
tectacaeat ggacaggege cetgateaeg ceatgegetg eggaggaaac caagetgeee 6060
atcaatgcac tgagcaacte tttgeteegt caccacaact tggtetatge tacaacatet 6120
cgcagcgcaa acctgcggca gaagaaggtc acctttgaca gactgcaggt cctggacgac 6180
cactaceggg aegtgeteaa ggagatgaag gegaaggegt ceacagttaa ggetaaactt 6240
ctatccgtgg aggaagcctg taagctgacg ccccacatt cggccagatc taaatttggc 6300
tatggggcaa aggacgtccg gaacctatcc agcaaggccg ttaaccacat ccgctccgtg 6360
tggaaggact tgctggaaga cactgagaca ccaattgaca ccaccatcat ggcaaaaaat 6420
gaggttttct gcgtccaacc agagaagggg ggccgcaagc cagctcgcct tatcgtattc 6480
ccagatttgg gggttcgtgt gtgcgagaaa atggcccttt acgatgtggt ctccaccctc 6540
cotcaggoog tgatgggoto ttoatacgga ttocaatact ctoctggaca gogggtogag 6600
ttcctggtga atgcctggaa agcgaagaaa tgccctatgg gcttcgcata tgacacccgc 6660
tgttttgact caacggtcac tgagaatgac atccgtgttg aggagtcaat ctaccaatgt 6720
tgtgacttgg cccccgaagc cagacaggcc ataaggtcgc tcacagagcg gctttacatc 6780
gggggccccc tgactaattc taaagggcag aactgcggct atcgccggtg ccgcgcgagc 6840
ggtgtactga cgaccagctg cggtaatacc ctcacatgtt acttgaaggc cgctgcggcc 6900
tgtcgagctg cgaagctcca ggactgcacg atgctcgtat gcggagacga ccttgtcgtt 6960
atetytyaaa gegeggggae eeaagaggae gaggegagee taegggeett eaeggagget 7020
atgactagat actetgeece ecetggggae eegeecaaac cagaataega ettggagttg 7080
ataacatcat geteeteeaa tgtgteagte gegeaegatg catetggeaa aagggtgtae 7140
tatctcaccc gtgaccccac caccccctt gcgcgggctg cgtgggagac agctagacac 7200
actocagtea attectgget aggeaacate ateatgtatg egeceacett gtgggeaagg 7260 atgateetga tgaeteattt etteteeate ettetagete aggaacaact tgaaaaaagee 7320
ctagattgtc agatctacgg ggcctgttac tccattgagc cacttgacct acctcagatc 7380
attoaacgac tocatggcot tagcgcattt toactocata gttactotoc aggtgagato 7440
aatagggtgg cttcatgcct caggaaactt ggggtaccgc ccttgcgagt ctggagacat 7500
cgggccagaa gtgtccgcgc taggctactg tcccaggggg ggagggctgc cacttgtggc 7560 aagtacctct tcaactggcc agtaaggacc aagctcaaac tcactccaat cccggctgcg 7620
```

tcccagttgg	atttatccag	ctggttcgtt	gctggttaca	gcgggggaga	catatatcac	7680
agcctgtctc	gtgcccgacc	ccgctggttc	atgtggtgcc	tactcctact	ttctqtaqqq	7740
gtaggcatct	atctactccc	caaccgatga	acggggagct	aaacactcca	ggccaatagg	7800
ccatcctgtt	tttttccctt	ttttttttc	tttttttt	ttttttttt	ttttttttt	7860
ttttctcctt	tttttttcct	cttttttcc	ttttctttcc	tttggtggct	ccatcttage	7920
cctagtcacg	gctagctgtg	aaaggtccgt	gagccgcttg	actgcagaga	gtgctgatac	7980
tggcctctct	gcagatcaag	t			_	8001

```
<211> 11076
 <212> DNA
 <213> Hepatitis C Virus
 <400> 11
gccagccccc gattgggggc gacactccac catagatcac tcccctgtga ggaactactg 60
tetteaegea gaaagegtet ageeatggeg ttagtatgag tgtegtgeag ceteeaggae 120
cccccctccc gggagagcca tagtggtctg cggaaccggt gagtacaccg gaattgccag 180
gacgaccggg teetteettg gateaacccg eteaatgeet ggagatttgg gegtgeecce 240
gcgagactgc tagccgagta gtgttgggtc gcgaaaggcc ttgtggtact gcctgatagg 300
gtgcttgcga gtgccccggg aggtctcgta gaccgtgcac catgagcacg aatcctaaac 360
ctcaaagaaa aaccaaacgt aacaccaacg ggcgcgccat gattgaacaa gatggattgc 420
acgcaggttc tccggccgct tgggtggaga ggctattcgg ctatgactgg gcacaacaga 480
caateggetg etetgatgee geegtgttee ggetgteage geaggggege eeggttettt 540
ttgtcaagac cgacctgtcc ggtgccctga atgaactgca ggacgaggca gcgcggctat 600
cgtggctggc cacgacgggc gttccttgcg cagctgtgct cgacgttgtc actgaagcgg 660
gaagggactg gctgctattg ggcgaagtgc cggggcagga tctcctgtca tctcaccttg 720
ctcctgccga gaaagtatcc atcatggctg atgcaatgcg gcggctgcat acgcttgatc 780
cggctacctg cccattcgac caccaagcga aacatcgcat cgagcgagca cgtactcgga 840
tggaageegg tettgtegat eaggatgate tggaegaaga geateagggg etegegeeag 900
ccgaactgtt cgccaggete aaggegegea tgcccgacgg cgaggatete gtcgtgacee 960
atggcgatge etgettgeeg aatateatgg tggaaaatgg eegettttet ggatteateg 1020 actgtggeeg getgggtgtg geggaeeget ateaggaeat agegttgget accegtgata 1080
ttgctgaaga gcttggcggc gaatgggctg accgetteet egtgetttae ggtategeeg 1140
ctcccgattc gcagcgcatc gccttctatc gccttcttga cgagttcttc tgagtttaaa 1200
cagaccacaa eggttteeet etagegggat caatteegee eeteteeete eececeeet 1260
aacgttactg gccgaagccg cttggaataa ggccggtgtg cgtttgtcta tatgttattt 1320
tccaccatat tgccgtcttt tggcaatgtg agggcccgga aacctggccc tgtcttcttg 1380
acgagcattc ctaggggtct ttcccctctc gccaaaggaa tgcaaggtct gttgaatgtc 1440
gtgaaggaag cagtteetet ggaagettet tgaagacaaa caaegtetgt agegaeeett 1500
tgcaggcage ggaacccccc acctggcgac aggtgcctct gcggccaaaa gccacgtgta 1560
taagatacac ctgcaaaggc ggcacaaccc cagtgccacg ttgtgagttg gatagttgtg 1620
gaaagagtca aatggctctc ctcaagcgta ttcaacaagg ggctgaagga tgcccagaag 1680
gtaccccatt gtatgggate tgatetgggg ceteggtgea catgetttae atgtgtttag 1740 tegaggttaa aaaacgteta ggeeceega accaegggga egtggtttte etttgaaaaa 1800
cacgataata ccatgggcac gaatcctaaa cctcaaagaa aaaccaaacg taacaccaac 1860
cgccgcccac aggacgtcaa gttcccgggc ggtggtcaga tcgtcggtgg agtttacctg 1920
ttgccgcgca ggggccccag gttgggtgtg cgcgcgacta ggaagacttc cgagcggtcg 1980
caacctcgtg gaaggcgaca acctatcccc aaggctcgcc agcccgaggg tagggcctgg 2040
getcageceg ggtaeceetg geceetetat ggcaatgagg gettggggtg ggcaggatgg 2100
etectgteae eeegtggete teggeetagt tggggeecea eggaeceeeg gegtaggteg 2160
cgcaatttgg gtaaggtcat cgataccctc acgtgcggct tcgccgatct catggggtac 2220
attccgctcg tcggcgcccc cctagggggc gctgccaggg ccctggcgca tggcgtccgg 2280
gttctggagg acggcgtgaa ctatgcaaca gggaatctgc ccggttgctc cttttctatc 2340 ttccttttgg ctttgctgtc ctgtttgacc atcccagctt ccgcttatga agtgcgcaac 2400
gtatccggag tgtaccatgt cacgaacgac tgctccaacg caagcattgt gtatgaggca 2460
geggacatga teatgeatae eccegggige gigeeetgeg ttegggagaa caaciectee 2520
cgctgctggg tagcgctcac tcccacgctc gcggccagga acgctagcgt ccccactacg 2580
acgatacgae gecatgtega tttgetegtt ggggeggetg etetetgete egetatgtae 2640
gtgggagate tetgeggate tgtttteete gtegeceage tgttcacett etegectege 2700
eggeacgaga cagtacagga etgeaattge teaatatate eeggeeacgt gacaggteae 2760
cgtatggctt gggatatgat gatgaactgg tcacctacag cagccctagt ggtatcgcag 2820
ttactccgga tcccacaagc tgtcgtggat atggtggcgg gggcccattg gggagtccta 2880
gcgggccttg cctactattc catggtgggg aactgggcta aggttctgat tgtgatgcta 2940
ctctttgccg gcgttgacgg gggaacctat gtgacagggg ggacgatggc caaaaacacc 3000
ctcgggatta cgtccctctt ttcacccggg tcatcccaga aaatccagct tgtaaacacc 3060
aacggcaget ggcacateaa caggactgcc ctgaactgca atgacteect caacactggg 3120
ttccttgctg cgctgttcta cgtgcacaag ttcaactcat ctggatgccc agagcgcatg 3180
gccagctgca gccccatcga cgcgttcgct caggggtggg ggcccatcac ttacaatgag 3240
tcacacaget eggaceagag geettattgt tggeactaeg caceeeggee gtgeggtate 3300
gtaccegegg egeaggtgtg tggtecagtg tactgettea ecceaagece tgtegtggtg 3360
gggacgaccg accggttcgg cgtccctacg tacagttggg gggagaatga gacggacgtg 3420
ctgettetta acaacaegeg geegeegeaa ggeaactggt ttggetgtae atggatgaat 3480
agcactgggt tcaccaagac gtgcgggggc cccccgtgta acatcggggg gatcggcaat 3540
aaaaccttga cctgccccac ggactgcttc cggaagcacc ccgaggccac ttacaccaag 3600
```

```
tgtggttcgg ggccttggtt gacacccaga tgcttggtcc actacccata caggctttgg 3660
 cactacccct gcactgtcaa ctttaccatc ttcaaggtta ggatgtacgt ggggggagtg 3720
 gagcacagge tegaageege atgeaattgg actegaggag agegttgtaa cetggaggae 3780
 agggacagat cagagettag eccgetgetg etgtetacaa eggagtggea ggtattgeee 3840
 tgttccttca ccaccctacc ggctctgtcc actggtttga tccatctcca tcagaacgtc 3900
 gtggacgtac aatacctgta cggtataggg tcggcggttg tctcctttgc aatcaaatgg 3960
 gagtatgtee tgttgetett cettettetg geggaegege gegtetgtge etgettgtgg 4020
 atgatgctgc tgatagctca agctgaggcc gccctagaga acctggtggt cctcaacgcg 4080
 gcatccgtgg ccggggcgca tggcattctc tccttcctcg tgttcttctg tgctgcctgg 4140
tacatcaagg gcaggctggt ccctgggggg gcatatgccc tctacggcgt atggccgcta 4200 ctcctgctcc tgctggcgtt accaccacga gcatacgcca tggaccggga gatggcagca 4260
 tegtgeggag gegeggtitt egtaggtetg atactettga eettgteace geactataag 4320
 ctgttcctcg ctaggctcat atggtggtta caatatttta tcaccagggc cgaggcacac 4380
 ttgcaagtgt ggatcccccc cctcaacgtt cgggggggcc gcgatgccgt catcctcctc 4440
 acgtgcgcga tccacccaga gctaatcttt accatcacca aaatcttgct cgccatactc 4500
ggtccactca tggtgctcca ggctggtata accaaagtgc cgtacttcgt gcgcgcacac 4560
gggctcattc gtgcatgcat gctggtgcgg aaggttgctg ggggtcatta tgtccaaatg 4620 gctctcatga agttggccgc actgacaggt acgtacgttt atgaccatct caccccactg 4680
cgggactggg cccacgcggg cctacgagac cttgcggtgg cagttgagcc cgtcgtcttc 4740
tetgatatgg agaceaaggt tateacetgg ggggeagaea eegeggegtg tggggaeate 4800
atcitgggcc tgcccgtctc cgcccgcagg gggagggaga tacatctggg accggcagac 4860
agecttgaag ggeagggtg gegaeteete gegeetatta eggeetaete eeaacagaeg 4920 egaggeetae ttggetgeat cateactage etcacaggee gggaeaggaa eeaggtegag 4980
ggggaggtee aagtggtete cacegeaaca caatetttee tggegaeetg egteaatgge 5040
gtgtgttgga etgtetatea tggtgeegge teaaagaeee ttgeeggeee aaagggeeea 5100
atcacccaaa tgtacaccaa tgtggaccag gacctcgtcg gctggcaagc gcccccggg 5160
gegegtteet tgacaccatg cacetgegge ageteggace tttacttggt cacgaggeat 5220
gccgatgtca ttccggtgcg ccggcggggc gacagcaggg ggagcctact ctcccccagg 5280
cccgtctcct acttgaaggg ctcttcgggc ggtccactgc tctgcccctc ggggcacgct 5340
gtgggcatct ttcgggctgc cgtgtgcacc cgaggggttg cgaaggcggt ggactttgta 5400
cccgtcgagt ctatgggaac cactatgcgg tccccggtct tcacggacaa ctcgtcccct 5460
ccggccgtac cgcagacatt ccaggtggcc catctacacg cccctactgg tagcggcaag 5520
agcactaagg tgccggctgc gtatgcaggc caagggtata aggtgcttgt cctgaacccg 5580
teegtegeeg ecaceetagg ttteggggeg tatatgteta aggeacatgg tategaeeet 5640
aacatcagaa teggggtaag gaccatcace aegggtgeee ecateaegta etecaeetat 5700
ggcaagtite ttgccgacgg tggttgetet ggggggegeet atgacateat aatatgtgat 5760
gagtgecact caactgacte gaccactate etgggeateg geacagteet ggaccaageg 5820
gagacggctg gagcgcgact cgtcgtgctc gccaccgcta cgcctccggg atcggtcacc 5880
gtgccacatc caaacatcga ggaggtggct ctgtccagca ctggagaaat ccccttttat 5940
ggcaaagcca teeceatega gaceateaag ggggggagge aceteatttt etgecattee 6000
aagaagaaat gtgatgaget egeegegaag etgteeggee teggaeteaa tgetgtagea 6060
tattaccggg gccttgatgt atccgtcata ccaactagcg gagacgtcat tgtcgtagca 6120
acggacgete taatgacggg etttacegge gaettegaet eagtgatega etgeaataca 6180
tgtgtcaccc agacagtcga cttcagcctg gacccgacct tcaccattga gacgacgacc 6240
gtgccacaag acgcggtgtc acgctcgcag cggcgaggca ggactggtag gggcaggatg 6300
ggcatttaca ggtttgtgac tccaggagaa cggccctcgg gcatgttcga ttcctcggtt 6360
ctgtgcgagt gctatgacgc gggctgtgct tggtacgagc tcacgcccgc cgagacctca 6420
gttaggttgc gggcttacct aaacacacca gggttgcccg tctgccagga ccatctggag 6480
ttctgggaga gcgtctttac aggcctcacc cacatagacg cccatttctt gtcccagact 6540
aagcaggcag gagacaactt cccctacctg gtagcatacc aggctacggt gtgcgccagg 6600
gctcaggctc cacctccatc gtgggaccaa atgtggaagt gtctcatacg gctaaagcct 6660
acgctgcacg ggccaacgcc cctgctgtat aggctgggag ccgttcaaaa cgaggttact 6720
accacacac ccataaccaa atacatcatg gcatgcatgt cggctgacct ggaggtcgtc 6780
acgageacet gggtgetggt aggeggagte etageagete tggeegegta ttgeetgaea 6840
acaggcagcg tggtcattgt gggcaggatc atcttgtccg gaaagccggc catcattccc 6900
gacagggaag teetttaeeg ggagttegat gagatggaag agtgegeete acaceteeet 6960
tacatcgaac agggaatgca gctcgccgaa caattcaaac agaaggcaat cgggttgctg 7020
caaacagcca ccaagcaagc ggaggctgct gctcccgtgg tggaatccaa gtggcggacc 7080
atcgaageet tetgggegaa geatatgtgg aattteatea gegggataea atatttagea 7140 ggettgteea etetgeetgg caaceeegeg atageateae tgatggeatt caeageetet 7200
atcaccagee egeteaceae ecaacataee etectgttta acateetggg gggatgggtg 7260
geogeocaac tigeteetee eagegeiget teigetiteg taggegeegg categeigga 7320
gcggctgttg gcagcatagg ccttgggaag gtgcttgtgg atattttggc aggttatgga 7380
gcaggggtgg caggcgcgct cgtggccttt aaggtcatga gcggcgagtt gccctccacc 7440
gaggacctgg ttaacctact coetgetate etéteccetg gegecetagt egteggggte 7500 gtgtgegeag egatactgeg teggeaegtg ggeceagggg agggggetgt geagtggatg 7560
aaccggctga tagcgttege ttegeggggt aaccaegtet eeccaegea etatgtgeet 7620
```

```
gagagegaeg etgeageaeg agteacteag atecteteta gtettaceat cacteagetg 7680
 ctgaagagge ttcaccagtg gatcaacgag gactgeteca egecatgete eggetegtgg 7740
 ctaagagatg tttgggattg gatatgcacg gtgttgactg atttcaagac ctggctccag 7800
 tecaagetee tgeegegatt geegggagte eeettettet catgteaacg tgggtacaag 7860
 ggagtetgge ggggegaegg cateatgeaa accaeetgee catgtggage acagateace 7920
 ggacatgtga aaaacggttc catgaggatc gtggggccta ggacctgtag taacacgtgg 7980
 catggaacat teeccattaa egegtaeace aegggeeeet geaegeeete eeeggegeea 8040
 aattatteta gggegetgtg gegggtaggt getgaggagt aegtggaggt taegegggtg 8100
 ggggatttcc actacgtgac gggcatgacc actgacaacg taaagtgccc gtgtcaggtt 8160 ccggcccccg aattettcac agaagtggat ggggtgcggt tgcacaggta cgctccagcg 8220 tgcaaacccc tcctacggga ggaggtcaca ttcctggtcg ggctcaatca atacctggtt 8280
 gggtcacage teccatgega geetgaaceg gatgtageag tgetcaette catgetcace 8340
 gacccctccc acattacggc ggagacggct aagcgtaggc tggccagggg atctccccc 8400 *
 cccttggcca gctcatcagc tagccagctg tctgcgcctt ccttgaaggc aacatgcact 8460
 accegteatg acteceegga egetgacete ategaggeea aceteetgtg geggeaggag 8520
 atgggcggga acatcacccg cgtggagtca gaaaataagg tagtaatttt ggactctttc 8580
 gageegetee aageggagga ggatgagagg ggagtateeg tteeggegga gateetgegg 8640
 aggtecagga aatteeeteg agegatgeee atatgggeae geeeggatta caacceteea 8700
 ctgttagagt cctggaagga cccggactac gtccctccag tggtacacgg gtgtccattg 8760
 cogectgeca aggeeectee gataceaeet teaeggagga agaggaeggt tgteetgtea 8820
 gaatctaccg tgtettetge ettggeggag etegecaeag agaeettegg eageteegaa 8880
tegteggeeg tegacagegg caeggeaacg geeteteetg accageeete egacgaegge 8940 gaegegggat eegacgttga gtegtaetee tecatgeeee eeettgaggg ggageegggg 9000
gatecegate teagegaegg gtettggtet accgtaageg aggaggetag tgaggaegte 9060
gtotgotgot ogatgtocta cacatggaca ggogocotga toacgocatg cgctgoggag 9120
gaaaccaage tgeecateaa tgeaetgage aactetttge teegteacea caacttggte 9180
tatgctacaa catctcgcag cgcaaacctg cggcagaaga aggtcacctt tgacagactg 9240
caggteetgg acgaccacta eegggaegtg etcaaggaga tgaaggegaa ggegteeaca 9300
gttaaggeta aacttetate egtggaggaa geetgtaage tgaegeeece acatteggee 9360
agatetaaat ttggetatgg ggeaaaggae gteeggaace tateeageaa ggeegttaae 9420
cacateeget eegtgtggaa ggaettgetg gaagacactg agacaccaat tgacaccace 9480
atcatggcaa aaaatgaggt tttctgcgtc caaccagaga aggggggccg caagccagct 9540
cgccttatcg tattcccaga tttgggggtt cgtgtgtgcg agaaaatggc cctttacgat 9600
gtggteteca ecetecetea ggeegtgatg ggetetteat aeggatteea atacteteet 9660 ggaeageggg tegagtteet ggtgaatgee tggaaagega agaaatgeee tatgggette 9720
gcatatgaca ecegetgitt tgaetcaacg gicactgaga atgaeateeg tgitgaggag 9780
tcaatctacc aatgttgtga cttggccccc gaagccagac aggccataag gtcgctcaca 9840
gageggettt acateggggg ecceetgaet aattetaaag ggeagaaetg eggetatege 9900
cggtgccgcg cgagcggtgt actgacgacc agctgcggta ataccctcac atgttacttg 9960
aaggeegetg eggeetgteg agetgegaag etecaggaet geacgatget egtatgegga 10020
gacgacettg tegttatetg tgaaagegeg gggacecaag aggacgagge gageetaegg 10080
geetteaegg aggetatgae tagataetet geeeeeetg gggaeeegee eaaaceagaa 10140
tacgacttgg agttgataac atcatgctcc tocaatgtgt cagtcgcgca cgatgcatct 10200
ggcaaaaggg tgtactatct cacccgtgac cccaccaccc cccttgcgcg ggctgcgtgg 10260
gagacageta gacacaetee agteaattee tggetaggea acateateat gtatgegeee 10320
accttgtggg caaggatgat cctgatgact catttcttct ccatccttct agctcaggaa 10380
caacttgaaa aagccctaga ttgtcagatc tacggggcct gttactccat tgagccactt 10440
gacctacete agateattea acgaetecat ggeettageg catttteact ceatagttae 10500
tetecaggtg agateaatag ggtggettea tgeeteagga aaettggggt acegeeettg 10560
cgagtctgga gacatcgggc cagaagtgtc cgcgctaggc tactgtccca gggggggagg 10620
gctgccactt gtggcaagta cctcttcaac tgggcagtaa ggaccaagct caaactcact 10680
ccaateeegg etgegteeea gttggattta teeagetggt tegttgetgg ttacageggg 10740
ggagacatat atcacageet gtetegtgee egaceeeget ggtteatgtg gtgeetaete 10800
ctactttctg taggggtagg catctatcta ctccccaacc gatgaacggg gagctaaaca 10860
ctccaggcca ataggccatc ctgtttttt ccctttttt ttttctttt ttttttt 10920
ttttttttt tttttttc tcctttttt ttcctctttt tttccttttc tttcctttgg 10980
tggctccatc ttagccctag tcacggctag ctgtgaaagg tccgtgagcc gcttgactgc 11040 agagagtgct gatactggcc tctctgcaga tcaagt 11076
```

CLAIMS

- 1. A hepatitis C virus (HCV) cell culture system, which mainly eukaryotic cells containing 5 transfected HCV specific genetic material, characterized in that, the eukaryotic cells are human hepatoma cells and the transfected HCV specific genetic material is a HCV-RNA construct, which comprises the HCV specific 10 segments 5' NTR, NS3, NS4A, NS4B, NS5A, and 3' NTR as well as an additional marker gene selection (selection gene).
- 2. A cell culture system according to Claim 1, characterized in that, the hepatoma cells are derived from a usual hepatoma cell line.
- A cell culture system according to Claim 1,
 characterized in that,
 the hepatoma cells are extracted from a primary
 hepatoma cell culture.
- 4. A HCV-RNA construct, characterized in that,
 25 it comprises the HCV specific RNA segments 5' NTR,
 NS3, NS4A, NS4B, NS5A, NS5B, and 3' NTR as well as an additional marker gene for selection (selection gene).
- 5. HCV-RNA construct according to Claim 4, 30 characterized in that, comprises one of the nucleotide sequences illustrated in the sequence protocols SEQ ID NO: 1 to SEQ ID NO: 11.
- 35 6. A HCV-RNA construct according to Claim 4, characterized in that,

	the	3' N	TR ha	s a	nucleo	tide	sequenc	e, whi	ch ha	s be	en
	sel	ected	from	the	group	of nu	cleotid	e seque	ences	(a)	to
	(i)	liste	ed in	the	follow	ing:					
5	(a)	GCTT		TTTT			ATAGGCCA AGAGAGAG				
10	(b)		гттттт				ATAGGCCA AGAGAGAG				
15	(c)		тттттт				ATAGGCCA AGAGAGAG				
	(d)	AGTCT		TTTT			ATAGGCC# GAGAGAG#				
20	(e)	GTCTT		тттт			ATAGGCCA GAGAGAGA				
25	(f)	GTCTI		TTTT			ATAGGCCA TGAGAGAC				
30	(g)	GTCTT		TTTT			ATAGGCCA AGAGAGAC				
35	(h)	TAATO		TTTT	TTTTTC		ATAGGCCA				

- 5 7. A HCV-RNA construct according to one of the Claims 4 to 6, characterized in that, the marker gene for selection is a resistance gene and preferably an antibiotic resistance gene.
- 10 8. A HCV-RNA construct according to one of the Claims 4 to 6, characterized in that, the marker gene for selection is a neomycin phosphotransferase gene.
- 15 9. A HCV-RNA construct according to one of the Claims 4 to 8, characterized in that, the marker gene for selection is integrated in the HCV-RNA downstream from the 5' NTR.
- 20 10. A HCV-RNA construct according to one of the Claims 4 to 83, characterized in that, the marker gene for selection is linked to the HCV-RNA via a ribozyme or a recognition sequence for a ribozyme.

25

- 11. A HCV-RNA construct according to one of the Claims 4 to 10, characterized in that, it has an integrated reporter gene.
- 30 12. HCV-RNA construct according to Claim 11, characterized in that, the reporter gene is a gene from the group of the luciferase genes, the CAT gene (chloramphenicol acetyl transferase gene), the lacZ gene (beta galactosidase 35 gene), the GFP gene (green fluorescence protein gene), the GUS gene (glucuronidase gene) and the SEAP gene (secreted alkaline phosphatase gene).

13. A HCV-RNA construct according to one of the Claims 4 to 11, characterized in that, their replication has an influence on the expression of a (cellular) surrogate marker gene.

5

30

35

- 14. A HCV-RNA construct according to one of the Claims 11 to 13, characterized in that, the resistance gene is cloned into the open reading frame of the HCV-RNA in such a way that it will only be transferred to an active form after proteolytic processing.
- 15. A HCV-RNA construct according to one of the Claims 11 to 14, characterized in that, the reporter gene and the marker gene for selection are arranged in the construct in such a way, that they are expressed as a fusion protein.
- 20 16. A cell culture system according to one of the Claims 1 to 3, characterized in that, the HCV-RNA construct is a construct according to at least one of the Claims 4 to 15.
- 25 17. A cell culture system according to Claim 1, characterized in that, the cells containing the HCV-RNA construct are lodged at the DSMZ, Braunschweig, Germany under the deposit number DSM ACC2394 (laboratory name HuBl 9-13).
 - 18. A use of a cell culture system according to one of the Claims 1 to 3 or 16 to 17 and/or a HCV-RNA construct according to one of the Claims 4 to 15 for the production and/or evaluation and/or testing of treatments and/or diagnostics for the treatment of HCV infections in particular.

- 19. A use of a cell culture system according to one of the Claims 1 to 3 or 16 to 17 and/or a HCV-RNA construct according to one of the Claims 4 to 15 for the production of a vaccine against HCV infections.
- 20. A use a HCV-RNA construct according to one of the Claims 4 to 15 for the production of a liver cell specific vector in gene therapy.
- 10 21. A HCV-RNA construct according to one of the Claims 4 to 15, characterized in that, it has an integrated foreign gene and can be used to transfect this foreign gene in a target cell, which can be used to express this foreign gene.

15

20

25

30

35

22. A process for the production of cell culture adapted mutants of a HCV-RNA construct according to one of the claims 4 to 15, in which the mutants have increased replication efficiency compared to the HCV-RNA construct,

characterized in that.

from these cell clones.

- a cell culture system according to claim 1, in which the transfected HCV specific genetic material is a HCV-RNA construct with a selection gene according to one of the claims 4 to 15, is cultivated on/in the selection medium corresponding to the selection gene, that the cell clones created are collected, and that the HCV-RNA constructs or parts thereof are isolated
- 23. A process according to claim 22, characterized in that,
 the isolated HCV-RNA constructs are passaged at least one more time. That is, they are transfected in cells of a cell culture system according to claim 1. The cell culture system of claim 1 thereby obtained, in which the transfected HCV specific genetic material is

5

10

15

the isolated HCV-RNA construct with a selection gene, is cultivated on/in the selection medium corresponding to the selection gene, the cell clones created are collected, and the HCV-RNA constructs are isolated from these cell clones.

24. A process for the production of mutants of a HCV full-length genome or of a HCV subgenome or any HCV construct with increased replication efficiency in comparison to the original HCV full-length genome or subgenome or HCV-RNA construct, characterized in that, a cell culture adapted mutant of a HCV-RNA construct is produced and isolated by a process according to claim 22 or 23, the nucleotide and amino acid sequence of these

is determined and the type, number

- positions of the nucleotide and amino acid mutations is determined by comparison with the nucleotide and amino acid sequence of the original HCV-RNA construct, and these mutations are introduced in an (isolated) HCV full-length genome or a HCV subgenome or any HCV-RNA construct, either by site-directed mutagenesis or by exchange of fragments containing the relevant mutations
 - 25. A cell culture adapted HCV-RNA construct with high replication efficiency, characterized in that,
- it is derivable from a HCV-RNA construct according to one of the claims 4 to 15 through nucleotide and/or amino acid mutations and that it is obtainable with a process according to one of the claims 22 to 24.
- 35 26. A cell culture adapted HCV-RNA construct according to claim 25, characterized in that,

it carries one or several of the following amino acid exchanges: 1283 arg \rightarrow gly and/or 1383 glu \rightarrow ala and/or 1577 lys \rightarrow arg and/or 1609 lys \rightarrow glu and/or 1936 pro \rightarrow ser and/or 2163 glu \rightarrow gly and/or 2330 lys \rightarrow glu and/or 2442 ile \rightarrow val.

- 27. A cell culture adapted HCV-RNA construct according to claim 25 or 26, characterized in that,
- it displays one or several of the nucleotide and/or amino acid exchanges shown in Table 3, where Table 3 is an integral part of this claim.

5

- 28. Cell culture adapted mutant of a HCV-RNA construct or of a HCV full-length genome with increased replication efficiency in comparison to the original HCV-RNA construct or original HCV full-length genome, characterized in that,
- it is obtainable with a process in which the number and type of mutations in a cell culture adapted HCV-RNA construct according to claim 24 are determined through sequence analysis and sequence comparison, and these mutations are introduced in a HCV-RNA construct, particularly in a HCV-RNA construct according to one
- of the claims 4 to 15, or in an (isolated) HCV-RNA full-length genome, either by targeted mutagenesis or by exchange of sequence sections containing the relevant mutations.
- 30 29. Hepatitis C virus particles or virus-like particles, characterized in that, they are obtainable by a process according to one of the claims 22 24.
- 35 30. Cells infected with Hepatitis C virus particles or virus-like particles, according to claim 29.






Fig. 1









Fig. 2






Fig. 4




Fig. 5




Fig. 6






Fig. 8






Fig. 9









Fig. 11



В

G418-Concentration:	500 µg/ml	250 µg/ml	100 µg/ml
Number of Cell Colonies:	1	23	75





Fig. 12



Borden Ladner Gervais LLP / s.r.l.



